

20

THE

THE

20



FULLY



10-41

HARDTAIL



42-85

ROAD



86-117

TREKKING



118-145

URBAN



146-159

KID



160-179

INFO



180-193

# MADE IN AUSTRIA



Seit Jahrzehnten beweist KTM seine Kompetenz als einflussreicher und globaler Fahrradhersteller.

Die Fahrradtechnik hat sich vielfach verändert und enorme Fortschritte gemacht. Im Laufe dieser Zeit hat sich KTM zu einem der letzten verbliebenen Vollsortimenter entwickelt. Eines jedoch ist immer gleich geblieben: KTM baut nach wie vor "Bikes – Made in Austria".

Bereits das erste KTM Fahrrad Fleetwing trug 1964 das Gütesiegel Made in Austria. Mehr als 50 Jahre später ist KTM stolz darauf, seine Fahrräder wieder mit diesem Siegel zu versehen, das für höchste Qualität und modernste Technologien steht. Mittlerweile wird in mehr als 50 Ländern weltweit auf KTM Bikes – Made in Austria vertraut.



KTM has spent decades developing into an influential player in the global bicycle sector.



The first KTM bike the Fleetwing, displayed the quality label Made in Austria (1964). More than 50 years later KTM is proud to label the biggest part of its bikes again with that mark standing for highest quality and state-of-the-art technologies. In addition to this, more than 50 countries around the world trust in KTM Bikes – Made in Austria.

Bike technologies have changed enormously and the progress has been significant especially in the last decade. As the decades have past KTM finally became a manufacturer that covers the whole range of bikes. But one thing has never changed: KTM still builds bikes at its base in Mattighofen awarding the badge – Made in Austria.



1964



1972



1978



1982



1991



1994



2000



2003



2009



2020



## REMOTE FORK LOCKOUT

Die Lockout-Funktion der Federungselemente wird mit einem ergonomischen Hebel vom Lenker aus betätigt. Beide Hände bleiben sicher am Lenker.


*The lock out function of the suspension elements is actuated with an ergonomic lever on the handlebar. Both hands remain safely on the bar.*



## TAPERED STEERER

Das konifizierte Steuerrohr erhöht die Steifigkeit und Lenkpräzision

*The tapered steerer optimizes the riding feeling and increases the stiffness.*



## REMOTE DROPPER POST

Um die volle Kontrolle bei schwierigen Abfahrten zu behalten, lässt sich mittels Lenkerfernbedienung samt vollintegrierter Zugverlegung die Sattelstütze absenken. Bei KTM nicht nur auf rein abfahrtsorientierten Bikes zu finden.


*To maintain full control during difficult descents, the seatpost can be lowered with a handlebar remote control for ease whilst riding. The cable routing is also fully integrated.*



## BOOST 148mm

Der Boost Standard erhöht die Steifigkeit und ermöglicht ein effizienteres und präziseres Handling des Bikes. Durch die breitere Nabe lassen sich robustere Laufräder bauen.

*The Boost Standard increases stiffness and allows a very efficient and precise handling of the bike. The wider hub makes it possible to build more robust wheels.*



## REMOTE DAMPER LOCKOUT

Die Dämpfer Lockout Funktion wird mit einem ergonomischen Hebel vom Lenker aus gesteuert. Beide Hände bleiben immer sicher am Lenker.

*The fork lockout can be controlled by an ergonomic remote lever and your hands remain on the bar.*



## NANO PREMIUM CARBON

Hochmodulare Carbonfasern mit Nanomatrix. Highly modular carbon fibres with nanomatrix.



## PC PREMIUM CARBON


Hochmodulare Carbonfasern. Highly modular carbon fibres.




## PC PERFORMANCE CARBON

Carbonfaser-Mischung zur perfekten Anpassung an die unterschiedlichen Belastungszonen.

*A mixture of different carbon fibres for a perfect adaption to the different strain zones.*





## 1x12 GEARING

Durch den Wegfall des Kettenwerfers und des zweiten (dritten) Kettenblattes wird das Gewicht reduziert und die Bedienbarkeit vereinfacht. Die modernen 1x12 Antriebssätze bieten mit einer Übersetzungsbandbreite von bis zu 510% eine beinahe ebenbürtige Bandbreite im Vergleich zum 2x11 Antriebsatz.

*Without a front derailleur and the use of only one chainring, the weight gets reduced and the operability becomes easier. With a gear ratio spectrum from up to 510%, all modern 1x12 drive trains provide almost the same gear range compared to the 2x11 versions.*



## Straight Line Link

Die direkte Krafteinleitung in das Federelement reduziert Belastungen der Lager und des Rahmens. Gepaart mit dem geringen Übersetzungsverhältnis spricht der Hinterbau sehr sensibel an und lässt sich optimal auf das Fahrergewicht abstimmen. SLL ist auch optimiert für größere Federwege (SLL-LT)

*The direct force application to the suspension reduces loads on the bearings and the frame. Coupled with the low transmission ratio, the rear end is very supple and can be perfectly adapted to the weight of the rider. SLL is also optimized for longer travel (SLL-LT)*

## THRU AXLE REAR

Einfache und sichere Handhabung bei der Hinterrad (De-)Montage. Der durch das 12 mm KTM Thru axle System verstiefe Hinterbau setzt die Pedalkraft höchst effizient um.

*Easy and safe handling with the rear wheel (dis-)mounting. Due to the 12 mm KTM thru axle system, the stiffer rear triangle converts the pedal force to be at its most efficient.*



FORK PICTURE BY SRAM

## iFM INTEGRATED POSTMOUNT

Die Aufnahme des Bremsattels fügt sich nahtlos in das Rahmendesign ein und spart dadurch zusätzlich Gewicht.

*The postmount is seamlessly integrated into the frame design which is additionally saving weight.*



## iFM INTEGRATED FLATMOUNT

Speziell für den Rennradbereich entwickelte Bremssattelaufnahme. Perfekt in den Rahmen integriert, um höchsten Ansprüchen gerecht zu werden.

*To meet the high demands of our riders the Flatmount Disc Mounting is the ideal technology with a slim and elegant design*



KONA



## PROWLER



PROWLER SONIC  
XTR 1×12



PROWLER MASTER  
DEORE XT 1×12



PROWLER GLORY  
DEORE XT/SLX 1×12



PROWLER 291  
DEORE XT/SLX 1×12



PROWLER 292  
SX 1×12

## SCARP MT



SCARP MT PRESTIGE  
XX1 AXS 1×12



SCARP MT PRIME  
XTR 1×12



SCARP MT MASTER  
DEORE XT 1×12



SCARP MT GLORY  
DEORE XT/SLX 1×12



SCARP MT ELITE  
SLX 1×12

## SCARP



SCARP SONIC  
XTR 1×12



SCARP PRIME  
XTR 1×12



SCARP MASTER  
DEORE XT/SLX 1×12



SCARP ELITE  
SLX 1×12



SCARP 294  
SX 1×12



SCARP 294  
SX 1×12

# PROWLER

SONIC



## Das 150 mm Adventure Fully für den Kolumbus der Alpen.

Die Zeit der großen Entdecker scheint lange vorüber, doch das PROWLER bringt ein Stück dieser Sehnsucht zurück. Mit diesem Fully steht deiner ganz persönlichen Expedition in die Wildnis nichts mehr im Wege. Ob quer durch Wälder, über Bergketten, hin zum Secret-Spot oder im Bikepark, das PROWLER garantiert ein Trail-Erlebnis der Extraklasse und führt dich weit weg vom Alltäglichen.

Das Straight-Line-Link (SLL) Rahmen-Dämpfungskonzept steht nach wie vor für perfektes Ansprechverhalten und maximalen 150 mm Federweg-Spaß. Neben den stark ausgeprägten Downhill-Genen überzeugt das Prowler mit seinen Klettereigenschaften, die in diesem Bike-Segment seinesgleichen suchen. Ein niedrig angelegtes Cockpit und 75 Grad Sitzwinkel machen es möglich.

## The 150 mm adventure fully for the Columbus of the Alps.

It seems the time of the great adventurers has long gone, but the PROWLER brings back some of this aspiration. With this fully you can immediately start your personal expedition into the wilderness.

Whether across the woods, over mountain ranges, straight to your secret spot, or down the bikepark, the PROWLER guarantees the superb trail experience and brings you far away from everyday life. The

Straight-Line-Link (SLL) frame damping technology still stands for perfect response and maximum 150 mm travel fun. Beside the strong downhill genes the Prowler satisfies you with its, for this bike segment unusual, climbing skills. Possible due to a low designed cockpit and a 75 degrees seat angle.



1x12 SHIMANO XTR

150 mm REAR

# PROWLER SONIC

**FULLY**



FRAME	Prowler 29" Performance Carbon SLL150mm / M-8606	BRAKE	Shimano XTR M9120 4-Piston	BAR	KTM Prime Trail35 Carbon rizer20 800mm
FORK	FOX 36 Float 29" Factory 150mm (Kashima)	ROTOR	Rotor MT900 CL 180 / 180 Freeza	STEM	KTM Team Trail35
SHOCK	FOX Float DPX2 Factory 3Position 230x65	WHEEL F	KTM Prime Trail 29 CL 110-15TA	HEADSET	KTM Prime drop/in 1.1/8>1.5" +5
R. DERAILL.	Shimano XTR M9100-12 SGS shadow+	WHEEL R	622x30TC TLR made by DT Swiss	SADDLE	Ergon SM10 Sport Men
SHIFTLEU.	Shimano XTR M9100-12	TIRE F	KTM Prime Trail 29 CL 148-12TA	SEATPOST	FOX Transfer Factory internal
CRANKSET	Shimano XTR M9120 32T	TIRE R	622x30TC TLR made by DT Swiss	CATEGORY	◆ 4
SPROCKET	Shimano XTR M9100-12 / 10-51	GRIP	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 58-622	SYSTEM WEIGHT	120 kg (permissible total weight)
CHAIN	Shimano XTR M9100-12		Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 58-622	WEIGHT	13.2 kg (without pedals)



- space orange (black)
  - ↗ 020100103 PROWLER SONIC S / 43cm
  - ↗ 020100108 PROWLER SONIC M / 48cm
  - ↗ 020100113 PROWLER SONIC L / 53cm

# PROWLER MASTER

FULLY



FRAME	Prowler 29" Performance Carbon SLL150mm / M-8606
FORK	FOX 36 Float 29" Performance 150mm
SHOCK	FOX Float DPX2 Performance Elite 3Position 230x65
R. DERAILL.	Shimano Deore XT M8100-12 SGS shadow+
SHIFTLEV.	Shimano Deore XT M8100-12
CRANKSET	Shimano Deore XT M8120 30T
SPROCKET	Shimano Deore XT M8100-12 / 10-51

CHAIN	Shimano Deore XT M8100-12
BRAKE	Shimano Deore XT M8120 4-Piston
ROTOR	Rotor MT800 CL 180 / 180 Freeza
WHEEL F	KTM Comp Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss
WHEEL R	KTM Comp Trail 29 CL 148-12TA 622x30TC TLR made by DT Swiss
TIRE F	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 58-622
TIRE R	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 58-622



■ olive grey matt (black glossy)

- ✓ 020101103 PROWLER MASTER S / 43cm
- ✓ 020101108 PROWLER MASTER M / 48cm
- ✓ 020101113 PROWLER MASTER L / 53cm

1x12 SHIMANO  
DEORE XT

150 mm  
REAR

THERE'S NOWHERE TO GO  
BUT EVERYWHERE

FULLY



oberösterreich.at



Feuerkogel

# PROWLER GLORY



1x12 SHIMANO  
DEORE XT/SLX  
150 mm  
REAR

FULLY



FRAME	Prowler 29" Performance Carbon SLL150mm / M-8606	CHAIN	Shimano SLX M7100-12	GRIP	Ergon GE10 Evo ergonomic
FORK	FOX 36 Float 29" Performance 150mm	BRAKE	Shimano SLX M7120 4-Piston	BAR	KTM Team Trail35 rizer25 800mm
SHOCK	FOX Float DPX2 Performance Elite 3Position 230x65	ROTOR	Rotor RT70 CL 203 / 180	STEM	KTM Team Trail35
R. DERRAILL.	Shimano Deore XT M8100-12 SGS shadow+	WHEEL F	KTM Line - Shimano SLX M7110B CL 28H 110-15TA Mavic E-XM430 28H 622x30TSS	HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SHIFTLEV.	Shimano Deore XT M8100-12	WHEEL R	KTM Line - Shimano SLX M7110B CL 28H 148-12TA Mavic E-XM430 28H 622x30TSS	SADDLE	Ergon SMA10 Gel Women
CRANKSET	Shimano Deore XT M8120 28T	TIRE F	Maxxis Minion DHF 3C-MaxxTerra/EXO/TR 58-622	SEATPOST	KTM Comp dropper internal w/remote
SPROCKET	Shimano SLX M7100-12 / 10-51	TIRE R	Maxxis Minion DHR II 3C-MaxxTerra/EXO/TR 58-622	CATEGORY	◆ 4
				SYSTEM WEIGHT	124 kg (permissible total weight)
				WEIGHT	14 kg (without pedals)

deeppurple (mandarin)

020102103 PROWLER GLORY S / 43cm  
020401108 PROWLER GLORY M / 48cm

1x12 SHIMANO  
DEORE XT/SLX  
150 mm  
REAR

FULLY

# PROWLER 291



FRAME	Prowler 29" Alloy6061 triplebutted SLL150mm / M-9616	CHAIN	Shimano SLX M7100-12	GRIP	Ergon GE10 Evo ergonomic
FORK	Marzocchi Bomber Z2 29" 150mm	BRAKE	Shimano SLX M7120 4-Piston	BAR	KTM Team Trail35 rizer25 800mm
SHOCK	FOX Float DPS Performance 3Position 230x65	ROTOR	Rotor RT70 CL 203 / 180	STEM	KTM Team Trail35
R. DERRAILL.	Shimano Deore XT M8100-12 SGS shadow+	WHEEL F	KTM Line - Shimano SLX M7110B CL 28H 110-15TA Mavic E-XM430 28H 622x30TSS	HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SHIFTLEV.	Shimano Deore XT M8100-12	WHEEL R	KTM Line - Shimano SLX M7110B CL 28H 148-12TA Mavic E-XM430 28H 622x30TSS	SADDLE	Ergon SM10
CRANKSET	Shimano Deore XT M8120 30T	TIRE F	Schwalbe Hans Dampf Perf. TLR 60-622	SEATPOST	KTM Comp dropper internal w/remote
SPROCKET	Shimano SLX M7100-12 / 10-51	TIRE R	Schwalbe Hans Dampf Perf. TLR 60-622	CATEGORY	◆ 4
				SYSTEM WEIGHT	130 kg (permissible total weight)
				WEIGHT	15.5 kg (without pedals)



faded grey matt (white glossy)

020103103 PROWLER 291 S / 43cm  
020103108 PROWLER 291 M / 48cm  
020103113 PROWLER 291 L / 53cm

# PROWLER

292

FULLY

1x12 SRAM  
150 mm REAR



FRAME	Prowler 29" Alloy 6061 triplebutted SLL150mm / M-9616
FORK	RockShox 35 gold RL 29" 150mm 15x110
SHOCK	RockShox Deluxe Select+ 230x65
R. DERRAILL.	Sram SX Eagle 12speed
SHIFTLEU.	Sram SX Eagle Trigger
CRANKSET	Sram SX Eagle DUB 30T
SPROCKET	Sram SX Eagle PG1210 / 11-50
CHAIN	Sram NX Eagle 12s

BRAKE	Shimano MT420 4-Piston
ROTOR	Rotor RT64 CL 203 / 180
WHEEL F	KTM Line - Shimano Deore M6010B CL 32H 110-15TA
WHEEL R	Mavic E-XM430 32H 622x30TSS
	KTM Line - Shimano Deore M6010B CL 32H 148-12TA
TIRE F	Mavic E-XM430 32H 622x30TSS
TIRE R	Schwalbe Hans Dampf Perf. TLR 60-622
GRIP	Schwalbe Hans Dampf Perf. TLR 60-622
	Ergon GE10 Evo ergonomic



faded blue (orange)

- 020104103 PROWLER 292 S / 43cm
- 020104108 PROWLER 292 M / 48cm
- 020104113 PROWLER 292 L / 53cm

WHERE WE'RE GOING WE  
DON'T NEED ROADS.

FULLY



# SCARP MT

PRESTIGE



## Unterschätze nie den Einfluss von mehr Federweg am Race Fully.

MT steht für Marathon und eröffnet ein neues Bike-Segment in der KTM Produktpalette. Das SCARP MT verbindet die Vorteile von mehr Federweg und dem neuen, ultraleichten 'Scarp Evo2' Race Fully Rahmen. 115 mm Federweg hinten und 120 mm vorne, geben dir über lange Distanzen auch im

anspruchsvollen Gelände volle Kontrolle. Die „Straight-Line-Link“ Technologie macht es möglich. Zudem sorgt eine Trail lastige Ausstattung für den Genuss des extra langen Marathon Abenteuers. Ein Lenkwinkel von 67,5 Grad, genügend Platz für einen zweiten Flaschenhalter am neuen 'Scarp Evo2' Rahmen, sowie eine versenkbare Sattelstütze, runden das MT-Konzept ab.

**Never underestimate the impact of more travel on a race fully.**

MT stands for Marathon and creates a new bike segment in the KTM product range. The SCARP MT combines the advantages of more travel and the new, ultra-light race fully frame 'Scarp Evo2'. 115 mm rear and 120 mm front travel offers you full control for long distances even on rough terrain. The Straight-Line-Link technology makes it possible. Furthermore, a trail oriented specification ensures the pleasure of an extra-long marathon adventure. A

steering angle of 67.5 degrees, enough space for a second bottle cage on the new 'Scarp Evo2' frame, as well as a dropper seat post, wrap up the MT concept.

# SCARP

## MT PRESTIGE

FULLY

1x12 SRAM  
XX1 AXS

115 mm REAR



FRAME	Scarp 29" Premium Carbon SL115mm / M-0926
FORK	RockShox SID Select RL 29" 120mm remote
SHOCK	RockShox Deluxe Ultimate remote 190x45
R. DERAILL.	Sram XX1 Eagle AXS 12speed
SHIFTLEU.	Sram AXS Controller
CRANKSET	Sram X1 Eagle DUB Carbon 32T
SPROCKET	Sram X01 Eagle AXS XG1295 / 10-50
CHAIN	Sram X01 Eagle 12s

BRAKE	Magura MT8 Pro 2-Piston
ROTOR	Rotor Storm SL.2 6L 180 / 160
WHEEL F	KTM Team Trail 29 CL 110-15TA 622x30TC TLR made by DT Swiss
WHEEL R	KTM Team Trail 29 CL 148-12TA 622x30TC TLR made by DT Swiss
TIRE F	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
TIRE R	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
GRIP	KTM Team silicone



carbon (space orange)

- 020110100 SCARP MT PRESTIGE XS / 38cm
- 020110103 SCARP MT PRESTIGE S / 43cm
- 020110108 SCARP MT PRESTIGE M / 48cm
- 020110113 SCARP MT PRESTIGE L / 53cm

MORE TRAVEL.  
MORE PLEASURE.



oberösterreich.at



Bike Arena Obertraun

# SCARP

## MT PRIME

FULLY

1x12 SHIMANO XTR  
115 mm REAR



FRAME	Scarp 29" Premium Carbon SLL115mm / M-0926
FORK	FOX 34 Float SC 29" Performance 120mm remote
SHOCK	FOX Float DPS Performance Elite remote 190x45
R. DERRAILL.	Shimano XTR M9100-12 SGS shadow+
SHIFTLEU.	Shimano XTR M9100-12
CRANKSET	Shimano XTR M9120 34T
SPROCKET	Shimano XTR M9100-12 / 10-51
CHAIN	Shimano XTR M9100-12

BRAKE	Shimano XTR M9100 2-Piston
ROTOR	Rotor MT900 CL 160 / 160 Freeza
WHEEL F	KTM Team Trail 29 CL 110-15TA
WHEEL R	KTM Team Trail 29 CL 148-12TA
TIRE F	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
TIRE R	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
GRIP	KTM Team silicone



carbon satin (space orange)

- ↗ 02011100 SCARP MT PRIME XS / 38cm
- ↗ 02011103 SCARP MT PRIME S / 43cm
- ↗ 02011108 SCARP MT PRIME M / 48cm
- ↗ 02011113 SCARP MT PRIME L / 53cm

1x12 SHIMANO DEORE XT  
115 mm REAR



FRAME	Scarp 29" Premium Carbon SLL115mm / M-0926
FORK	FOX 34 Float SC 29" Performance 120mm remote
SHOCK	FOX Float DPS Performance Elite remote 190x45
R. DERRAILL.	Shimano Deore XT M8100-12 SGS shadow+
SHIFTLEU.	Shimano Deore XT M8100-12
CRANKSET	Shimano Deore XT M8120 32T
SPROCKET	Shimano Deore XT M8100-12 / 10-51
CHAIN	Shimano Deore XT M8100-12

BRAKE	Shimano Deore XT M8100 2-Piston
ROTOR	Rotor MT800 CL 160 / 160 Freeza
WHEEL F	KTM Comp Trail 29 CL 110-15TA
WHEEL R	KTM Comp Trail 29 CL 148-12TA
TIRE F	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
TIRE R	Maxxis Ardent Race 3C-MaxxTerra/EXO/TR 56-622
GRIP	KTM Team silicone



carbon matt (orange)

- ↗ 020112100 SCARP MT MASTER XS / 38cm
- ↗ 020112103 SCARP MT MASTER S / 43cm
- ↗ 020112108 SCARP MT MASTER M / 48cm
- ↗ 020112113 SCARP MT MASTER L / 53cm



# KTM GLORY LINE

EST. 2019



1x12 SHIMANO DEORE XT/SLX

115 mm REAR



# SCARP MT GLORY

**FULLY**



**FRAME** Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916  
**FORK** FOX 32 Float 29" Rhythm 120mm remote  
**SHOCK** FOX Float DPS PerformanceElite remote 190x45  
**R. DERAILL.** Shimano Deore XT M8100-12 SGS shadow+  
**SHIFTLEU.** Shimano Deore XT M8100-12  
**CRANKSET** Shimano SLX M7120 30T  
**SPROCKET** Shimano SLX M7100-12 / 10-51  
**CHAIN** Shimano SLX M7100-12

**BRAKE** Shimano SLX M7100 2-Piston  
**ROTOR** Rotor RT70 CL 180 / 160  
**WHEEL F** KTM Line - Shimano SLX M7100B CL 28H 110-15TA  
**WHEEL R** KTM Line - Shimano SLX M7100B CL 28H 148-12TA  
**TIRE F** Schwalbe Rocket Ron Perf. TLR 57-622  
**TIRE R** Schwalbe Rocket Ron Perf. TLR 57-622  
**GRIP** KTM Team silicone

**BAR** KTM Team flat 2X 740mm  
**STEM** KTM Team MTB 7°  
**HEADSET** KTM Team drop/in 1.1/8>1.5" +5  
**SADDLE** Ergon SMA10 Gel Women  
**SEATPOST** KTM Comp dropper internal w/remote  
**CATEGORY** ⚡ 3  
**SYSTEM WEIGHT** 130 kg (permissible total weight)  
**WEIGHT** 12,4 kg (without pedals)



Inspired by

**Bloomers**  
women in their elements

eveblue (mandarin)

- ↗ 020113100 SCARP MT GLORY XS / 38cm
- ↗ 020113103 SCARP MT GLORY S / 43cm
- ↗ 020113108 SCARP MT GLORY M / 48cm

# SCARP MT ELITE



**FRAME** Scarp 29" Premium Carbon-Alloy rear SLL115mm / M-0916

**FORK** Marzocchi Bomber Z2 29" 120mm remote

**SHOCK** FOX Float DPS PerformanceElite remote 190x45

**R. DERAILL.** Shimano SLX M7100-12 SGS shadow+

**SHIFTLEU.** Shimano SLX M7100-12

**CRANKSET** Shimano SLX M7120 32T

**SPROCKET** Shimano SLX M7100-12 / 10-51

**CHAIN** Shimano SLX M7100-12

**BRAKE** Shimano M6000 2-Piston  
SLL115mm / M-0916

**ROTOR** Rotor RT54 CL 180 / 160

**WHEEL F** KTM Line - Shimano SLX M7110B CL 28H 110-15TA

**WHEEL R** KTM Line - Shimano SLX M7110B CL 28H 148-12TA

**TIRE F** Schwalbe Rocket Ron Perf. TLR 57-622

**TIRE R** Schwalbe Rocket Ron Perf. TLR 57-622

**GRIP** KTM Team silicone

**BAR** KTM Team flat 2X 740mm

**STEM** KTM Team MTB 7"

**HEADSET** KTM Team drop/in 1.1/8>1.5" +5

**SADDLE** Ergon SM10

**SEATPOST** KTM Comp dropper internal w/remote

**CATEGORY** 3

**SYSTEM WEIGHT** 130 kg (permissible total weight)

**WEIGHT** 12,7 kg (without pedals)



■ orange (black)

020114100 SCARP MT ELITE XS / 38cm

020114103 SCARP MT ELITE S / 43cm

020114108 SCARP MT ELITE M / 48cm

020114113 SCARP MT ELITE L / 53cm

1×12 SHIMANO  
SLX

115 mm  
REAR

SHIMANO

ALL GOOD  
THINGS  
COME IN  
THREES

12-SPEED NOW IN XTR, XT AND SLX

MAKE  
YOUR  
MARK

SHIMANO MTB

# SCARP

SONIC



## Das SCARP SONIC bildet die Spitze unserer High End Race Fullys.

Das SCARP SONIC ist für alle gebaut, die weit über ihre Grenzen hinaus gehen wollen. Gerüstet für jegliche Rennstrecken dieser Welt, ist dieses Rad für maximale Performance und Speed ausgerichtet. 2020 kommt

das Scarp mit einem neu entwickelten Rahmen 'Scarp Evo2' und erklimmt somit die nächste Evolutionsstufe. Mit einem Gewicht von 1.580g (Größe M/48cm) ist der Evo2 Rahmen um rund 10 Prozent leichter als sein revolutionärer Vorgänger und dies bei ebenbürtigen

Steifigkeitswerten. Erzielt wurde dieser Quantensprung durch die kompromisslose Auslegung des Rahmens auf Einfach-Kettenblätter. Die „Straight-Line-Link“ Technologie garantiert, wie gewohnt, perfektes Fahrverhalten und sensibles Ansprechen des Dämpfers. Die Race-Version wartet mit 100 mm Federweg vorne und 95 mm hinten. Neben einem flacheren Lenkwinkel von 68,5 Grad, wurde der Rahmen dank Unterrohr-Formveränderung für einen zweiten Flaschenhalter optimiert. Ab sofort gibt es das SCARP auch in Größe XS (38).

## The SCARP SONIC represents the pinnacle of our high end racefullys.

The SCARP SONIC is built for all who want to push their bike to the limit. The Scarp Sonic is ready to take on the worlds most spectacular race tracks. This bike is made for maximum performance and speed. In 2020, the Scarp climbs to the

next stage of evolution and will be produced with the newly developed frame 'Scarp Evo2'. With still the same stiffness values and a weight of 1.580g (size M/ 48cm), the Evo2 frame is around 10 percent lighter than its revolutionary previous version. As usual, the Straight-Line-Link technology guarantees perfect

handling and sensitive response of the damper. The race version is waiting with 100 mm front and 95 mm rear travel. In addition to a flatter steering angle of 68,5 degrees, the frame has a new down tube shape, optimized for a second bottle cage for those long distance rides. Also new for 2020 the SCARP will be available in an additional size of XS / 38cm.



1x12 SHIMANO XTR

95 mm REAR

# SCARP SONIC



FRAME	Scarp 29" Premium Carbon SLL95mm / M-0926	CHAIN	Shimano XTR M9100-12	GRIP	KTM Team silicone
FORK	FOX 32 Float SC 29" Factory 100mm (Kashima) remote	BRAKE	Shimano XTR M9100 2-Piston	BAR	KTM Prime Carbon flat 720mm
SHOCK	FOX Float DPS Factory remote 190x37.5	ROTOR	Rotor MT900 CL 160 / 160 Freeza	STEM	KTM Prime 6"
R. DERAILL.	Shimano XTR M9100-12 SGS shadow+	WHEEL F	DT Swiss XRC 1200 Spline 25 Carbon CL 110-15TA 622x25TSS TLR	HEADSET	KTM Prime drop/in 1.1/8>1.5" +5
SHIFTLEV.	Shimano XTR M9100-12	WHEEL R	DT Swiss XRC 1200 Spline 25 Carbon CL 148-12TA 622x25TSS TLR	SADDLE	Selle Italia X-LR Carbon
CRANKSET	Shimano XTR M9120 34T	TIRE F	Schwalbe Racing Ray Evo SnakeSkin TLE 57-622	SEATPOST	KTM Prime Carbon zero 30.9/400
SPROCKET	Shimano XTR M9100-12 / 10-51	TIRE R	Schwalbe Racing Ralph Evo SnakeSkin TLE 57-622	CATEGORY	3
				SYSTEM WEIGHT	110 kg (permissible total weight)
				WEIGHT	9.6 kg (without pedals)



carbon (space orange)

- ↗ 020120100 SCARP SONIC XS / 38cm
- ↗ 020120103 SCARP SONIC S / 43cm
- ↗ 020120108 SCARP SONIC M / 48cm
- ↗ 020120113 SCARP SONIC L / 53cm

# SCARP PRIME

FULLY

1x12 SHIMANO XTR  
95 mm REAR



FRAME	Scarp 29" Premium Carbon SLL95mm / M-0926	BRAKE	Shimano XTR M9100 2-Piston
FORK	FOX 32 Float SC 29" Performance 100mm remote	ROTOR	Rotor MT900 CL 180 / 180 Freeza
SHOCK	FOX Float DPS Performance Elite remote 190x37.5	WHEEL F	KTM Team CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss
R. DERRAILL.	Shimano XTR M9100-12 SGS shadow+	WHEEL R	KTM Team CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss
SHIFTLEU.	Shimano XTR M9100-12	TIRE F	Maxxis Rekon 3C-MaxxTerra EXO/TR 57-622
CRANKSET	Shimano XTR M9120 34T	TIRE R	Maxxis Rekon Race EXO/TR 57-622
SPROCKET	Shimano XTR M9100-12 / 10-51		
CHAIN	Shimano XTR M9100-12		

GRIP	KTM Team silicone
BAR	KTM Team flat 2X 720mm
STEM	KTM Team MTB 7"
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	Selle Italia X-LR Mang.
SEATPOST	KTM Team 30.9/400
CATEGORY	3
SYSTEM WEIGHT	110 kg (permissible total weight)
WEIGHT	10.5 kg (without pedals)

1x12 SHIMANO DEORE XT/SLX  
95 mm REAR



FRAME	Scarp 29" Premium Carbon SLL95mm / M-0926	BRAKE	Shimano SLX M7100 2-Piston
FORK	FOX 32 Float SC 29" Performance 100mm remote	ROTOR	Rotor RT70 CL 180 / 180
SHOCK	FOX Float DPS Performance Elite remote 190x37.5	WHEEL F	KTM Comp CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss
R. DERRAILL.	Shimano Deore XT M8100-12 SGS shadow+	WHEEL R	KTM Comp CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss
SHIFTLEU.	Shimano Deore XT M8100-12	TIRE F	Maxxis Rekon 3C-MaxxTerra EXO/TR 57-622
CRANKSET	Shimano SLX M7120 34T	TIRE R	Maxxis Rekon Race EXO/TR 57-622
SPROCKET	Shimano SLX M7100-12 / 10-51		
CHAIN	Shimano SLX M7100-12		

GRIP	KTM Team silicone
BAR	KTM Team flat 2X 720mm
STEM	KTM Team MTB 7"
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	Ergon SM10
SEATPOST	KTM Team 30.9/400
CATEGORY	3
SYSTEM WEIGHT	110 kg (permissible total weight)
WEIGHT	11.3 kg (without pedals)



carbon satin (space orange)

- ↗ 020121100 SCARP PRIME XS / 38cm
- ↗ 020121103 SCARP PRIME S / 43cm
- ↗ 020121108 SCARP PRIME M / 48cm
- ↗ 020121113 SCARP PRIME L / 53cm



carbon matt (orange)

- ↗ 020122100 SCARP MASTER XS / 38cm
- ↗ 020122103 SCARP MASTER S / 43cm
- ↗ 020122108 SCARP MASTER M / 48cm
- ↗ 020122113 SCARP MASTER L / 53cm

# SCARP MASTER

FULLY

# SCARP ELITE

FULLY

1x12 SHIMANO SLX  
95 mm REAR



FRAME	Scarp 29" Premium Carbon-Alloy rear SLL95mm / M-0916
FORK	FOX 32 Float 29" Rhythm 100mm remote
SHOCK	FOX Float DPS Performance Elite remote 190x45
R. DERAILL.	Shimano SLX M7100-12 SGS shadow+
SHIFTLEV.	Shimano SLX M7100-12
CRANKSET	Shimano SLX M7120 34T
SPROCKET	Shimano SLX M7100-12 / 10-51
CHAIN	Shimano SLX M7100-12
BRAKE	Shimano MT500 2-Piston
ROTOR	Rotor RT54 CL 180 / 160
WHEEL F	KTM Line - Shimano SLX M7110B CL 32H 110-15TA DT Swiss 533D 32H 622x22TC
WHEEL R	KTM Line - Shimano SLX M7110B CL 32H 148-12TA DT Swiss 533D 32H 622x22TC
TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
TIRE R	Maxxis Rekon Race EXO/TR 57-622
GRIP	KTM Team silicone
BAR	KTM Team flat 2X 720mm
STEM	KTM Team MTB 7°
HEADSET	KTM Team drop/in 1.1/8>1.5° +5
SADDLE	Ergon SM10
SEATPOST	KTM Team 30.9/400
CATEGORY	3
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	12.5 kg (without pedals)

- black matt (white)  
020123100 SCARP ELITE XS / 38cm  
020123103 SCARP ELITE S / 43cm  
020123108 SCARP ELITE M / 48cm  
020123113 SCARP ELITE L / 53cm

1x12 SRAM SX  
95 mm REAR



FRAME	Scarp 29" Alloy6061 triplebutted; SLL95mm / M-7936
FORK	RockShox Recon RL 29" 100mm remote 15x110
SHOCK	RockShox Monarch RL 165x38
R. DERAILL.	Sram SX Eagle 12speed
SHIFTLEV.	Sram SX Eagle Trigger
CRANKSET	Sram SX Eagle DUB 34T
SPROCKET	Sram SX Eagle PG1210 / 11-50
CHAIN	Sram NX Eagle 12s
BRAKE	Shimano MT201 2-Piston
ROTOR	Rotor RT54 CL 180 / 160
WHEEL F	KTM Line - Shimano MT400B CL 32H 110-15TA DT Swiss 533D 32H 622x22TC
WHEEL R	KTM Line - Shimano MT400B CL 32H 148-12TA DT Swiss 533D 32H 622x22TC
TIRE F	Schwalbe Racing Ray Perf. TLR 57-622
TIRE R	Schwalbe Racing Ralph Perf. TLR 57-622
GRIP	KTM Comp Lock
BAR	KTM Comp flat 2X 720mm
STEM	KTM Comp 7°
HEADSET	KTM Team drop/in 1.1/8>1.5° +5
SADDLE	Ergon SM10
SEATPOST	KTM Comp 30.9/400
CATEGORY	3
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14,3 kg (without pedals)



- black matt (orange)  
020124103 SCARP 294 S / 43cm  
020124108 SCARP 294 M / 48cm  
020124113 SCARP 294 L / 53cm

# SCARP 294

FULLY

REEDER



## MYROON



MYROON SONIC  
XTR 1x12



MYROON PRIME  
XTR 1x12



MYROON MASTER  
DEORE XT 1x12



MYROON GLORY  
DEORE XT/SLX 1x12



MYROON PRO  
SLX 1x12



MYROON COMP  
SX 1x12



MYROON ALPHA  
SLX 2x11

## ULTRA



ULTRA 1964 PRO  
DEORE XT/SLX 1x12



ULTRA EVO  
SLX 1x12



ULTRA 1964 COMP  
DEORE XT/SLX 2x11



ULTRA GLORY  
SLX 1x12



ULTRA SPORT  
SX 1x12



ULTRA FLITE 29 & 27  
DEORE 2x10



ULTRA FUN 29 & 27  
DEORE XT 3x9



ULTRA GLORIETTE 29 & 27  
DEORE XT 3x9

## CHICAGO PENNY LANE



CHICAGO DISC 29 & 27  
ACERA 3x8



CHICAGO CLASSIC 29 & 27  
ACERA 3x8



CHICAGO STREET 29  
ACERA 3x8



CHICAGO STREET 27  
ACERA 3x8



PENNY LANE DISC 27  
ACERA 3x8



PENNY LANE CLASSIC  
ACERA 3x8



PENNY LANE STREET  
ACERA 3x8

# MYROON

SONIC




---

**Das MYROON ist der Leichtgewicht-Supersportler für den Geschwindigkeitsrausch.**

Das einzige Problem am MYROON SONIC ist, damit langsam zu fahren. Sitzt du einmal auf diesem Biest, wirst du jede Sekunde versuchen, alle Möglichkeiten die es bietet, auszunutzen. Steif, leicht und auf Vortrieb ausgelegt, wirst du glauben, eins mit der Maschine zu sein. Mit einem Rahmengewicht von nur 975 Gramm katapultiert sich das MYROON SONIC in die oberste Liga

der Mountainbike Hardtails. Eine Kombination aus Nano Carbon Technik und hochmodularen 40T Fasern sorgt für ein optimales Steifigkeits-Gewichtsverhältnis. Angriffslustig und doch leicht beherrschbar, begeistert das Bike auch in der Abfahrt.

---

**The MYROON is the light weight speed hunter with super sports performance.**

There's only one little problem with the MYROON SONIC, you cannot ride slowly. Once you sit on this epic mtb, you will try to out do all the possibilities it offers. Stiff, light and trimmed to go forward, you'll never regret the purchase of this bike. With a frame weight of just 975 grams, the MYROON SONIC catapults itself into the top league of mountain bike hardtails. A combination of nano

carbon technology and highly modular 40T fiber ensures an optimal stiffness to weight ratio. Attractively and yet easy to control, the bike excites even on the downhill.

# MYROON SONIC

HARDTAIL

1x12 SHIMANO XTR



FRAME	Myroon 29" Nano Premium Carbon M-8866	BRAKE	Shimano XTR M9100 2-Piston	BAR	KTM Prime Carbon flat 720mm
FORK	FOX 32 Float SC 29" Factory 100mm (Kashima) remote	ROTOR	Rotor MT900 CL 160 / 160 Freeza	STEM	KTM Prime 6°
R. DERAILL.	Shimano XTR M9100-12 SGS shadow+	WHEEL F	DT Swiss XRC 1200 Spline 25 Carbon CL 110-15TA 622x25TSS TLR	HEADSET	KTM Prime drop/in 1.1/8>1.5° +5
SHIFTLEU.	Shimano XTR M9100-12	WHEEL R	DT Swiss XRC 1200 Spline 25 Carbon CL 148-12TA 622x25TSS TLR	SADDLE	Selle Italia X-LR Carbon
CRANKSET	Shimano XTR M9100 34T	TIRE F	Schwalbe Racing Ray Evo SnakeSkin TLE 57-622	SEATPOST	KTM Prime Carbon zero 27.2/400
SPROCKET	Shimano XTR M9100-12 / 10-51	TIRE R	Schwalbe Racing Ralph Evo SnakeSkin TLE 57-622	CATEGORY	3
CHAIN	Shimano XTR M9100-12	GRIP	KTM Team silicone	SYSTEM WEIGHT	110 kg (permissible total weight)
				WEIGHT	8,6 kg (without pedals)



carbon (space orange)

- 020130100 MYROON SONIC XS / 38cm
- 020130103 MYROON SONIC S / 43cm
- 020130108 MYROON SONIC M / 48cm
- 020130113 MYROON SONIC L / 53cm

1x12 SHIMANO XTR



FRAME	Myroon 29" Premium Carbon / M-7876	ROTOR	Rotor MT900 CL 160 / 160 Freeza	BAR	KTM Team flat 2X 720mm
FORK	FOX 32 Float SC 29" Performance 100mm remote	WHEEL F	KTM Team CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss	STEM	KTM Team MTB 7°
R. DERAILL.	Shimano XTR M9100-12 SGS shadow+	WHEEL R	KTM Team CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss	HEADSET	KTM Team drop/in 1.1/8>1.5° +5
SHIFTLEU.	Shimano XTR M9100-12	CRANKSET	Shimano XTR M9100 34T	SADDLE	Selle Italia X-LR Mang.
CRANKSET	Shimano XTR M9100-12	SPROCKET	Shimano XTR M9100-12 / 10-51	SEATPOST	KTM Team 27.2/400
SPROCKET	Shimano XTR M9100-12 / 10-51	CHAIN	Shimano XTR M9100-12	CATEGORY	3
CHAIN	Shimano XTR M9100-12	TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622	SYSTEM WEIGHT	110 kg (permissible total weight)
		TIRE R	Maxxis Rekon Race EXO/TR 57-622	WEIGHT	9,6 kg (without pedals)
		BRAKE	Shimano XTR M9100 2-Piston	GRIP	KTM Team silicone



carbon satin (space orange glossy)

- 020131100 MYROON PRIME XS / 38cm
- 020131103 MYROON PRIME S / 43cm
- 020131108 MYROON PRIME M / 48cm
- 020131113 MYROON PRIME L / 53cm

# MYROON PRIME

Hardtail

PHOTOCROMIC  
LENSES

OPTIMAL  
MOISTURE TRANSPORT

FAST DRYING  
3D FABRIC

# MYROON MASTER

HARDOFTAIL

1x12 SHIMANO  
DEORE XT



FRAME	Myroon 29" Premium Carbon / M-7876
FORK	FOX 32 Float SC 29" Performance 100mm remote
R. DERAILL.	Shimano Deore XT M8100-12 SGS shadow+
SHIFTLEU.	Shimano Deore XT M8100-12
CRANKSET	Shimano Deore XT M8100 34T
SPROCKET	Shimano Deore XT M8100-12 / 10-51
CHAIN	Shimano Deore XT M8100-12
BRAKE	Shimano Deore XT M8100 2-Piston

ROTOR	Rotor MT800 CL 160 / 160 Freeza
WHEEL F	KTM Comp CC 29 CL 110-15TA 622x25TC TLR made by DT Swiss
WHEEL R	KTM Comp CC 29 CL 148-12TA 622x25TC TLR made by DT Swiss
TIRE F	Maxxis Rekon 3C-MaxxTerra/EXO/TR 57-622
TIRE R	Maxxis Rekon Race EXO/TR 57-622
GRIP	KTM Team silicone



carbon matt (orange)

- 020132100 MYROON MASTER XS / 38cm
- 020132103 MYROON MASTER S / 43cm
- 020132108 MYROON MASTER M / 48cm
- 020132113 MYROON MASTER L / 53cm



**KTM ist offizieller Partner  
des Österreichischen  
Radsportverbandes**

**KTM is official partner  
of the Austrian Cycling  
Federation**



Hardtail



## Erster Bloomers-Design-Thinking-Workshop bei KTM Fahrrad.

**FROM WOMEN.  
FOR WOMEN.**



Auf Frauenpower in der zum großen Teil Männer dominierten Fahrradbranche, setzt KTM auch bei der GLORY LINE. Dafür trafen im vergangenen Sommer beim „Bloomers – Design Thinking Workshop“, die Geschäftsführung, sowie Designer und Entwickler aus dem Hause KTM auf 13 Frauen aus der Szene, um das Thema „WOMEN ON BIKES“ nicht nur zu diskutieren, sondern spezielle Wünsche und Ansprüche, auch umzusetzen.

Das Endergebnis zeigt sich in der neuen GLORY LINE. Die Glory-Räder erstrahlen nicht nur in speziellem Design, sondern warten auch mit technischen Anpassungen. Spezielle Sättel und Griffe, kürzere Vorbauten, oder leichtere Übersetzungen sollen maximalen Fahrspaß garantieren.

**Bereits in zweiter Generation wird KTM Fahrrad von starken Frauen gelenkt.**

Johanna Urkauf zieht seit dem Vorjahr die Fäden des Unternehmens und rückte ihrer Mutter, Carol Urkauf-Chen, die in den Aufsichtsrat wechselte, nach.



**ANNA WEISS**  
CO-FOUNDER  
BLOOMERS

**"Keine Lippenbekenntnisse:  
KTM bewies, dass es ihnen ernst ist mit den Frauen.**

**Die gesamte Geschäftsführung samt aller Verantwortlicher nahm am Workshop teil. Die Offenheit, die Kritikfähigkeit und die ehrliche Neugier, mit der die KTM Manager\*innen den Frauen begegneten, ist einzigartig in der Branche."**

**Already in second generation, KTM Bike Industries is led by strong women.**



Johanna Urkauf followed the footsteps of her mother Carol Urkauf-Chen, and is now at the helm of the company as managing director since last year.

We at KTM are proud to have Johanna Urkauf in charge and it is something quite special in the male dominated bicycle industry. Women's power is also the key word and was a key part in the thinking behind the KTM GLORY LINE. In summer last year, KTM held the Bloomers – Design Thinking Workshop, where the management, as well as designers and developers of KTM, met 13 opinion leading women who hail from the bike scene.

The aim was not only to discuss the topic of "WOMEN ON BIKES", but to realise and implement the special wishes of women as well. From this exciting meeting we can now show you the results in the new GLORY LINE; with different designs and technical adjustments like special saddles, grips, shorter stems or lighter gear ratios, we feel we have created a range of bikes women will love to ride. With comfort and design at the heart of this line, we hope all women of the world will be inspired to ride a KTM Glory.



## NEW KTM GLORY LINE

Inspired by

**Bloomers**  
women in their elements



**"Small differences  
with a huge impact!"**



**"I attach particular importance  
to unique colouring  
and adapted geometry!"**



**"Perfectly matched  
specifications guarantee  
optimum riding pleasure!"**



**"In competition I can rely on  
my KTM bike. It has the  
ability to be dependable,  
aggressive and smooth!"**



**CORINA DRUML**  
KTM FACTORY TEAM



**ANNA SPIELMANN**  
KTM FACTORY TEAM



**ANGELIKA TANZREITER**  
KTM FACTORY TEAM



**KATHARINA SADNIK**  
& HER SISTER THERESA



**PROWLER GLORY**  
DEORE XT/SLX 1×12

18



**SCARP MT GLORY**  
DEORE XT/SLX 1×12

30-31



**MYROON GLORY**  
DEORE XT/SLX 1×12

59



**ULTRA GLORY**  
SLX 1×12

73



**ALTO GLORY**  
ULTEGRA Di2 2×11

103



**X-STRADA GLORY**  
GRX 2×10

116



# FEEL THE ORANGE FLASH

Ewige Wand, Salzkammergut

oberösterreich.at



1x12 SHIMANO  
DEORE XT/SLX



**MYROON**  
GLORY



FRAME	Myroon 29" Performance Carbon / M-6886	BRAKE	Shimano SLX M7100 2-Piston	BAR	KTM Team flat 2X 720mm
FORK	FOX 32 Float 29" Rhythm 100mm remote	ROTOR	Rotor RT70 CL 160 / 160	STEM	KTM Team MTB 7°
R. DERAILL.	Shimano Deore XT M8100-12 SGS shadow+	WHEEL F	KTM Line - Shimano SLX M7110B CL 32H 110-15TA DT Swiss 533D 32H 622x22TC	HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SHIFTLEU.	Shimano Deore XT M8100-12	WHEEL R	KTM Line - Shimano SLX M7110B CL 32H 148-12TA DT Swiss 533D 32H 622x22TC	SADDLE	Ergon SMA10 Gel Women
CRANKSET	Shimano SLX M7100 32T	TIRE F	Schwalbe Racing Ray Perf. TLR 57-622	SEATPOST	KTM Team 27.2/400
SPROCKET	Shimano SLX M7100-12 / 10-51	TIRE R	Schwalbe Racing Ralph Perf. TLR 57-622	MODULE NO.	020133 BG
CHAIN	Shimano SLX M7100-12	GRIP	KTM Team silicone	CATEGORY	3
				SYSTEM WEIGHT	121 kg (permissible total weight)
				WEIGHT	11,1 kg (without pedals)



Inspired by

**Bloomers**  
women in their elements

eveblue (mandrin)

020133100 MYROON GLORY XS / 38cm

020133103 MYROON GLORY S / 43cm

# MYROON PRO

HARDTAIL

1x12 SHIMANO SLX

1x12 SRAM SX



FRAME	Myroon 29" Performance Carbon / M-6886
FORK	FOX 32 Float 29" Rhythm 100mm remote
R. DERAILL.	Shimano SLX M7100-12 SGS shadow+
SHIFTLEU.	Shimano SLX M7100-12
CRANKSET	Shimano MT610 34T
SPROCKET	Shimano SLX M7100-12 / 10-51
CHAIN	Shimano SLX M7100-12
BRAKE	Shimano MT201 2-Piston

ROTOR	Rotor RT30 CL 180 / 160
WHEEL F	Shimano WH-MT501-B CL 110-15TA 622x24C
WHEEL R	Shimano WH-MT501-B CL 148-12TA 622x24C
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
GRIP	KTM Team silicone
BAR	KTM Team flat 2X 720mm
STEM	KTM Team MTB 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	Ergon SM1.0
SEATPOST	KTM Team 27.2/400
CATEGORY	▲ 3
SYSTEM WEIGHT	122 kg (permissible total weight)
WEIGHT	11,6 kg (without pedals)



FRAME	Myroon 29" Performance Carbon M-6886
FORK	RockShox Judy silver TK 29" 100mm remote 15x110
R. DERAILL.	Sram SX Eagle 12speed
SHIFTLEU.	Sram SX Eagle Trigger
CRANKSET	Sram SX Eagle DUB 34T
SPROCKET	Sram SX Eagle PG1210 / 11-50
CHAIN	Sram NX Eagle 12s
BRAKE	Shimano MT201 2-Piston
ROTOR	Rotor RT30 CL 180 / 160
WHEEL F	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival23 32H 622x23C
WHEEL R	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival23 32H 622x23C
BAR	KTM Comp flat 2X 720mm
STEM	KTM Comp 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	KTM Line MTB
SEATPOST	KTM Comp 27.2/400
CATEGORY	▲ 3
SYSTEM WEIGHT	122 kg (permissible total weight)
WEIGHT	12,4 kg (without pedals)



carbon matt (black glossy)

- 020134100 MYROON PRO XS / 38cm
- 020134103 MYROON PRO S / 43cm
- 020134108 MYROON PRO M / 48cm
- 020134113 MYROON PRO L / 53cm



carbon matt (white)

- 020135100 MYROON COMP XS / 38cm
- 020135103 MYROON COMP S / 43cm
- 020135108 MYROON COMP M / 48cm
- 020135113 MYROON COMP L / 53cm

# MYROON COMP

HARDTAIL

# MYROON ALPHA

HARDTAIL

2x11 SHIMANO  
SLX



<b>FRAME</b>	Myroon 29" Performance Carbon M-6882
<b>FORK</b>	RockShox Judy silver TK 29" 100mm remote 15x110
<b>R. DERAILL.</b>	Shimano SLX M7000-11 GS shadow+
<b>F. DERAILL.</b>	Shimano SLX M7020-E sideswing
<b>SHIFTLEV.</b>	Shimano SLX M7000-11
<b>CRANKSET</b>	Shimano SLX M7000 36-26
<b>SPROCKET</b>	Shimano SLX M7000-11 / 11-42

<b>CHAIN</b>	Shimano HG601-11
<b>BRAKE</b>	Shimano SLX M7000 2-Piston
<b>ROTOR</b>	Rotor RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival23 32H 622x23C
<b>WHEEL R</b>	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival23 32H 622x23C
<b>TIRE F</b>	Schwalbe Rapid Rob K-Guard 57-622
<b>TIRE R</b>	Schwalbe Rapid Rob K-Guard 57-622



space orange (black)

- 020136100 MYROON ALPHA XS / 38cm
- 020136103 MYROON ALPHA S / 43cm
- 020136108 MYROON ALPHA M / 48cm
- 020136113 MYROON ALPHA L / 53cm



Hardtail



1x12 SHIMANO  
DEORE XT/SLX

# ULTRA 1964 PRO



FRAME	Ultra 29" Alloy 6061 triplebutted; tapered headtube / M-8306
FORK	FOX 32 Float 29" Rhythm 100mm remote
R. DERAILL.	Shimano Deore XT M8100-12 SGS shadow+
SHIFTLEU.	Shimano Deore XT M8100-12
CRANKSET	Shimano Deore XT M8100 34T
SPROCKET	Shimano SLX M7100-12 / 10-51
CHAIN	Shimano SLX M7100-12

BRAKE	Shimano MT400 2-Piston
ROTOR	Rotor RT54 CL 180 / 180
WHEEL F	Shimano WH-MT501-B CL 110-15TA 622x24C
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
GRIP	KTM Comp Lock
BAR	KTM Team flat 2X 720mm

STEM	KTM Team MTB 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	Ergon SM10
SEATPOST	KTM Team 27.2/400
PEDAL	MTB-Pedal VP-195E alloy
CATEGORY	■ 3
SYSTEM WEIGHT	131 kg (permissible total weight)
WEIGHT	12,5 kg (without pedals)



■ black matt (black+orange glossy)

- ↗ 020140100 ULTRA 1964 PRO XS / 38cm
- ↗ 020140103 ULTRA 1964 PRO S / 43cm
- ↗ 020140108 ULTRA 1964 PRO M / 48cm
- ↗ 020140113 ULTRA 1964 PRO L / 53cm
- ↗ 020140117 ULTRA 1964 PRO XL / 57cm

# ULTRA EVO



## Das Alu-Hardtail für mehr Action.

Mit purem Spaß kann man das Fahrgefühl auf dem EVO am Besten beschreiben. Das ULTRA EVO ist KTM's speziell konzipiertes Trail-Hardtail. Ein high end Alu-Rahmen mit

Steckachse, Boost Standard und Postmount Bremsattelaufnahme bieten die Grundlage. Dazu passend auch die Ausstattung für den breiten Einsatzbereich. Vorne stehen satte 130mm Federweg zur Verfügung. Hinten bist das Fahrwerk du. Eine versenkbare Sattelstütze und Schwalbe Nobby Nic Reifen sorgen für Sicherheit bergab.

**The alloy hardtail  
for more action.**

Pure fun is the best way to describe the riding experience on the EVO. The ULTRA EVO is KTM's specially designed hardtail suitable for the trails. A high end aluminium frame

with thru-axle, boost standard and post mount which provides the basis for your trail flow. The bike is equipped with the right equipment for a wide range of use. Rich 130mm front-travel is ready to be ridden hard. The rear suspension is all you, with a dropper seat post and Schwalbe Nobby Nic tires the Ultra Evo ensures a smooth downhill ride.

# IN SEARCH FOR THE TRAILS



Bike Arena Obertraun

oberösterreich.at



1x12 SHIMANO  
SLX

**ULTRA**  
**EVO**



FRAME	Ultra 29" Evo Alloy6061 triplebutted boost / M-0346	BRAKE	Shimano MT400 2-Piston	STEM	KTM Team Trail35
FORK	RockShox Recon RL 29" 130mm 15x110	WHEEL F	KTM Line - Shimano Deore M6010B CL 32H 110-15TA Ryde Rival30 32H 622x30C	HEADSET	KTM Team drop/in 1.1/8>1.5" +5
R. DERAILL.	Shimano SLX M7100-12 SGS shadow+	WHEEL R	KTM Line - Shimano MT510B CL 32H 148-12TA Ryde Rival30 32H 622x30C	SADDLE	Ergon SM10
SHIFTLEU.	Shimano SLX M7100-12	TIRE F	Schwalbe Nobby Nic Perf. TLR 60-622	SEATPOST	KTM Comp dropper internal w/remote
CRANKSET	Shimano MT610 32T	TIRE R	Schwalbe Nobby Nic Perf. TLR 60-622	PEDAL	MTB-Pedal VP-195E alloy
SPROCKET	Shimano SLX M7100-12 / 10-51	GRIP	KTM Comp Lock	CATEGORY	3
CHAIN	Shimano SLX M7100-12	BAR	KTM Comp Trail35 rizer15 760mm	SYSTEM WEIGHT	132 kg (permissible total weight)
ROTOR	Rotor RT54 CL 180 / 180			WEIGHT	13.6 kg (without pedals)



java satin (black matt)

- 020141100 ULTRA EVO XS / 38cm
- 020141103 ULTRA EVO S / 43cm
- 020141108 ULTRA EVO M / 48cm
- 020141113 ULTRA EVO L / 53cm

# ULTRA

1964 COMP



## Der Klassiker der begeistert.

Der Rahmen besteht aus hydrogeformten, dreifach konifizierten Rohren, welche präzise Fertigung und optimale Dimensionierung ermöglichen. Das speziell geformte Oberrohr erhöht die Schrittfreiheit und somit die Fahrsicherheit in jeder Situation. Das Ultra ist

der Alu-Hardtail-Klassiker der nicht enttäuscht. Der steife Boost-Hinterbau wandelt deine Pedalkraft effizient in Fortbewegung um. In Sachen Preis-Leistung sind die ULTRA Modelle unschlagbar.

## The classic that thrills you.

The frame is made of hydroformed, triple-butted tubes that allows a precise manufacturing and optimal sizing. The specially shaped top tube increases the freedom of

body movement and ensures ultimate control in every situation. The Ultra is the aluminum hardtail classic that does not disappoint. The stiff boost reartriangle efficiently converts your pedaling power into motion. In terms of value for money the ULTRA models are unbeatable.

# ULTRA 1964 COMP

HARDTAIL

2x11 SHIMANO DEORE XT/SLX



FRAME	Ultra 29" AL6061 / M-8322
FORK	RockShox 30 silver TK 29"
	100mm remote
R. DERAILL.	Shimano Deore XT M8000-11 GS shadow+
F. DERAILL.	Shimano SLX M7020-H sideswing
SHIFTLEU.	Shimano SLX M7000-11 w/Display
CRANKSET	Shimano MT600 36-26
SPROCKET	Shimano SLX M7000-11 / 11-42
CHAIN	Shimano HG601-11

BRAKE	Shimano MT201 2-Piston
ROTOR	Rotor RT30 CL 180° / 180° 100mm remote
WHEEL F	KTM Line - Shimano Deore M6000 CL 32H 100-5QR
	Ryde Rival23 32H 622x23C
WHEEL R	KTM Line - Shimano Deore M6000 CL 32H 135-5QR
	Ryde Rival23 32H 622x23C
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
GRIP	KTM Comp Lock

BAR	KTM Comp flat 720mm
STEM	KTM Comp 7°
HEADSET	Ritchey OE Logic Zero 1.1/8" 15x110
SADDLE	KTM Line MTB
SEATPOST	KTM Comp 27.2/400
PEDAL	MTB-Pedal VP-195E alloy
CATEGORY	3
SYSTEM WEIGHT	132 kg (permissible total weight)
WEIGHT	13.9 kg (without pedals)

1x12 SHIMANO SLX



FRAME	Ultra 29" Alloy6061 triplebutted; tapered headtube / M-8306
FORK	RockShox Judy silver TK 29° 100mm remote 15x110
R. DERAILL.	Shimano SLX M7100-12 SGS shadow+
SHIFTLEU.	Shimano SLX M7100-12
CRANKSET	Shimano MT610 32T
SPROCKET	Shimano SLX M7100-12 / 10-51
CHAIN	Shimano SLX M7100-12

BRAKE	Shimano MT201 2-Piston
ROTOR	Rotor RT30 CL 180° / 180° 100mm remote 15x110
WHEEL F	Shimano WH-MT501-B CL 110-15TA 622x24C
	Ryde Rival23 32H 622x23C
WHEEL R	Shimano WH-MT501-B CL 148-12TA 622x24C
	Ryde Rival23 32H 622x23C
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
GRIP	KTM Comp Ergo Lock



black matt (black+orange glossy)

- 020142103 ULTRA 1964 COMP XS / 38cm
- 020142108 ULTRA 1964 COMP S / 43cm
- 020142113 ULTRA 1964 COMP M / 48cm
- 020142117 ULTRA 1964 COMP L / 53cm



eveblue (blue+coral)

- 020143100 ULTRA GLORY XS / 38cm
- 020143103 ULTRA GLORY S / 43cm
- 020143108 ULTRA GLORY M / 48cm

Inspired by  
**Bloomers**  
women in their elements

# ULTRA GLORY

Hardtail

# ULTRA SPORT

HARDTAIL

1x12 SRAM SX

2x10 SHIMANO DEORE



FRAME	Ultra 29" Alloy 6061 triplebutted: tapered headtube / M-8306
FORK	RockShox Judy silver TK 29" 100mm remote 15x110
R. DERRAILL.	Sram SX Eagle 12speed
SHIFTLEU.	Sram SX Eagle Trigger
CRANKSET	Sram SX Eagle DUB 34T
SPROCKET	Sram SX Eagle PG1210 / 11-50
CHAIN	Sram NX Eagle 12s

BRAKE	Shimano MT201 2-Piston
ROTOR	Rotor RT30 CL 180 / 180
WHEEL F	KTM Line - Shimano MT400B CL 32H 110-15TA Ryde Rival23 32H 622x23C
WHEEL R	KTM Line - Shimano MT400B CL 32H 148-12TA Ryde Rival23 32H 622x23C
TIRE F	Schwalbe Rapid Rob K-Guard 57-622
TIRE R	Schwalbe Rapid Rob K-Guard 57-622
GRIP	KTM Comp Lock

BAR	KTM Comp flat 720mm
STEM	KTM Comp 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +5
SADDLE	KTM Line MTB
SEATPOST	KTM Comp 27.2/400
PEDAL	MTB-Pedal VP-195E alloy
CATEGORY	3
SYSTEM WEIGHT	132 kg (permissible total weight)
WEIGHT	13.2 kg (without pedals)



FRAME	29: Ultra 29" AL6061 / M-8372 27: Ultra 27.5" AL6061 / M-8372
FORK	29: Suntour XCR 32 coil 29" RL 100mm remote 27: Suntour XCR 32 coil 27.5" RL 100mm remote
R. DERRAILL.	Shimano Deore M6000-10 GS shadow+
F. DERRAILL.	Shimano Deore M6020-H sideswing
SHIFTLEU.	Shimano Deore M6000-10 w/Display
CRANKSET	Shimano MT500 36-26
SPROCKET	Shimano Deore HG500-10 / 11-42
CHAIN	Shimano HG54-10
BRAKE	Shimano MT200 2-Piston

ROTOR	Rotor RT10 CL 180 / 180
WHEEL F	KTM Line - Shimano Acera M3050 CL 32H 100-5QR Ryde Rival23 32H 29: 622x23C / 27: 584x23C
WHEEL R	KTM Line - Shimano Acera M3050 CL 32H 135-5QR Ryde Rival23 32H 622x23C / 584x23C
STEM	KTM Comp 7°
HEADSET	Ritchey OE Logic Zero 1.1/8"
SADDLE	KTM Line MTB
SEATPOST	KTM Comp 27.2/400
PEDAL	MTB-Pedal C280DU alloy
CATEGORY	3
SYSTEM WEIGHT	133 kg (permissible total weight)
WEIGHT	14,3 kg (without pedals)



black matt (space orange + red glossy)

- 020144103 ULTRA SPORT S / 43cm
- 020144108 ULTRA SPORT M / 48cm
- 020144113 ULTRA SPORT L / 53cm



space orange (black)

- 020146100 ULTRA FLITE 29 XS / 38cm
- 020146103 ULTRA FLITE 29 S / 43cm
- 020146108 ULTRA FLITE 29 M / 48cm



space orange (black)

- 020145103 ULTRA FLITE 27 S / 43cm
- 020145108 ULTRA FLITE 27 M / 48cm
- 020145113 ULTRA FLITE 27 L / 53cm

# ULTRA FLITE 29 & 27

Hardtail

# ULTRA

## FUN 29 & 27



3x9 SHIMANO DEORE XT



<b>FRAME</b>	<b>29: 29" AL6061 MTB M8322</b> <b>27: 27.5" AL6061 MTB M8372</b>	<b>BRAKE</b>	Shimano MT200 2-Piston
<b>FORK</b>	<b>29: 29" Suntour SF15-XCM HLO DS10</b> <b>27: 27.5" Suntour SF15-XCM HLO DS10</b>	<b>CHAINWHEEL</b>	Shimano Altus MT101 40-30-22
<b>HEADSET</b>	<b>RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm</b>	<b>CHAIN</b>	Shimano HG53
<b>STEM</b>	<b>KTM Comp 12"</b>	<b>SPROCKET</b>	Shimano HG200-9 11-34
<b>HANDLEBAR</b>	<b>29: KTM Comp rizer15 720mm</b> <b>27: KTM Comp rizer15 660mm</b>	<b>F. DERAILL.</b>	Shimano Alivio M4000 SS
<b>GRIP</b>	<b>KTM Comp Lock 131mm</b>	<b>R. DERAILL.</b>	Shimano Deore XT M772-9 SGS shadow
<b>ROTOR</b>	<b>Shimano RT10 CL 180 / 160</b>	<b>TIRES</b>	SCHWALBE SMART SAM K-Guard
		<b>RIM</b>	<b>29: REMERX ROCKY DISC 32H 622x21</b> <b>27: REMERX ROCKY DISC 32H 584x21</b>
		<b>SEATPOST</b>	KTM Line MTB
		<b>CATEGORY</b>	3
		<b>WEIGHT</b>	130 kg (permissible total weight)
		<b>SYSTEM WEIGHT</b>	14,6 kg (without pedals)

■ black matt (grey+blue)

- 020150103 ULTRA FUN 29 S / 43cm
- 020150108 ULTRA FUN 29 M / 48cm
- 020150113 ULTRA FUN 29 L / 53cm



■ black matt (grey+blue)

- 020151100 ULTRA FUN 27 XS / 38cm
- 020151103 ULTRA FUN 27 S / 43cm
- 020151108 ULTRA FUN 27 M / 48cm

■ lightgrey matt (red+black)

- 020150133 ULTRA FUN 29 S / 43cm
- 020150138 ULTRA FUN 29 M / 48cm
- 020150143 ULTRA FUN 29 L / 53cm



■ lightgrey matt (red+black)

- 020151130 ULTRA FUN 27 XS / 38cm
- 020151133 ULTRA FUN 27 S / 43cm
- 020151138 ULTRA FUN 27 M / 48cm

3x9 SHIMANO DEORE XT



# ULTRA

## GLORIETTE 29 & 27



<b>FRAME</b>	<b>29: 29" AL6061 MTB M8312-L</b> <b>27: 27.5" AL6061 MTB M8362-L</b>	<b>BRAKE</b>	Shimano MT200 2-Piston
<b>FORK</b>	<b>29: 29" Suntour SF19-XCM32 DS 100 15AH2</b> <b>27: 27.5" Suntour SF19-XCM32 DS 100 15AH2</b>	<b>CHAINWHEEL</b>	Shimano Altus MT101 40-30-22
<b>HEADSET</b>	KTM Team drop/in 1.1/8-1.5" +7	<b>CHAIN</b>	Shimano HG53
<b>STEM</b>	KTM Comp 12"	<b>SPROCKET</b>	Shimano HG200-9 11-34
<b>HANDLEBAR</b>	<b>29: KTM Comp rizer15 720mm</b> <b>27: KTM Comp rizer15 660mm</b>	<b>F. DERAILL.</b>	Shimano Alivio M4000 SS
<b>GRIP</b>	KTM Comp Ergo Lock	<b>R. DERAILL.</b>	Shimano Deore XT M772-9 SGS shadow
<b>ROTOR</b>	Shimano RT10 CL 180 / 160	<b>SHIFTER</b>	Shimano Altus SL-M201 9
		<b>F HUB</b>	Shimano Alivio HB-MT400B 32H CL E-Thru
		<b>R HUB</b>	Shimano Alivio FH-M405 32H CL QR
		<b>SPKE</b>	RM 2.0 INOX, silver

<b>RIM</b>	<b>29: REMERX ROCKY DISC 32H 622x21</b> <b>27: REMERX ROCKY DISC 32H 584x21</b>
<b>TIRES</b>	SCHWALBE SMART SAM K-Guard
<b>29: 54-622 29x2.10 / 27: 54-584 27.5x2.10</b>	
<b>29: REMERX ROCKY DISC 32H 622x21</b>	
<b>27: REMERX ROCKY DISC 32H 584x21</b>	



Inspired by  
**Bloomers**  
women in their elements

- 020153200 ULTRA GLORIETTE 27 XS / 35cm
- 020153202 ULTRA GLORIETTE 27 S / 42cm
- 020153207 ULTRA GLORIETTE 27 M / 47cm

- 020152202 ULTRA GLORIETTE 29 S / 42cm
- 020152207 ULTRA GLORIETTE 29 M / 47cm
- 020152212 ULTRA GLORIETTE 29 L / 52cm

# CHICAGO

## DISC 29 & 27



3x8 SHIMANO ACERA



<b>FRAME</b>	<b>29: 29" AL6061 MTB CHICAGO DISC M0572-M</b> <b>27: 27.5" AL6061 MTB CHICAGO DISC M0522-M</b>	<b>BRAKE</b>	Shimano MT200 2-Piston	<b>RIM</b>	<b>29: REMERX ROCKY DISC 32H 622x21</b> <b>27: REMERX ROCKY DISC 32H 584x21</b>	
<b>FORK</b>	<b>29: 29" Suntour SF19-XCT30 HLO DS 100</b> <b>27: 27.5" Suntour SF19-XCT30 HLO DS 100</b>	<b>CHAIN</b>	Shimano HG40	<b>TIRES</b>	<b>SCHWALBE SMART SAM K-Guard</b>	
<b>HEADSET</b>	<b>RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H: 9.4mm</b>	<b>SPROCKET</b>	Shimano HG31-8 11-34	<b>F. DERAILL.</b>	<b>29: 54-622 29x2.10 / 27: 54-584 27.5x2.10</b>	
<b>STEM</b>	<b>KTM Line 7"</b>	<b>F. DERAILL.</b>	Shimano M313 DS	<b>SADDLE</b>	<b>KTM Line MTB</b>	
<b>HANDLEBAR</b>	<b>29: KTM Line rizer15 720mm</b> <b>27: KTM Line rizer15 660mm</b>	<b>R. DERAILL.</b>	Shimano Acra M360-8 SGSL	<b>SEATPOST</b>	<b>KTM Line 27.2/350</b>	
<b>GRIP</b>	<b>KTM Dimond Grip 130mm orange ring</b>	<b>SHIFTER</b>	Shimano Altus SL-M315 8	<b>PEDAL</b>	<b>MTB Pedal VPE-537 EPB</b>	
<b>ROTOR</b>	<b>Shimano RT10 CL 180 / 160</b>	<b>F HUB</b>	Shimano HB-TX505 32HCL QR	<b>CATEGORY</b>	<b>2</b>	
		<b>CATEGORY</b>	<b>● 2</b>	<b>SYSTEM WEIGHT</b>	<b>130 kg (permissible total weight)</b>	
		<b>WEIGHT</b>	<b>29: 15 kg (without pedals)</b>	<b>WEIGHT</b>	<b>29: 14.6 kg (without pedals)</b>	
		<b>WEIGHT</b>	<b>27: 14.6 kg (without pedals)</b>		<b>WEIGHT</b>	<b>27: 14.3 kg (without pedals)</b>

■ black matt (orange)

- ✓ 020155100 CHICAGO DISC 29 XS / 38cm
- ✓ 020155103 CHICAGO DISC 29 S / 43cm
- ✓ 020155108 CHICAGO DISC 29 M / 48cm
- ✓ 020155113 CHICAGO DISC 29 L / 53cm
- ✓ 020155117 CHICAGO DISC 29 XL / 57cm



■ epicgrey matt (blue)

- ✓ 020155130 CHICAGO DISC 29 XS / 38cm
- ✓ 020155133 CHICAGO DISC 29 S / 43cm
- ✓ 020155138 CHICAGO DISC 29 M / 48cm
- ✓ 020155143 CHICAGO DISC 29 L / 53cm
- ✓ 020155147 CHICAGO DISC 29 XL / 57cm



■ epicgrey matt (blue)

- ✓ 020156130 CHICAGO DISC 27 XS / 36cm
- ✓ 020156133 CHICAGO DISC 27 S / 43cm
- ✓ 020156138 CHICAGO DISC 27 M / 48cm
- ✓ 020156143 CHICAGO DISC 27 L / 53cm

■ black matt (orange)

3x8 SHIMANO ACERA



<b>FRAME</b>	<b>29: 29" AL6061 MTB ULTRA CLASSIC M8432-M</b> <b>27: 27.5" AL6061 MTB CHICAGO CLASSIC M8532-M</b>	<b>CHAINWHEEL</b>	Shimano TY301 42-34-24	<b>RIM</b>	<b>29: REMERX DRAGON 32H 622x19</b> <b>27: REMERX DRAGON 32H 584x19</b>
<b>FORK</b>	<b>29: 29" Suntour SF18-XCE28 P 100</b> <b>27: 27.5" Suntour SF18-XCE28 P 100</b>	<b>CHAIN</b>	Shimano HG40	<b>TIRES</b>	<b>IMPAC SMARTPAC TwinSkin</b>
<b>HEADSET</b>	<b>RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H: 9.4mm</b>	<b>SPROCKET</b>	<b>29: Shimano HG31-8 11-34</b> <b>27: Shimano HG200-8 12-32</b>	<b>F. DERAILL.</b>	<b>IMPAC SMARTPAC TwinSkin</b>
<b>STEM</b>	<b>KTM Line 7"</b>	<b>R. DERAILL.</b>	Shimano Altus M313 DS	<b>R. DERAILL.</b>	<b>IMPAC SMARTPAC TwinSkin</b>
<b>HANDLEBAR</b>	<b>29: KTM Line rizer15 720mm</b> <b>27: KTM Line rizer15 660mm</b>	<b>SHIFTER</b>	Shimano Acra M360-8 SGSL	<b>SEATPOST</b>	<b>IMPAC SMARTPAC TwinSkin</b>
<b>GRIP</b>	<b>KTM Dimond Grip 130mm orange ring</b>	<b>F HUB</b>	Shimano Altus ST-EF5002 8	<b>PEDAL</b>	<b>IMPAC SMARTPAC TwinSkin</b>
<b>ROTOR</b>	<b>VTEKTRO 837AL</b>	<b>R HUB</b>	Shimano HB-TX500 32H QR	<b>CATEGORY</b>	<b>2</b>
		<b>GRIP</b>	Shimano FH-TX500 32H QR	<b>SYSTEM WEIGHT</b>	<b>130 kg (permissible total weight)</b>
		<b>SPROCKET</b>	RM 2.0 INOX, silver	<b>WEIGHT</b>	<b>29: 14.6 kg (without pedals)</b>
		<b>WEIGHT</b>			<b>27: 14.3 kg (without pedals)</b>



■ black matt (orange)

- ✓ 020157100 CHICAGO CLASSIC 29 XS / 36cm
- ✓ 020157103 CHICAGO CLASSIC 29 S / 43cm
- ✓ 020157108 CHICAGO CLASSIC 29 M / 48cm
- ✓ 020157113 CHICAGO CLASSIC 29 L / 53cm



■ black matt (orange)

- ✓ 020158100 CHICAGO CLASSIC 27 XS / 36cm
- ✓ 020158103 CHICAGO CLASSIC 27 S / 43cm
- ✓ 020158108 CHICAGO CLASSIC 27 M / 48cm
- ✓ 020158113 CHICAGO CLASSIC 27 L / 53cm

# CHICAGO

## CLASSIC 29 & 27

# CHICAGO

## STREET 29

HARDTAIL

3x8 SHIMANO ACERA



FRAME	29" AL6061 MTB CHICAGO DISC M0572-M
FORK	29" Suntour SF18-XCT-ATB DS 100
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 7"
HANDLEBAR	KTM Line rizer15 720mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	Shimano RT10 CL 180 / 160
BRAKE	Shimano EF505 2-Piston
CHAINWHEEL	Shimano TY501 42-34-24
CHAIN	Shimano HG40

SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano Altus M313 DS
R. DERAILL.	Shimano Acra M360-8 SGSL
F HUB	Shimano 36H DH3D37 36H CL Nut
R HUB	Shimano FH-TX505 36HCL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX ROCKY DISC 36H 622x21
TIRES	SCHWALBE SMART SAM K-Guard 54-622 29x2.10
SADDLE	KTM Line MTB

SEATPOST	KTM Line 27.2/350
PEDAL	MTB Pedal VPE-537 EPB
MUDGUARD	SKS VELO 29 65 MOUNTAIN
KICKSTAND	KTM REAR 26-29° adjust
F LIGHTING	AXA COMPACTLINE LED 20Lux
R LIGHTING	SPANNINGA PIXEO
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	16.5 kg (without pedals)

3x8 SHIMANO ACERA



FRAME	27.5" AL6061 MTB CHICAGO STREET M0562-M
FORK	27.5" Suntour SF18-XCE28 P 80
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 12"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	V TEKTRO 855AL
BRAKE	Shimano TY301 42-34-24
CHAINWHEEL	Shimano HG40
CHAIN	Shimano HG200-8 12-32

SPROCKET	Shimano Altus M313 DS
F. DERAILL.	Shimano Acra M360-8 SGSL
R. DERAILL.	Shimano Altus ST-EF5002 8
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano FH-TX500 36H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 584x19
TIRES	IMPAC SMARTPAC TwinSkin 54-584 27.5x2.10
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	15.9 kg (without pedals)



epic grey matt (black+orange)

- 020159100 CHICAGO STREET 29 XS / 38cm
- 020159103 CHICAGO STREET 29 S / 43cm
- 020159108 CHICAGO STREET 29 M / 48cm
- 020159113 CHICAGO STREET 29 L / 53cm



croc (grey+orange)

- 020160100 CHICAGO STREET 27 XS / 36cm
- 020160103 CHICAGO STREET 27 S / 43cm
- 020160108 CHICAGO STREET 27 M / 48cm
- 020160113 CHICAGO STREET 27 L / 53cm

# CHICAGO

## STREET 27

Hardtail

# PENNY LANE

## DISC 27

HARDTAIL

3x8 SHIMANO ACERA



FRAME	27.5" AL6061 MTB PENNY LANE DISC M0522-L
FORK	27.5" Suntour SF19-XCT30 HLO DS 100
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	Shimano RT10 CL 180 / 160
BRAKE	Shimano MT200 2-Piston
CHAINWHEEL	Shimano TY501 42-34-24

CHAIN	Shimano HG40
SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano Altus M313 DS
R. DERAILL.	Shimano AcrA M360-8 SGSL
SHIFTER	Shimano Altus SL-M315 8
F HUB	Shimano HB-TX505 32HCL QR
R HUB	Shimano FH-TX505 32HCL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX ROCKY DISC 32H 584x21

TIRES	SCHWALBE SMART SAM K-Guard 54-584
	27.5x2.10
SADDLE	KTM Line MTB Lady
SEATPOST	KTM Line 27.2/300
PEDAL	MTB Pedal VPE-537 EPB
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.5 kg (without pedals)

3x8 SHIMANO ACERA



FRAME	27.5" AL6061 MTB PENNY LANE CLASSIC M8532-L
FORK	27.5" Suntour SF18-XCE28 P 100
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Dimond Grip 130mm white ring
ROTOR	V TEKTRO 837AL
CHAINWHEEL	Shimano TY301 42-34-24

CHAIN	Shimano HG40
SPROCKET	Shimano HG200-8 12-32
F. DERAILL.	Shimano Altus M313 DS
R. DERAILL.	Shimano AcrA M360-8 SGSL
SHIFTER	Shimano Altus ST-EF5002 8
F HUB	Shimano HB-TX500 32H QR
R HUB	Shimano FH-TX500 32H QR
SPOKE	RM 2.0 INOX, silver
WEIGHT	130 kg (permissible total weight)

RIM	REMERX DRAGON 32H 584x19
TIRES	IMPAC SMARTPAC TwinSkin 54-584 27.5x2.10
SADDLE	KTM Line MTB Lady
SEATPOST	KTM Line 27.2/300
PEDAL	MTB Pedal VPE-537 EPB
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.3 kg (without pedals)



indianred (eveblue+mandarin)

- 020161200 PENNY LANE DISC 27 XS / 35cm
- 020161202 PENNY LANE DISC 27 S / 42cm
- 020161207 PENNY LANE DISC 27 M / 47cm
- 020161212 PENNY LANE DISC 27 L / 52cm

rose (grey)

- 020161230 PENNY LANE DISC 27 XS / 35cm
- 020161232 PENNY LANE DISC 27 S / 42cm
- 020161237 PENNY LANE DISC 27 M / 47cm
- 020161242 PENNY LANE DISC 27 L / 52cm

white (eveblue+aqua)

- 020162200 PENNY LANE CLASSIC 27 XS / 35cm
- 020162202 PENNY LANE CLASSIC 27 S / 42cm
- 020162207 PENNY LANE CLASSIC 27 M / 47cm

# PENNY LANE

## CLASSIC 27

Hardtail

# PENNY LANE

## STREET 27

3x8 SHIMANO ACERA

HARDTAIL



<b>FRAME</b>	27.5" AL6061 MTB PENNY LANE STREET M8562-L
<b>FORK</b>	27.5" Suntour SF18-XCE28 P 80
<b>HEADSET</b>	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
<b>STEM</b>	KTM Line 17"
<b>HANDLEBAR</b>	KTM Line rizer15 640mm
<b>GRIP</b>	KTM Dimond Grip 130mm white ring
<b>BRAKE</b>	V TEKTRO 855AL
<b>CHAINWHEEL</b>	Shimano TY301 42-34-24
<b>CHAIN</b>	Shimano HG40

<b>SPROCKET</b>	Shimano HG200-8 12-32
<b>F. DERAIL.</b>	Shimano Altus M313 DS
<b>R. DERAIL.</b>	Shimano Acera M360-8 SGSL
<b>SHIFTER</b>	Shimano Altus ST-EF5002 8
<b>F HUB</b>	Shimano DHC30003 36H Nut
<b>R HUB</b>	Shimano FH-TX500 36H QR
<b>SPOKE</b>	RM 2.0 INOX, silver
<b>RIM</b>	REMERX DRAGON 36H 584x19
<b>TIRES</b>	IMPAC SMARTPAC TwinSkin 54-584 27.5x2.10

<b>SADDLE</b>	KTM Line MTB Lady
<b>SEAT POST</b>	KTM Line 27.2/300
<b>PEDAL</b>	MTB Pedal VPE-537 EPB
<b>MUDGUARD</b>	SKS VELO 27.5 65 MOUNTAIN
<b>KICKSTAND</b>	KTM REAR 26-29" adjust
<b>F LIGHTING</b>	AXA COMPACTLINE LED 20Lux
<b>R LIGHTING</b>	SPANNINGA PIXEO
<b>CATEGORY</b>	2
<b>SYSTEM WEIGHT</b>	130 kg (permissible total weight)
<b>WEIGHT</b>	15.6 kg (without pedals)



lightgrey (rose)

- 020163200 PENNY LANE STREET 27 XS / 35cm
- 020163202 PENNY LANE STREET 27 S / 42cm
- 020163207 PENNY LANE STREET 27 M / 47cm



HARDTAIL



## REVELATOR LISSE



REVELATOR LISSE SONIC  
RED ETAP AXS 2x12



REVELATOR LISSE PRESTIGE  
DURA ACE DI2 2x11



REVELATOR LISSE MASTER  
ULTEGRA DI2 2x11



REVELATOR LISSE ELITE  
105 2x11

## REVELATOR ALTO



REVELATOR ALTO SONIC  
DURA ACE DI2 2x11



REVELATOR ALTO MASTER  
ULTEGRA DI2 2x11



REVELATOR ALTO GLORY  
ULTEGRA DI2 2x11



REVELATOR ALTO ELITE  
105 2x11



REVELATOR ALTO PRO  
105 2x11

## REVELATOR 4000 / STRADA



REVELATOR 4000  
105 2x11



STRADA 1000  
TIAGRA 2x10

## X-STRADA



X-STRADA 710  
GRX 2x11



X-STRADA 720  
GRX 2x10



X-STRADA LFC  
GRX 2x10



X-STRADA GLORY  
GRX 2x10

REVELATOR

**LISSE**

SONIC

**PC** PREMIUM  
CARBON

**iFM** INTEGRATED  
FLATMOUNT

## Minimaler Luftwiderstand für neue Geschwindigkeitsrekorde

Internationale Rennerfolge bestätigen die perfekte Arbeit unserer Ingenieure. Das REVELATOR LISSE ist bis ins kleinste Detail auf Aerodynamik ausgelegt und bringt dich auf Anhieb in den Geschwindigkeitsrausch. Nach intensiver Entwicklungsarbeit wurde ein perfektes Konzept auf die Beine gestellt. Maßstäbe in der Aeroklasse setzt das Rahmengewicht von unter

1000 Gramm. Durch die Asymmetrie des Unterrohrs wird der Luftstrom auf die aerodynamisch günstigere, linke Seite des Hinterbaus gelenkt. Besonders sticht das Rad durch die Vollintegration der Züge hervor. Die Bremsleitungen verlaufen direkt durch den Vorbau und die Gabel in den Rahmen. Hervorzuheben ist, dass beim LISSE auch die Züge einer mechanischen Schaltung komplett integriert werden.

Als Alleinstellungmerkmale gilt das KTM entwickelte, abnehmbare Vorbau-Oberteil, das die Arbeit an den Leitungen wesentlich vereinfacht. Spezielle Spacer ermöglichen eine rasche Veränderung des Vorbauwinkels, und nehmen Wartungs- und Anpassungsarbeiten den Schrecken. Neu am LISSE SONIC ist die SRAM eTAP AXS 12speed Schaltung.

International race victories confirm the perfect work of our engineers. Down to the smallest details, the REVELATOR LISSE is made for perfect aerodynamics and takes you

## Minimal wind resistance to achieve your personal bests.

right into speed rush. After intensive development work, a perfect concept with a benchmark frame weight below 1000 gram was set up. Thanks to an asymmetric down tube, the airstream is led to the more aerodynamical left side of the rear frame end. Outstanding

the fully integrated cable routing. The brake wires run straight through the stem and fork into the frame. Even a mechanical drive train can be completely integrated. A unique feature is the KTM developed removable stem upper part that significantly simplifies the work on the cables. Special spacers allow a quick variation of the stem angle and make maintenance and adjustment work just easy. New on the LISSE Sonic is the SRAM eTAP AXS 12speed drivetrain.



2x12 SRAM RED  
eTAP AXS

# REVELATOR LISSE SONIC



FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7617	BRAKE	Sram Red 2-Piston flatmount	BAR	Ritchey WCS Carbon Streem II
FORK	Revelator Aero-Design Performance Carbon F11	ROTOR	Rotor Centerline XR 6L 140 / 140	STEM	KTM Lisse Carbon
R. DERRAIL.	Sram Red eTap AXS 12speed	WHEEL F	Zipp WH404-CC Firecrest 58 Carbon 6bolt 100-12TA / 622x19TC TLR	HEADSET	Ritchey Road Lisse 1.1/4"
F. DERRAIL.	Sram Red eTap AXS	WHEEL R	Zipp WH404-CC Firecrest 58 Carbon 6bolt 142-12TA / 622x19TC TLR	SADDLE	Fizik Arione R5
SHIFTLEU.	Sram Red eTap AXS	TIRE F	Schwalbe Pro One Evo V-Guard TLE 25-622	SEATPOST	KTM ProLink zero Carbon aero/400
CRANKSET	Sram Red 2x12s 48-35	TIRE R	Schwalbe Pro One Evo V-Guard TLE 25-622	CATEGORY	1
SPROCKET	Sram Red XG1290 / 10-28	GRIP	KTM Tape anti-slip	SYSTEM WEIGHT	108 kg (permissible total weight)
CHAIN	Sram Red D1 12s			WEIGHT	7,6 kg (without pedals)



carbon matt (space orange glossy)

- ↗ 020170109 REVELATOR LISSE SONIC XS / 49cm
- ↗ 020170112 REVELATOR LISSE SONIC S / 52cm
- ↗ 020170115 REVELATOR LISSE SONIC M / 55cm
- ↗ 020170117 REVELATOR LISSE SONIC L / 57cm
- ↗ 020170119 REVELATOR LISSE SONIC XL / 59cm



S I M P L Y  
B E Y O N D

**TODAY'S RIDERS ARE MORE CAPABLE THAN EVER.** So we designed for where road is going, not simply where it's been. SRAM eTap AXS™ offers wider range and closer progression, so you're always in the right gear. A quiet, secure and smooth ride, whatever the terrain. A system that does exactly what you want, when you want. And it's still wireless. Exploring new limits has never been easier.

**SRAM**

eTap™

2x11 SHIMANO  
DURA ACE Di2

# REVELATOR LISSE

## PRESTIGE

ROAD



FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7614	BRAKE	Shimano Dura Ace R9170 2-Piston flatmount	BAR	Ritchey WCS Carbon Strem II
FORK	Revelator Aero-Design Performance Carbon F11	ROTOR	Rotor RT900 CL 140 / 140 Freeza	STEM	KTM Lisse Carbon
R. DERAILL.	Shimano Dura Ace R9150 SS Di2	WHEEL F	DT Swiss ARC 1400 Dicut DB 48 Carbon CL 100-12TA / 622x17TC TLR	HEADSET	Ritchey Road Lisse 1.1/4"
F. DERAILL.	Shimano Dura Ace R9150 Di2	WHEEL R	DT Swiss ARC 1400 Dicut DB 48 Carbon CL 142-12TA / 622x17TC TLR	SADDLE	Fizik Arione R5
SHIFTLEU.	Shimano Dura Ace R9170 Di2	TIRE F	Continental G-Prix 5000 TL 25-622	SEATPOST	KTM ProLink zero Carbon aero/400
CRANKSET	Shimano Dura Ace R9100 52-36	TIRE R	Continental G-Prix 5000 TL 25-622	CATEGORY	1
SPROCKET	Shimano Dura Ace R9100 / 11-28	GRIP	KTM Tape anti-slip	SYSTEM WEIGHT	108 kg (permissible total weight)
CHAIN	Shimano HG901-11			WEIGHT	7.6 kg (without pedals)



white metallic (space orange)

- ✓ 020171109 REVELATOR LISSE PRESTIGE XS / 49cm
- ✓ 020171112 REVELATOR LISSE PRESTIGE S / 52cm
- ✓ 020171115 REVELATOR LISSE PRESTIGE M / 55cm
- ✓ 020171117 REVELATOR LISSE PRESTIGE L / 57cm
- ✓ 020171119 REVELATOR LISSE PRESTIGE XL / 59cm

# REVELATOR LISSE MASTER

ROAD

2x11 SHIMANO  
ULTEGRA Di2



FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7614
FORK	Revelator Aero-Design Performance Carbon F11
R. DERAILL.	Shimano Ultegra R8050 SS Di2
F. DERAILL.	Shimano Ultegra R8050 Di2
SHIFTLEU.	Shimano Ultegra R8070 Di2
CRANKSET	Shimano Ultegra R8000 52-36
SPROCKET	Shimano Ultegra R8000 / 11-28
CHAIN	Shimano HG701-11
BRAKE	Shimano Ultegra R8070 2-Piston flatmount
ROTOR	Rotor RT800 CL 140 / 140 Freeza
WHEEL F	DT Swiss PR 1600 Spline DB 32
WHEEL R	DT Swiss PR 1600 Spline DB 32
TIRE F	Continental G-Prix 5000 TL 25-622
TIRE R	Continental G-Prix 5000 TL 25-622
GRIP	KTM Tape anti-slip
BAR	Ritchey WCS Carbon Strem II
STEM	KTM Lisse Carbon
HEADSET	Ritchey Road Lisse 1.1/4"
SADDLE	Fizik Arione R7
SEATPOST	KTM Complink zero Carbon aero/400
CATEGORY	1
SYSTEM WEIGHT	108 kg (permissible total weight)
WEIGHT	7.9 kg (without pedals)



carbon matt (space orange glossy)

- ✓ 020172109 REVELATOR LISSE MASTER XS / 49cm
- ✓ 020172112 REVELATOR LISSE MASTER S / 52cm
- ✓ 020172115 REVELATOR LISSE MASTER M / 55cm
- ✓ 020172117 REVELATOR LISSE MASTER L / 57cm
- ✓ 020172119 REVELATOR LISSE MASTER XL / 59cm

2x11 SHIMANO  
105

# REVELATOR LISSE ELITE

ROAD



FRAME	Revelator Lisse Aero-Design Premium Carbon / R-7610
FORK	Revelator Aero-Design Performance Carbon F11
R. DERAILL.	Shimano 105 R7000 GS
F. DERAILL.	Shimano 105 R7000
SHIFTLEU.	Shimano 105 R7020
CRANKSET	Shimano 105 R7000 50-34
SPROCKET	Shimano 105 R7000 / 11-32
CHAIN	Shimano HG601-11
BRAKE	Shimano 105 R7070 2-Piston flatmount
ROTOR	Rotor RT70 CL 160 / 160
WHEEL F	DT Swiss P 1800 Spline DB 32 CL
WHEEL R	100-12TA / 622x18TC TLR
SADDLE	Fizik Arione R7
SEATPOST	KTM Complink zero Alloy aero/400
CATEGORY	1
SYSTEM WEIGHT	108 kg (permissible total weight)
WEIGHT	8.4 kg (without pedals)



brite red (white)

- ✓ 020173309 REVELATOR LISSE ELITE XS / 49cm
- ✓ 020173312 REVELATOR LISSE ELITE S / 52cm
- ✓ 020173315 REVELATOR LISSE ELITE M / 55cm
- ✓ 020173317 REVELATOR LISSE ELITE L / 57cm
- ✓ 020173319 REVELATOR LISSE ELITE XL / 59cm



REVELATOR

**ALTO**

SONIC



## Von Profis getestet und bereit für den Gipfelsieg.

Berge sind bei vielen Völkern schon von frühesten Zeiten an sagenumwobene Orte. Symbolisch stehen Gipfel für die Sehnsucht des Menschen, zum Göttlichen empor zu klettern. In den Bergen dein Zuhause finden und

klettern wie ein junger Gott, wirst du mit dem REVELATOR ALTO SONIC bestimmt. ALTO steht abgewandelt aus dem Italienischen/Spanischen für „hoch hinaus“ und soll damit in der Namensgebung auch den Einsatz als Berggämse, inklusive seiner perfekten Abfahrtseigenschaften dank Disc, widerspiegeln. Alleine der Rahmen überzeugt mit einem Gewicht von 790 Gramm. Das Steckachssystem verstift das kompakt konstruierte hintere Rahmendreieck effektiv, um die Antrittskräfte effizient auf die Straße zu bringen. Die hohe Seitensteifigkeit der Gabel bringt Vorteile im harten Wiegetritt. Ein asymmetrisch gestalteter Tretlagerbereich, sowie Hinterbau, gewährleisten maximale Effizienz bei starker Krafteinwirkung. Eine auch innen glatte und faltenfreie Oberfläche des Rahmens garantiert die Effizienz jeder einzelnen Carbonfaser.

## Pro tested and ready to become king of the mountains.

Since the beginning of time, mountains are seen as legendary places. Symbolically, peaks stand for the yearning of man for climbing up to the divine. The REVELATOR

ALTO SONIC definitely makes you climb like a young god and let you find your home in the mountains. Translated from the Italian / Spanish language, ALTO stands for "high out", what reflects the bikes favourite terrain. Thanks to the disc brakes, it also provides the perfect descent skills. The frame alone convinces with a weight of 790 grams. The thru axle system effectively

stiffens the compactly designed rear triangle to bring all power on the road. The high lateral stiffness of the fork brings advantages when you push hard out of the saddle. An asymmetric bottom bracket area and rear frame section guarantee maximum efficiency under high force. A smooth and wrinkle-free inner-surface of the frame guarantees the efficiency of every single carbon fiber.

LEAVE THE  
VALLEY BEHIND



Gaisberg, Salzburg

2x11 SHIMANO  
DURA ACE Di2

# REVELATOR ALTO SONIC



FRAME	Revelator Alto Nano Premium Carbon R-9814	BRAKE	Shimano Dura Ace R9170 2-Piston Flatmount	GRIP	KTM Tape anti-slip
FORK	Revelator Alto Premium Carbon F12	ROTOR	Rotor RT900 CL 140 / 140 Freeza	BAR	Ritchey WCS Carbon Streem II
R. DERAILL.	Shimano Dura Ace R9150 SS Di2	WHEEL F	DT Swiss PRC 1400 Spline DB 35 Carbon CL 100-12TA / 622x18TC TLR	STEM	Ritchey WCS Chicane 10"
F. DERAILL.	Shimano Dura Ace R9150 Di2	WHEEL R	DT Swiss PRC 1400 Spline DB 35 Carbon CL 142-12TA / 622x18TC TLR	HEADSET	KTM Team Road drop/in 1.1/8>1.1/4"
SHIFTLEU.	Shimano Dura Ace R9170 Di2	TIRE F	Schwalbe Pro One Evo V-Guard TLE 25-622	SADDLE	Fizik Antares R5
CRANKSET	Shimano Dura Ace R9100 52-36	TIRE R	Schwalbe Pro One Evo V-Guard TLE 25-622	SEATPOST	KTM ProLink zero Carbon aero/400
SPROCKET	Shimano Dura Ace R9100 / 11-28			CATEGORY	1
CHAIN	Shimano HG901-11			SYSTEM WEIGHT	111 kg (permissible total weight)
				WEIGHT	6,8 kg (without pedals)



carbon matt (space orange glossy)

- 020175109 REVELATOR ALTO SONIC XS / 49cm
- 020175112 REVELATOR ALTO SONIC S / 52cm
- 020175115 REVELATOR ALTO SONIC M / 55cm
- 020175117 REVELATOR ALTO SONIC L / 57cm
- 020175119 REVELATOR ALTO SONIC XL / 59cm

# REVELATOR ALTO MASTER

ROAD

2x11 SHIMANO  
ULTEGRA Di2



FRAME	Revelator Alto Premium Carbon R-9824	BRAKE	Shimano Ultegra R8070 2-Piston flatmount
FORK	Revelator Alto Performance Carbon F12	ROTOR	Rotor RT800 CL 140 / 140 Freeza
R. DERAILL.	Shimano Ultegra R8050 SS Di2	WHEEL F	Mavic Aksium Elite Evo 22 CL 100-12TA 622x19TC TLR
F. DERAILL.	Shimano Ultegra R8050 Di2	WHEEL R	Mavic Aksium Elite Evo 22 CL 142-12TA 622x19TC TLR
SHIFTLEU.	Shimano Ultegra R8070 Di2	TIRE F	Schwalbe Pro One Evo V-Guard TLE 25-622
CRANKSET	Shimano Ultegra R8000 50-34	TIRE R	Schwalbe Pro One Evo V-Guard TLE 25-622
SPROCKET	Shimano Ultegra R8000 / 11-28		
CHAIN	Shimano HG701-11		



■ white metallic (black)

- ✓ 020176309 REVELATOR ALTO MASTER XS / 49cm
- ✓ 020176312 REVELATOR ALTO MASTER S / 52cm
- ✓ 020176315 REVELATOR ALTO MASTER M / 55cm
- ✓ 020176317 REVELATOR ALTO MASTER L / 57cm
- ✓ 020176319 REVELATOR ALTO MASTER XL / 59cm

2x11 SHIMANO  
ULTEGRA Di2

# REVELATOR ALTO GLORY

ROAD



FRAME	Revelator Alto Premium Carbon / R-9824	BRAKE	Shimano Ultegra R8070 2-Piston flatmount	STEM	KTM Team Road 8°
FORK	Revelator Alto Performance Carbon F12	ROTOR	Rotor RT800 CL 140 / 140 Freeza	HEADSET	KTM Team Road drop/in 1.1/8>1.1/4"
R. DERAILL.	Shimano Ultegra R8050 GS Di2	WHEEL F	Shimano WH-RS370-TL CL 100-12TA 142-12TA / 622x19TC TLR	SADDLE	Ergon SR10 Women
F. DERAILL.	Shimano Ultegra R8050 Di2	SHIFTLEU.	Shimano Ultegra R8070 Di2	SEATPOST	KTM ComLink zero Alloy aero/400
SHIFTLEU.	Shimano Ultegra R8070 Di2	CRANKSET	Shimano Ultegra R8000 50-34	CATEGORY	1
CRANKSET	Shimano Ultegra R8000 50-34	SPROCKET	Shimano 105 R7000 / 11-32	SYSTEM WEIGHT	118 kg (permissible total weight)
SPROCKET	Shimano Ultegra R8000 / 11-28	CHAIN	Shimano HG601-11	WEIGHT	8.1 kg (without pedals)
CHAIN	Shimano HG701-11				

Inspired by  
**Bloomers**  
women in their elements



■ deeppurple (seafoam green)

- ✓ 020179309 REVELATOR ALTO GLORY XS / 49cm
- ✓ 020179312 REVELATOR ALTO GLORY S / 52cm
- ✓ 020179315 REVELATOR ALTO GLORY M / 55cm

# REVELATOR ALTO ELITE

ROAD

2x11 SHIMANO 105



FRAME	Revelator Alto Premium Carbon R-9820
FORK	Revelator Alto Performance Carbon F12
R. DERAILL.	Shimano 105 R7000 GS
F. DERAILL.	Shimano 105 R7000
SHIFTLEU.	Shimano 105 R7020
CRANKSET	Shimano 105 R7000 50-34
SPROCKET	Shimano 105 R7000 / 11-32
CHAIN	Shimano H6601-11

BRAKE	Shimano 105 R7070 2-Piston flatmount
ROTOR	Rotor RT800 CL 140 / 140 Freeza
WHEEL F	DT Swiss P 1800 Spline DB 23 CL 100-12TA / 622x18TC TLR
WHEEL R	DT Swiss P 1800 Spline DB 23 CL 142-12TA / 622x18TC TLR
TIRE F	Schwalbe One Perf. RaceGuard TLE 25-622
TIRE R	Schwalbe One Perf. RaceGuard TLE 25-622

GRIP	KTM Tape anti-slip
BAR	KTM Team flare 8°
STEM	KTM Team Road 8°
HEADSET	KTM Team Road drop/in 1.1/8>1.1/4"
SADDLE	Selle Italia X3 flow
SEATPOST	KTM CompLink zero Alloy aero/400
CATEGORY	1
SYSTEM WEIGHT	118 kg (permissible total weight)
WEIGHT	8,1 kg (without pedals)

2x11 SHIMANO 105



FRAME	Revelator Alto Performance Carbon R-9830
FORK	Revelator Alto Carbon/Alloy-shaft F12
R. DERAILL.	Shimano 105 R7000 GS
F. DERAILL.	Shimano 105 R7000
CRANKSET	Shimano 105 R7020
SHIFTLEU.	Shimano RS510 50-34
SPROCKET	Shimano 105 R7000 / 11-32

CHAIN	Shimano H6601-11
BRAKE	Shimano 105 R7070 2-Piston flatmount
ROTOR	Rotor RT70 CL 160 / 160
WHEEL F	Mavic Aksium Disc 21 CL 100-12TA/622x17C
WHEEL R	Mavic Aksium Disc 21 CL 142-12TA/622x17C
TIRE F	Continental Ultra Sport II SL 25-622
TIRE R	Continental Ultra Sport II SL 25-622
GRIP	KTM Tape anti-slip



black matt (orange)

- ▷ 020177309 REVELATOR ALTO ELITE XS / 49cm
- ▷ 020177312 REVELATOR ALTO ELITE S / 52cm
- ▷ 020177315 REVELATOR ALTO ELITE M / 55cm
- ▷ 020177317 REVELATOR ALTO ELITE L / 57cm
- ▷ 020177319 REVELATOR ALTO ELITE XL / 59cm



brite red (white)

- ▷ 020178309 REVELATOR ALTO PRO XS / 49cm
- ▷ 020178312 REVELATOR ALTO PRO S / 52cm
- ▷ 020178315 REVELATOR ALTO PRO M / 55cm
- ▷ 020178317 REVELATOR ALTO PRO L / 57cm
- ▷ 020178319 REVELATOR ALTO PRO XL / 59cm

# REVELATOR ALTO PRO

ROAD

# REVELATOR 4000

ROAD

2x11 SHIMANO 105



FRAME	Revelator Performance Carbon / R-1485
FORK	Revelator Fork Carbon/Alloy-shaft F5
R. DERAILL.	Shimano 105 R7000 GS
F. DERAILL.	Shimano 105 R7000
SHIFTLEU.	Shimano 105 R7000
CRANKSET	Shimano RS510 50-34
SPROCKET	Shimano 105 R7000 / 11-32
CHAIN	Shimano HG601-11

BRAKE	Shimano 105 R7000
WHEEL F	Mavic Aksium 21 100-5QR/622x17C
WHEEL R	Mavic Aksium 21 135-5QR/622x17C
TIRE F	Continental Ultra Sport II SL 23-622
TIRE R	Continental Ultra Sport II SL 23-622
GRIP	KTM Tape
DAR	Ritchey COMP Road Logic II
STEM	Ritchey Comp 4-Axis 6°

HEADSET	KTM Team Road drop/in 1.1/8>1.1/4"
SADDLE	Selle Italia X3 flow
SEATPOST	Ritchey COMP 2bolt 27.2/350
CATEGORY	1
SYSTEM WEIGHT	119 kg (permissible total weight)
WEIGHT	8,6 kg (without pedals)

2x10 SHIMANO TIAGRA



FRAME	Strada AL6061 / R-1302
FORK	Strada Fork Carbon/Alloy-shaft F5
R. DERAILL.	Shimano Tiagra 4700 GS
F. DERAILL.	Shimano Tiagra 4700
SHIFTLEU.	Shimano Tiagra 4700
CRANKSET	Shimano RS400 50-34
SPROCKET	Shimano Deore HG500-10 / 11-32
CHAIN	Shimano HG54-10

BRAKE	Shimano Tiagra BR-4700
WHEEL F	KTM Line - Shimano RS400 32H 100-5QR
WHEEL R	Ryde Road Race 32H 622x16C
TIRE F	Ryde Road Race 32H 622x16C
TIRE R	Ryde Road Race 32H 622x16C
GRIP	KTM Tape

BAR	KTM Comp Road
STEM	KTM Comp 7°
HEADSET	Ritchey Comp Road 1.1/8"
SADDLE	Selle Italia X3 flow
SEATPOST	KTM Comp 27.2/350
CATEGORY	2
SYSTEM WEIGHT	120 kg (permissible total weight)
WEIGHT	9,8 kg (without pedals)



black metallic (space orange)

- 020180309 REVELATOR 4000 XS / 49cm
- 020180312 REVELATOR 4000 S / 52cm
- 020180315 REVELATOR 4000 M / 55cm
- 020180317 REVELATOR 4000 L / 57cm
- 020180319 REVELATOR 4000 XL / 59cm



space orange (black)

- 020185309 STRADA 1000 XS / 49cm
- 020185312 STRADA 1000 S / 52cm
- 020185315 STRADA 1000 M / 55cm
- 020185317 STRADA 1000 L / 57cm
- 020185319 STRADA 1000 XL / 59cm

# STRADA 1000

ROAD

# X-STRADA

710



## Das Beste aus jeder Situation herausholen.

Gravel ist nicht nur ein Trend, sondern ein ganz eigenes Gefühl Fahrrad zu fahren. Egal ob am täglichen Weg ins Büro oder auf der Mehrtagestour ans Meer, das X-STRADA wird dich sowohl auf Asphalt, als auch auf unbefestigtem Untergrund, nie im Stich lassen. Genügend Raum für breite Reifen, komfortable

Geometrie und Scheibenbremsen bringen dich immer ans Ziel. Dreifach konifizierte Rohre und kompakte Querschnitte verleihen dem Alurahmen Leichtigkeit. Nicht außer Acht gelassen wurden die spezifischen Funktionen wie Schutzblechbefestigungen und Gepäckträgeraufnahmen. Aus dieser Kombination entsteht eine sportive Optik, gepaart mit Funktionalität. Mit dem X-STRADA wirst du die Leichtigkeit des Radfahrens neu erleben. Auch in einer Glory Version oder als LFC erhältlich.

## Making the most of every situation.

Gravel is not a trend, it is a memorable ride. Whether it's the everyday route into office, or a several days tour to the seaside, the X-STRADA will always be on your side, even on rough terrain. It has enough space for wide tires, comfortable geometry and disc brakes which will make your commute home as enjoyable as your leisure rides. Triple butted

tubes and compact lateral cuts give the aluminium frame its lightness. Special attention was paid to key features such as mudguards and luggage carrier mounts. This combination creates a sporty look, paired with functionality. The X-STRADA helps you to reexperience the easiness of riding a bicycle. The bike is also available in Glory and LFC version.

# X-STRADA

710

ROAD

2x11 SHIMANO  
GRX

2x10 SHIMANO  
GRX



FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILL.	Shimano GRX RX810 shadow RD+
F. DERAILL.	Shimano GRX RX810
SHIFTLEU.	Shimano GRX RX810
CRANKSET	Shimano GRX RX600-11 46-30
SPROCKET	Shimano HG700-11 / 11-34
CHAIN	Shimano HG601-11
BRAKE	Shimano GRX RX810 2-Piston flatmount

ROTOR	Rotor RT800 CL 160 / 160 Freeza
WHEEL F	KTM Line - Shimano 105 R7070 CL 32H 110-12TA
	DT Swiss 533D 32H 622x22TC
WHEEL R	KTM Line - Shimano 105 R7070 CL 32H 142-12TA
	DT Swiss 533D 32H 622x22TC
STEM	KTM Team Road 8°
HEADSET	KTM Team drop/in 1.1/8>1.5" +10
SADDLE	Selle Italia X3 flow
SEATPOST	KTM Team 27.2/350
CATEGORY	● 2
SYSTEM WEIGHT	129 kg (permissible total weight)
WEIGHT	10.7 kg (without pedals)



FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILL.	Shimano GRX RX400 shadow RD+
F. DERAILL.	Shimano GRX RX400
SHIFTLEU.	Shimano GRX RX400
CRANKSET	Shimano GRX RX600-10 46-30
SPROCKET	Shimano Deore HG60-10 / 11-36
CHAIN	Shimano HG54-10
BRAKE	Shimano GRX RX400 2-Piston flatmount

ROTOR	Rotor RT64 CL 160 / 160
WHEEL F	KTM Line - Shimano RS470 CL 32H 100-12TA
	DT Swiss 533D 32H 622x22TC
WHEEL R	KTM Line - Shimano RS470 CL 32H 142-12TA
	DT Swiss 533D 32H 622x22TC
STEM	KTM Comp 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +10
SADDLE	Selle Italia X3 flow
SEATPOST	KTM Comp 27.2/350
CATEGORY	● 2
SYSTEM WEIGHT	129 kg (permissible total weight)
WEIGHT	10.9 kg (without pedals)



■ faded blue (orange)

- △ 020190309 X-STRADA 710 XS / 49cm
- △ 020190312 X-STRADA 710 S / 52cm
- △ 020190315 X-STRADA 710 M / 55cm
- △ 020190317 X-STRADA 710 L / 57cm
- △ 020190319 X-STRADA 710 XL / 59cm



■ faded red (white)

- △ 020191309 X-STRADA 720 XS / 49cm
- △ 020191312 X-STRADA 720 S / 52cm
- △ 020191315 X-STRADA 720 M / 55cm
- △ 020191317 X-STRADA 720 L / 57cm
- △ 020191319 X-STRADA 720 XL / 59cm

ROAD

# X-STRADA LFC



## Ein Freund der mit dir durch dick und dünn geht.

Was will man mehr? KTM bietet erstmals ein Gravelbike mit ins Gesamtbild eingearbeiteter Komplettausstattung an. Das X-STRADA LFC ist dein täglicher Begleiter und bereit für jegliche Aufgaben. Es komplettiert mit

einer hochwertigen und leichten Straßenausstattung die neue KTM Gravel Serie. Unter anderem warten eine hochwertige B+M Akkuleuchte und der Tubus Vega Evo Träger auf den täglichen Einsatz. Neben seinem allround und allroad Einsatzzweck begeistert das X-STRADA LFC besonders durch sein makelloses Design.

**A buddy who goes through thick and thin with you.**

What more could you want? For the first time, KTM offers a gravel bike with the whole package. The X-STRADA LFC is your daily companion and ready for any mission. It is produced with high quality and light weight equipment such as sleek mudguards and the Tubus Vega Evo carrier. In addition it

also includes a high-quality B + M battery lighting ready for the daily use especially on those dark nights commuting home. And lets not forget that the X-STRADA LFC also impresses with a flawless design. It really is the whole package.



2x10 SHIMANO GRX

# X-STRADA

LFC

ROAD

LFC  
LIGHT  
FENDER  
CARRIER



FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILL.	Shimano GRX RX400 shadow RD+
F. DERAILL.	Shimano GRX RX400
SHIFTLEU.	Shimano GRX RX400
CRANKSET	Shimano GRX RX600-10 46-30
SPROCKET	Shimano Deore HG50-10 / 11-36
CHAIN	Shimano HG54-10
BRAKE	Shimano GRX RX400 2-Piston flatmount
ROTOR	Rotor RT64 CL 160 / 160

WHEEL F	KTM Line - Shimano RS470 CL 32H 100-12TA
	DT Swiss 533D 32H 622x22TC
WHEEL R	KTM Line - Shimano RS470 CL 32H 142-12TA
	DT Swiss 533D 32H 622x22TC
TIRE F	Schwalbe G-One Allround Perf. RaceGuard 40-622
TIRE R	Schwalbe G-One Allround Perf. RaceGuard 40-622
GRIP	KTM Tape anti-slip
BAR	KTM Comp Road
STEM	KTM Comp 7°
HEADSET	KTM Team drop/in 1.1/8>1.5" +10

SADDLE	Selle Italia X3 flow
SEATPOST	KTM Comp 27.2/350
CARRIER	Tubus Vega Evo
LIGHT F	B&M Ixon Core LED 50Lux Battery
LIGHT R	B&M Toplight 2C LED Battery
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	12 kg (without pedals)



faded grey (white)

- ✓ 020192309 X-STRADA LFC XS / 49cm
- ✓ 020192312 X-STRADA LFC S / 52cm
- ✓ 020192315 X-STRADA LFC M / 55cm
- ✓ 020192317 X-STRADA LFC L / 57cm
- ✓ 020192319 X-STRADA LFC XL / 59cm

# X-STRADA GLORY

ROAD

2x10 SHIMANO  
GRX



FRAME	X-Strada AL6061tb / R-0090
FORK	X-Strada Gravel Carbon/Alloy-shaft F13
R. DERAILL.	Shimano GRX RX400 shadow RD+
F. DERAILL.	Shimano GRX RX400
SHIFTLEU.	Shimano Tiagra SL-4700
CRANKSET	Shimano GRX RX600-10 46-30
SPROCKET	Shimano Deore HG50-10 / 11-36
CHAIN	Shimano HG54-10
BRAKE	Shimano RS600/405 2-Piston flatmount

ROTOR	Rotor RT54 CL 160 / 160
WHEEL F	KTM Line - Shimano RS470 CL 32H 100-12TA
WHEEL R	KTM Line - Shimano RS470 CL 32H 142-12TA
TIRE F	Schwalbe G-One Allround Perf. RaceGuard 40-622
TIRE R	Schwalbe G-One Allround Perf. RaceGuard 40-622
GRIP	KTM Tape anti-slip
BAR	KTM Comp Mustache 550mm



vintage rose (deeppurple)

- 020193309 X-STRADA GLORY XS / 49cm
- 020193312 X-STRADA GLORY S / 52cm
- 020193315 X-STRADA GLORY M / 55cm
- 020193317 X-STRADA GLORY L / 57cm

Inspired by  
**Bloomers**  
women in their elements

# THE ALL IN ONE SUPERHERO

ROAD



oberösterreich.at



Halstättersee



## TREKKING OFFROAD



LIFE RACE  
DEORE XT 3×10



LIFE 1964 CROSS  
DEORE XT/DEORE 3×10



LIFE ACTION  
DEORE XT/DEORE 3×10



LIFE CROSS  
DEORE XT 3×10



LIFE ROAD  
DEORE 3×9



LIFE TRACK  
ACERA 3×8



LIFE TRACK STREET  
ACERA 3×8



LIFE ONE  
ACERA 3×8

## TREKKING ONROAD



LIFE STYLE  
ACERA 3×8



LIFE TOUR  
ACERA 3×8



LIFE 8 BELT  
ACERA 3×8



LIFE 1964  
ACERA 3×8



LIFE FORCE  
ACERA 3×8



LIFE LITE  
ACERA 3×8



LIFE SPACE  
DEORE 3×9



LIFE RIDE  
ACERA 3×8



LIFE TIME  
DEORE 3×8



LIFE JOY  
ALTUS 3×8

# LIFE RACE



## Vertraue auf traditionelle Trekkingbike Kompetenz.

Am Fahrrad die Seele baumeln lassen und die Natur genießen. Für diesen Idealzustand fehlt dir nur mehr das passende KTM Trekking-Bike. Die jahrzehntelange Tradition der KTM

Trekkingräder wird angeführt vom LIFE RACE. Alle Trekking-Offroad-Modelle bieten von der Bereifung mehr Grip als die Onroad-Verwandtschaft. Integrierte Kabelzüge und ein in die Gabelbrücke eingearbeiteter Frontreflektor, sorgen für ein gewohnt schönes Erscheinungsbild.

Das konische Steuerrohr erhöht die Lenkkopfsteifigkeit. Bereits verbaut ist ein Fahrradständer. Andere Features wie Licht und Schutzbleche können bei Bedarf nachgerüstet werden. Das Topmodell LIFE RACE zierte eine Shimano Deore XT Bestückung.

## Trust our traditional trekking bike capability.

With the Life Bikes you can indeed relax on the bike and enjoy nature. For this maximum satisfaction you only need the right KTM trekking bike. The decades long tradition of the KTM trekking bikes is led by the LIFE RACE. All trekking off-road models are equipped with suspension fork and offer more grip than the on-road brothers. Integrated cable routing and a

front reflector, incorporated into the fork bridge ensure a beautiful appearance. The conical headtube increases the steering head stiffness. Already on the bike is a stable kick stand. Other features such as lights and fenders can be easily upgraded when needed. The top model LIFE RACE graces a Shimano Deore XT equipment.



3x10 SHIMANO DEORE XT

# LIFE RACE



FRAME	Trekking Offroad Alloy6061 triplebutted: tapered headtube / T-8660	ROTOR	Rotor RT70 CL 180 / 160	HEADSET	KTM Team Trekking angle limit 1.1/8>1.5" +15
FORK	Suntour NCX-E air RL 63mm remote	WHEEL F	KTM Line - Shimano Deore XT M8000 CL 32H 100-5QR Ryde Rival23 32H 622x23C	SADDLE	KTM Line Cross
R. DERAILL.	Shimano Deore XT T8000-10 SGS shadow	WHEEL R	KTM Line - Shimano Deore XT M8000 CL 32H 135-5QR Ryde Rival23 32H 622x23C	SEATPOST	KTM Team 27.2/350
F. DERAILL.	Shimano Deore XT T8000-L topswing	TIRE F	Schwalbe Smart Sam Perf. 44-622	PEDAL	MTB-Pedal VP-197 alloy (light)
SHIFTLEU.	Shimano Deore XT T8000-10 w/Display	TIRE R	Schwalbe Smart Sam Perf. 44-622	KICKSTAND	Hebie 28" adjust
CRANKSET	Shimano Deore XT T8000 48-36-26	GRIP	Ergon GP3 SD w/Barend	CATEGORY	● 2
SPROCKET	Shimano Deore HG650-10 / 11-34	BAR	KTM Team flat 2X 620mm	SYSTEM WEIGHT	131 kg (permissible total weight)
CHAIN	Shimano HG95-10	STEM	KTM Team MTB 7"	WEIGHT	12,6 kg (without pedals)
BRAKE	Shimano Deore XT T8000 2-Piston				



- steelgrey matt (black+orange)  
020200106 LIFE RACE H / 46cm
- 020200111 LIFE RACE H / 51cm
- 020200116 LIFE RACE H / 56cm
- 020200211 LIFE RACE D / 51cm
- 020200120 LIFE RACE H / 60cm

HIGH QUALITY  
SINCE AGES.



Steeg

oberösterreich.at



3x10 SHIMANO  
DEORE XT/DEORE

LIFE  
1964 CROSS



FRAME	Trekking Offroad Alloy 6061 triplebutted; tapered headtube / T-8660	ROTOR	Rotor RT64 CL 180 / 160	HEADSET	KTM Team Trekking angle limit 1.1/8>1.5° +15
FORK	Suntour NCX-E air LO 63mm	WHEEL F	KTM Line - Shimano Deore M6000 CL 32H 100-5QR Ryde Rival 23 32H 622x23C	SADDLE	KTM Line Cross
R. DERAILL.	Shimano Deore XT T8000-10 SGS shadow	WHEEL R	KTM Line - Shimano Deore M6000 CL 32H 135-5QR Ryde Rival 23 32H 622x23C	SEATPOST	KTM Comp 27.2/350
F. DERAILL.	Shimano Deore T6000-L topswing	TIRE F	Schwalbe Smart Sam Perf. 44-622	PEDAL	MTB-Pedal VP-195E alloy
SHIFTLEU.	Shimano Deore T6000-10 w/Display	TIRE R	Schwalbe Smart Sam Perf. 44-622	KICKSTAND	KTM 28" adjust
CRANKSET	Shimano Deore XT T8000 48-36-26	GRIP	Ergon GP3 SD w/Barend	CATEGORY	2
SPROCKET	Shimano Deore HG650-10 / 11-34	BAR	KTM Comp low rizer 640mm	SYSTEM WEIGHT	131 kg (permissible total weight)
CHAIN	Shimano HG54-10	STEM	KTM Comp 17"	WEIGHT	12.8 kg (without pedals)
BRAKE	Shimano MT400 2-Piston (3-Finger)				



black matt (black+orange glossy)

- ↗ 020201106 LIFE 1964 CROSS H / 46cm
- ↗ 020201111 LIFE 1964 CROSS H / 51cm
- ↗ 020201116 LIFE 1964 CROSS H / 56cm
- ↗ 020201120 LIFE 1964 CROSS H / 60cm



black matt (black+orange glossy)

- ↗ 020201206 LIFE 1964 CROSS D / 46cm
- ↗ 020201211 LIFE 1964 CROSS D / 51cm

# LIFE ACTION

OFFROAD

3x10 SHIMANO DEORE XT/DEORE



FRAME	Trekking-Off AL6061 / T-1438
FORK	Suntour NCX-D air L0 63mm
R. DERAILL.	Shimano Deore XT T8000-10 SGS shadow
F. DERAILL.	Shimano Deore T6000-L topswing
SHIFTLEU.	Shimano Deore T6000-10 w/Display
CRANKSET	Shimano Deore T6010 48-36-26
SPROCKET	Shimano Deore HG500-10 / 11-34
CHAIN	Shimano HG54-10
BRAKE	Shimano MT400 2-Piston (3-Finger)
ROTOR	Rotor RT54 CL 180 / 160
WHEEL F	KTM Line - Shimano Alivio M4050 CL 32H 100-5QR
WHEEL R	KTM Line - Shimano Alivio M4050 CL 32H 135-5QR
TIRES	Schwalbe Smart Sam Perf. 44-622
TIRE F	Schwalbe Smart Sam Perf. 44-622
TIRE R	Schwalbe Smart Sam Perf. 44-622
GRIP	Ergon GP3 SD w/Barend
BAR	KTM Comp low rizer 640mm
STEM	KTM Comp 17°
HEADSET	Ritchey OE Logic Zero 1.1/8"
SADDLE	KTM Line Cross
SEATPOST	KTM Comp 27.2/350
PEDAL	MTB-Pedal VP-195E alloy
KICKSTAND	KTM 28° adjust
CATEGORY	2
SYSTEM WEIGHT	131 kg (permissible total weight)
WEIGHT	12.9 kg (without pedals)



- black matt (grey+orange)  
 ↗ 020202106 LIFE ACTION H / 46cm  
 ↗ 020202111 LIFE ACTION H / 51cm  
 ↗ 020202116 LIFE ACTION H / 56cm  
 ↗ 020202120 LIFE ACTION H / 60cm  
 ↗ 020202123 LIFE ACTION H / 63cm

3x10 SHIMANO DEORE XT



FRAME	28" AL6061 OFF LIFE ACTION MANT1438-M
FORK	28" Suntour SF20-NEX HLO DS 63
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Comp 12°
HANDLEBAR	KTM Comp rizer15 640mm
GRIP	ERGON GP10-BLACK 130mm
ROTOR	Shimano RT30 CL 180 / 160
BRAKE	Shimano MT201 2-Piston
CHAINWHEEL	Shimano T521 48-36-26
CHAIN	Shimano Deore HG54
SPROCKET	Shimano HG501-10 11-36
F. DERAILL.	Shimano Deore T6000 TS
R. DERAILL.	Shimano Deore XT M781-10 GSL shadow
SHIFTER	Shimano Deore SL-T6000 10
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE SMART SAM Perf 44-622 28x1.65
SADDLE	KTM Line Offroad
SEATPOST	KTM Comp 27.2/350
PEDAL	MTB Pedal C280DU alloy
KICKSTAND	KTM REAR 26-29° adjust
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	13.8 kg (without pedals)



- space orange (black)  
 ↗ 020203106 LIFE CROSS H 46  
 ↗ 020203111 LIFE CROSS H 51  
 ↗ 020203116 LIFE CROSS H 56  
 ↗ 020203120 LIFE CROSS H 60



- space orange (black)  
 ↗ 020203203 LIFE CROSS D 43  
 ↗ 020203206 LIFE CROSS D 46  
 ↗ 020203211 LIFE CROSS D 51

# LIFE CROSS

OFFROAD

# LIFE ROAD

OFFROAD

3x9 SHIMANO DEORE



FRAME	28" AL6061 Trekking-OFF T1438
FORK	28" Suntour SF20-NEX HLO DS 63
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Comp ERGO Lock 131.6mm
ROTOR	Shimano RT10 CL 180 / 160
BRAKE	Shimano MT200 2-Piston
CHAINWHEEL	Shimano Acera T3010 48-36-26
CHAIN	Shimano HG53
SPROCKET	Shimano HG201-9 11-34
F. DERAILL.	Shimano M370 TS
R. DERAILL.	Shimano Deore M592-9 SGS shadow
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE SMART SAM Perf 44-622 28x1.65
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 27.2/350
PEDAL	Offroad Pedal VPE-899 EPB
KICKSTAND	KTM REAR 26-29" adjust
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.1 kg (without pedals)

CHAIN	Shimano HG53
SPROCKET	Shimano HG201-9 11-34
F. DERAILL.	Shimano M370 TS
R. DERAILL.	Shimano Deore M592-9 SGS shadow
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE SMART SAM Perf 44-622 28x1.65
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 27.2/350
PEDAL	Offroad Pedal VPE-899 EPB
KICKSTAND	KTM REAR 26-29" adjust
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.1 kg (without pedals)

TIRES	SCHWALBE SMART SAM Perf 44-622 28x1.65
SADDLE	KTM Line Offroad
SEATPOST	KTM Line 27.2/350
PEDAL	Offroad Pedal VPE-899 EPB
KICKSTAND	KTM REAR 26-29" adjust
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.1 kg (without pedals)

3x8 SHIMANO ACERA



FRAME	28" AL6061 Trekking-OFF T1438
FORK	28" Suntour SF20-NEX HLO DS 63
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Comp ERGO Lock 131.6mm
ROTOR	Shimano RT10 CL 180 / 160
BRAKE	Shimano EF505 2-Piston
CHAINWHEEL	Shimano TY501 48-38-28
CHAIN	Shimano HG40
SPROCKET	Shimano HG31-8 11-32
F. DERAILL.	Shimano TY710 TS
R. DERAILL.	Shimano Acra M360-8 SGSL
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE HURRICANE K-Guard 42-622 700x40C

CHAIN	Shimano HG40
SPROCKET	Shimano HG31-8 11-32
F. DERAILL.	Shimano TY710 TS
R. DERAILL.	Shimano Acra M360-8 SGSL
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE HURRICANE K-Guard 42-622 700x40C

SADDLE	KTM Line Offroad
SEATPOST	KTM Line 27.2/350
PEDAL	Offroad Pedal VPE-899 EPB
KICKSTAND	KTM REAR 26-29" adjust
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.1 kg (without pedals)



black matt (grey+blue)

- 020204106 LIFE ROAD H 46
- 020204111 LIFE ROAD H 51
- 020204116 LIFE ROAD H 56
- 020204120 LIFE ROAD H 60

black matt (grey+blue)

- 020204203 LIFE ROAD D 43
- 020204206 LIFE ROAD D 46
- 020204211 LIFE ROAD D 51

lightgrey matt (blue+mandarin)

- 020204233 LIFE ROAD D 43
- 020204236 LIFE ROAD D 46
- 020204231 LIFE ROAD D 51



black matt (orange)

- 020205106 LIFE TRACK H 46
- 020205111 LIFE TRACK H 51
- 020205116 LIFE TRACK H 56
- 020205120 LIFE TRACK H 60

black matt (orange)

- 020205206 LIFE TRACK D 46
- 020205211 LIFE TRACK D 51
- 020205241 LIFE TRACK D 51
- 020205246 LIFE TRACK D 51

aqua (moon+eveblue)

- 020205233 LIFE TRACK D 43
- 020205236 LIFE TRACK D 46
- 020205241 LIFE TRACK D 51
- 020205246 LIFE TRACK D 51

# LIFE

## TRACK STREET

OFFROAD

3x8 SHIMANO ACERA



FRAME	28" AL6061 Trekking-OFF T1438
FORK	28" Suntour SF20-NEX HLO DS 63
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Comp ERGO Lock 131.6mm
ROTOR	Shimano RT10 CL 180 / 160
BRAKE	Shimano EF505 2-Piston
CHAINWHEEL	Shimano TY501 48-38-28
CHAIN	Shimano HG40

SPROCKET	Shimano HG31-8 11-32
F. DERAILL.	Shimano TY710 TS
R. DERAILL.	Shimano Acra M360-8 SGSL
F HUB	Shimano 36H DH3D37 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE HURRICANE K-Guard 42-622 700x40C
SADDLE	KTM Line Offroad

SEATPOST	KTM Line 27.2/350
PEDAL	Offroad Pedal VPE-899 EPB
MUDGUARD	SKS VELO 28 47
KICKSTAND	KTM REAR 26-29" adjust
F LIGHTING	AXA COMPACTLINE LED 20LUX
R LIGHTING	SPANNINGA PIXEO
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	15.1 kg (without pedals)

3x8 SHIMANO ACERA



FRAME	28" AL6061 Trekking-OFF T1432
FORK	28" Suntour SF20-NEX P 63
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer15 640mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	V TEKTRO 837AL
BRAKE	Shimano TY501 48-38-28
CHAINWHEEL	Shimano HG40

CHAIN	Shimano HG200-8 12-32
SPROCKET	Shimano TY710 TS
F. DERAILL.	Shimano Acra M360-8 SGSL
R. DERAILL.	Shimano Altus ST-EF5002 8
F HUB	Shimano HB-TX500 32H QR
R HUB	Shimano FH-TX500 32H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 32H 622x19
TIRES	SCHWALBE HURRICANE K-Guard 42-622 700x40C

SADDLE	KTM Line Offroad
SEATPOST	KTM Line 27.2/300
PEDAL	Offroad Pedal VPE-899 EPB
KICKSTAND	KTM REAR 26-29" adjust
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	13.6 kg (without pedals)



black matt (orange)

- 020206106 LIFE TRACK STREET H 46
- 020206111 LIFE TRACK STREET H 51
- 020206116 LIFE TRACK STREET H 56
- 020206120 LIFE TRACK STREET H 60

black matt (orange)

- 020206203 LIFE STREET D 43
- 020206206 LIFE STREET D 46
- 020206211 LIFE STREET D 51
- 020206216 LIFE STREET D 56



epicgrey (cotto+black)

- 020207106 LIFE ONE H 46
- 020207111 LIFE ONE H 51
- 020207116 LIFE ONE H 56
- 020207120 LIFE ONE H 60



moon (indianred+cotto)

- 020207233 LIFE ONE D 43
- 020207236 LIFE ONE D 46
- 020207241 LIFE ONE D 51

# LIFE

## ONE

OFFROAD

# LIFE STYLE



## Volles Trekking Know-How seit Generationen.

Das Rad zählt nach wie vor zu den beliebtesten Fortbewegungsmitteln auf Reisen. Die Trekking-Onroad Modelle von KTM blicken dabei auf eine wahre Erfolgsgeschichte

zurück. Bewährte Qualität und Funktionalität überzeugen seit Jahrzehnten und lassen keine Wünsche offen. Bei den Trekking-Onroad Modellen, wie dem LIFE STYLE, werden sogar die Kabel der Lichtanlage in den Rahmen integriert. Hochwertig wartet das Bike mit einem Gesamtpaket wie Schutzblechen,

Ständer, Shimano Deore XT Ausstattung und robustem Gebäckträger auf. Für reichlich Komfort sorgen Federgabel und ergonomisch geformte Griffe, die das Handgelenk entspannen. Erhältlich auch in der LIFE 8 BELT Variante mit Riemenantrieb. Mit den LIFE Modellen wird der Radweg dein Wohnzimmer.

## Bundled trekking know how for generations.

The KTM Life range of bikes are still one of the most popular travel companions. Therefore, KTM's trekking on-road models history is one of true success. Proven quality and functionality have been

convincing cyclists for decades and leave nothing to be desired. At the trekking on-road models, such as the LIFE STYLE, even the cables of the lighting system are fully integrated into the frame. Furthermore, the bike comes with a complete package such as fenders, kick stand, Shimano Deore XT equipment and a

robust carrier. Front suspension and ergonomic shaped grips relax the wrist and provide plenty of comfort. Also available in the LIFE 8 BELT version with belt drive. With the LIFE models the bike path is yours.



3x10 SHIMANO DEORE XT

LIFE  
STYLE



FRAME	Trekking Onroad Alloy 6061 triplebutted; tapered headtube / T-8610	WHEEL F	KTM Line - Shimano hubdyn. DH-UR700 CL 32H 100-5QR	SEATPOST	KTM Line 27.2/350
FORK	Suntour NCX-E air LO 63mm	WHEEL R	Ryde Rival23 32H 622x23C	PEDAL	Trekk.-Pedal VP-616 (anti-slip)
R. DERAILL.	Shimano Deore XT T8000-10 SGS shadow	TIRE F	KTM Line - Shimano Deore XT M8000 CL 32H 135-5QR	CARRIER	KTM Racktime light (snap-it)
F. DERAILL.	Shimano Deore XT T8000-L topswing	TIRE R	Ryde Rival23 32H 622x23C	LIGHT F	B&M Lumotec IQ-XS LED 70Lux
SHIFTLEV.	Shimano Deore XT T8000-10 w/Display	GRIP	Schwalbe Marathon Racer Perf. RaceGuard 40-622	LIGHT R	B&M Toplight 2C LED Standlight
CRANKSET	Shimano Deore XT T8000 48-36-26	BAR	Schwalbe Marathon Racer Perf. RaceGuard 40-622	FENDER	SKS A46R 46mm black matt
SPROCKET	Shimano Deore HG500-10 / 11-34	STEM	KTM Line rizer20 640mm	CHAINGUARD	Horn Catena A08 48T
CHAIN	Shimano HG95-10	HEADSET	KTM Team Trekking angle limit 1.1/8>1.5° +15	KICKSTAND	Hebie 28° adjust
BRAKE	Shimano Deore XT T8000 2-Piston	SADDLE	Selle Royal Essenza	CATEGORY	● 2
ROTOR	Rotor RT70 CL 180 / 160			SYSTEM WEIGHT	133kg (permissible total weight)
				WEIGHT	14,5kg (without pedals)



■ black matt (grey+orange glossy)

↗ 020209106 LIFE STYLE H / 46cm

↗ 020209111 LIFE STYLE H / 51cm

↗ 020209116 LIFE STYLE H / 56cm

↗ 020209120 LIFE STYLE H / 60cm

# LIFE TOUR

3x10 SHIMANO DEORE XT



**FRAME** Trekking Onroad Alloy 6061  
triplebutted; tapered headtube / T-8610  
**FORK** Suntour NCX-E air LO 63mm  
**R. DERAILL.** Shimano Deore XT T8000-10 SGS shadow  
**F. DERAILL.** Shimano Deore XTT8000-L topswing  
**SHIFTLEU.** Shimano Deore XTT8000-10 w/Display  
**CRANKSET** Shimano Deore XTT8000 48-36-26  
**SPROCKET** Shimano Deore HG500-10 / 11-34  
**CHAIN** Shimano HG95-10  
**BRAKE** Shimano MT400 2-Piston (3-Finger)  
**ROTOR** Rotor RT64 CL 180 / 160

**WHEEL F** KTM Line - Shimano hubdyn. DH-UR700 CL 32H 100-50R / Ryde Rival23 32H 622x23C  
**WHEEL R** KTM Line - Shimano Deore XT M8000 CL 32H 135-50R / Ryde Rival23 32H 622x23C  
**TIRE F** Schwalbe Marathon Racer Perf. RaceGuard 40-622  
**TIRE R** Schwalbe Marathon Racer Perf. RaceGuard 40-622  
**GRIP** Ergon GP3 SD w/Barend  
**BAR** KTM Line rizer 20 640mm  
**STEM** KTM Line UP3 adjust. 0-90°  
**HEADSET** KTM Team Trekking angle limit 1.1/8>1.5° +15  
**SADDLE** Selle Royal Essenza

**SEATPOST** KTM Line Elegance suspension 27.2/300  
**PEDAL** Trekk.-Pedal VP-616 (anti-slip)  
**CARRIER** KTM Racktime tour (snap-it)  
**LIGHT F** B&M Lumotec IQ-XS LED 70Lux  
**LIGHT R** B&M Toplight 2C LED Standlight  
**FENDER** SKS A46R 46mm black matt  
**CHAINGUARD** Horn Catena A08 48T  
**KICKSTAND** Hebie 28° adjust  
**CATEGORY** 2  
**SYSTEM WEIGHT** 133 kg (permissible total weight)  
**WEIGHT** 15,1 kg (without pedals)



lightgrey matt (white+orange)

020210111 LIFETOUR H / 51cm  
020210116 LIFETOUR H / 56cm  
020210120 LIFETOUR H / 60cm

lightgrey matt (white+orange)

020210206 LIFETOUR D / 46cm  
020210211 LIFETOUR D / 51cm



Almdudler®  
From Austria  
with Love.  
And Herbs.

# LIFE 8 BELT

ONROAD

1x8 SHIMANO NEXUS



<b>FRAME</b>	Trekking Onroad Alloy 6061 triplebutted; IGH belt; tapered headtube / T-9790
<b>FORK</b>	Suntour NCX-D air L0 63mm
<b>SHIFTLEU.</b>	Shimano Nexus 8 Revoshifter
<b>CRANKSET</b>	Gates front-sprocket 46T
<b>SPROCKET</b>	Gates rear-sprocket 22T
<b>CHAIN</b>	Gates drive-belt 118T CDN
<b>BRAKE</b>	Shimano MT200 2-Piston
<b>ROTOR</b>	Rotor RT30 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano hubdyn. DH-3D72 CL 32H 100-5QR / Ryde Rival23 32H 622x23C

<b>WHEEL R</b>	KTM Line - Shimano Nexus 8 SG-C60018D CL 32H Ryde Rival23 32H 622x23C
<b>TIRE F</b>	Schwalbe Marathon Racer Perf. RaceGuard 40-622
<b>TIRE R</b>	Schwalbe Marathon Racer Perf. RaceGuard 40-622
<b>GRIP</b>	Ergon GP1 short w/o Barend
<b>BAR</b>	KTM Line rizer20 640mm
<b>STEM</b>	KTM Line UP3 adjust. 0-90°
<b>HEADSET</b>	KTM Team Trekking angle limit 1.1/8>1.5° +15
<b>SADDLE</b>	Selle Royal Essenza
<b>SEATPOST</b>	KTM Line suspension 27.2/300



- black matt (grey+orange)
  - 02021111 LIFE 8 BELT H / 51cm
  - 02021116 LIFE 8 BELT H / 56cm
  - 02021120 LIFE 8 BELT H / 60cm
  - 02021123 LIFE 8 BELT H / 63cm



- black matt (grey+orange)
  - 020211206 LIFE 8 BELT D / 46cm
  - 020211211 LIFE 8 BELT D / 51cm
  - 020211216 LIFE 8 BELT D / 56cm



- black matt (grey+orange)
  - 020211506 LIFE 8 BELT US / 46cm
  - 020211511 LIFE 8 BELT US / 51cm
  - 020211516 LIFE 8 BELT US / 56cm

3x10 SHIMANO DEORE XT/DEORE



<b>FRAME</b>	Trekking Onroad Alloy 6061 triplebutted; tapered headtube / T-8610
<b>FORK</b>	Suntour NCX-E air L0 63mm
<b>R. DERAILL.</b>	Shimano Deore XT T8000-10 SGS shadow
<b>F. DERAILL.</b>	Shimano Deore T6000-10 topswing
<b>SHIFTLEU.</b>	Shimano Deore T6000-10 w/Display
<b>CRANKSET</b>	Shimano Deore T6010 48-36-26
<b>SPROCKET</b>	Shimano Deore HG500-10 / 11-34
<b>CHAIN</b>	Shimano HG54-10
<b>BRAKE</b>	Shimano MT200 2-Piston
<b>ROTOR</b>	Rotor RT54 CL 180 / 160
<b>WHEEL F</b>	KTM Line - Shimano hubdyn. DH-3D72 CL 32H 100-5QR / Ryde Rival23 32H 622x23C
<b>WHEEL R</b>	KTM Line - Shimano Deore M6000 CL 32H 135-5QR / Ryde Rival23 32H 622x23C
<b>PEDAL</b>	Trekk.-Pedal VP-616 (anti-slip)
<b>CARRIER</b>	KTM Racktime light (snap-it)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED Standlight
<b>FENDER</b>	SKS A46R 46mm black matt
<b>CHAINGUARD</b>	Horn Catena 16 48T
<b>KICKSTAND</b>	KTM 28° adjust
<b>CATEGORY</b>	● 2
<b>SYSTEM WEIGHT</b>	134 kg (permissible total weight)
<b>WEIGHT</b>	16.1 kg (without pedals)
<b>SEATPOST</b>	KTM Line 27.2/350
<b>PEDAL</b>	Trekk.-Pedal VP-616 (anti-slip)
<b>CARRIER</b>	KTM Racktime light (snap-it)
<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>LIGHT R</b>	B&M Toplight 2C LED Standlight
<b>FENDER</b>	SKS A46R 46mm black matt
<b>CHAINGUARD</b>	Horn Catena 16 48T
<b>KICKSTAND</b>	KTM 28° adjust
<b>CATEGORY</b>	● 2
<b>SYSTEM WEIGHT</b>	134 kg (permissible total weight)
<b>WEIGHT</b>	14.9 kg (without pedals)



- black matt (black+orange glossy)
  - 020212111 LIFE 1964 H / 51cm
  - 020212116 LIFE 1964 H / 56cm
  - 020212120 LIFE 1964 H / 60cm



- black matt (black+orange glossy)
  - 020212206 LIFE 1964 D / 46cm
  - 020212211 LIFE 1964 D / 51cm
  - 020212216 LIFE 1964 D / 56cm



- black matt (black+orange glossy)
  - 020212503 LIFE 1964 US / 43cm
  - 020212506 LIFE 1964 US / 46cm
  - 020212511 LIFE 1964 US / 51cm
  - 020212516 LIFE 1964 US / 56cm

# LIFE 1964

1964

ONROAD

# LIFE FORCE

ONROAD

3x9 SHIMANO DEORE



<b>FRAME</b>	Trekking-On AL6061tb / T-1455	<b>WHEEL F</b>	KTM Line - Shimano hubdyn. DH-3D72 CL 32H 100-5QR	<b>SEATPOST</b>	KTM Line 27.2/350
<b>FORK</b>	Suntour NCX-D air L0 63mm	<b>PEDAL</b>	Trekk.-Pedal VP-616 (anti-slip)	<b>CARRIER</b>	KTM Racktime light (snap-it)
<b>R. DERAILL.</b>	Shimano Deore M591-9 SGS	<b>WHEEL R</b>	KTM Line - Shimano Alivio M4050 CL 32H 135-5QR	<b>LIGHT F</b>	B&M Lumotec MYC LED 50Lux
<b>F. DERAILL.</b>	Shimano Altus M370 topswing		Ryde Rival23 32H 622x23C	<b>LIGHT R</b>	B&M Toplight 2C LED Standlight
<b>SHIFTLEU.</b>	Shimano Altus M2010-9 w/Display	<b>TIRE F</b>	Schwalbe Marathon Racer Perf. RaceGuard 40-622	<b>FENDER</b>	SKS B46R 46mm black glossy
<b>CRANKSET</b>	Shimano Alivio T4010 48-36-26	<b>TIRE R</b>	Schwalbe Marathon Racer Perf. RaceGuard 40-622	<b>CHAINGUARD</b>	Horn Catena 16 48T
<b>SPROCKET</b>	Shimano HG201-9 / 11-34	<b>GRIP</b>	Ergon GP1 SD w/o Barend	<b>KICKSTAND</b>	KTM 28° adjust
<b>CHAIN</b>	Shimano HG53-9	<b>BAR</b>	KTM Line rizer20 640mm	<b>CATEGORY</b>	● 2
<b>BRAKE</b>	Shimano MT200 2-Piston	<b>STEM</b>	KTM Line 17°	<b>SYSTEM WEIGHT</b>	134 kg (permissible total weight)
<b>ROTOR</b>	Rotor RT30 CL 180 / 160	<b>HEADSET</b>	Ritchey OE Logic Zero 1.1/8"	<b>WEIGHT</b>	15,3 kg (without pedals)
		<b>SADDLE</b>	Selle Royal Essenza		



- black matt (grey+blue)
  - △ 020213106 LIFE FORCE H / 46cm
  - △ 020213111 LIFE FORCE H / 51cm
  - △ 020213116 LIFE FORCE H / 56cm
  - △ 020213120 LIFE FORCE H / 60cm

3x9 SHIMANO DEORE



<b>FRAME</b>	Trekking-On AL6061tb / T-1451	<b>WHEEL R</b>	KTM Line - Shimano Acera T3000 32H 135-5QR	<b>SEATPOST</b>	KTM Line 27.2/350
<b>FORK</b>	Alloy Unicrown Longleg 9QR	<b>PEDAL</b>	Ryde ZAC2000 32H 622x19C	<b>CARRIER</b>	Trekk.-Pedal VP-616 (anti-slip)
<b>R. DERAILL.</b>	Shimano Deore M591-9 SGS	<b>TIRE F</b>	Schwalbe Marathon Racer	<b>LIGHT F</b>	KTM Racktime light (snap-it)
<b>F. DERAILL.</b>	Shimano Alivio T4000 topswing	<b>TIRE R</b>	Perf. RaceGuard 40-622	<b>LIGHT R</b>	B&M Lumotec MYC LED 50Lux
<b>SHIFTLEU.</b>	Shimano Alivio M4000-9 w/Display	<b>CRANKSET</b>	Shimano Alivio T4010 48-36-26	<b>FENDER</b>	B&M Toplight 2C LED Standlight
<b>SPROCKET</b>	Shimano HG201-9 / 11-34	<b>SPROCKET</b>	Shimano HG201-9 / 11-34	<b>CHAINGUARD</b>	SKS B46R 46mm black glossy
<b>CHAIN</b>	Shimano HG53-9	<b>CHAIN</b>	Shimano HG53-9	<b>KICKSTAND</b>	Horn Catena 16 48T
<b>BRAKE</b>	Shimano Alivio T4000	<b>BRAKE</b>	Shimano Alivio T4000	<b>CATEGORY</b>	KTM 28° adjust
<b>WHEEL F</b>	KTM Line - Shimano hubdyn. DH-3N72	<b>WHEEL R</b>	Ritchey OE Logic Zero 1.1/8"	<b>SYSTEM WEIGHT</b>	130 kg (permissible total weight)
<b>WHEEL R</b>	32H 100-5QR / Ryde ZAC2000 32H 622x19C	<b>HEADSET</b>	Selle Royal Essenza	<b>WEIGHT</b>	14 kg (without pedals)
		<b>SADDLE</b>			



- white matt (grey+red)
  - △ 020214106 LIFE LITE H / 46cm
  - △ 020214111 LIFE LITE H / 51cm
  - △ 020214116 LIFE LITE H / 56cm
  - △ 020214120 LIFE LITE H / 60cm
- white matt (grey+red)
  - △ 020214503 LIFE LITE E / 43cm
  - △ 020214506 LIFE LITE E / 46cm
  - △ 020214511 LIFE LITE E / 51cm
  - △ 020214516 LIFE LITE E / 56cm

# LIFE LITE

ONROAD

# LIFE SPACE

ONROAD

3x9 SHIMANO DEORE



FRAME	28" AL6061 Trekking-ON T1454
FORK	28" Suntour SF20-NEX HLO DS 63
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM LINE COMPACT II adjust
HANDLEBAR	KTM Line rizer20 640mm
GRIP	ERGON GP30-BLACK
ROTOR	Shimano RT30 CL 160
BRAKE	Shimano MT201 2-Piston
CHAINWHEEL	Shimano Alivio T4010 48-36-26
CHAIN	Shimano HG53
SPROCKET	Shimano HG201-9 11-34

F. DERAILL.	Shimano Acera T3000 TS
R. DERAILL.	Shimano deore M591-9 SGSL
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano 36H DH3D37 36H CL QR
R HUB	Shimano FH-TX505 36H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE MARATHON Green Guard 40-622 700x38C
SADDLE	SELLA ROYAL Essenza
SEATPOST	KTM Line 27.2/300

PEDAL	Onroad Pedal VP-616 Alloy
MUDGUARD	SKS PET 28 A 46 R black matt
CARRIER	KTM UNIVERSAL 28" RACKTIME
KICKSTAND	KTM REAR 26-29" adjust
F LIGHTING	B&M LUMOTEC IQ Avy N plus LED 40Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	SKS CHAINBLADE
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	17.3 kg (without pedals)

3x8 SHIMANO ACERA



FRAME	28" AL6061 Trekking-ON T8340
FORK	28" Suntour SF20-NEX DS 63
HEADSET	Head set VP MH-309A, anod black, AL, D:1-1/8", conical cover
STEM	KTM Line adjust. AL-KT3
HANDLEBAR	KTM Line backs.20 640mm
GRIP	KTM COMP ERGO Lock 131.6mm
ROTOR	Shimano RT10 CL 160
BRAKE	Shimano EF505 2-Piston
CHAINWHEEL	Shimano TY501 48-38-28
CHAIN	Shimano HG40

SPROCKET	Shimano HG31-8 11-32
F. DERAILL.	Shimano TY710 TS
R. DERAILL.	Shimano Agra M360-8 SGSL
F HUB	Shimano 36H DH3D37 36H CL QR
R HUB	Shimano FH-TX505 36H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19
TIRES	SCHWALBE CITIZEN K-Guard 42-622
SADDLE	SELLA ROYAL Rio
SEATPOST	KTM Line 27.2/300

PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 28 46 black matt
CARRIER	KTM TOUR 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	B&M LUMOTEC Upp N LED 30Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	SKS CHAINBLADE
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	16.5kg (without pedals)



black matt (cotto glossy)

- 020215106 LIFE SPACE H 46
- 020215111 LIFE SPACE H 51
- 020215116 LIFE SPACE H 56
- 020215120 LIFE SPACE H 60



black matt (cotto glossy)

- 020215206 LIFE SPACE D 46
- 020215211 LIFE SPACE D 51



black matt (cotto glossy)

- 020215503 LIFE SPACE E 43
- 020215506 LIFE SPACE E 46
- 020215511 LIFE SPACE E 51



black matt (orange glossy)

- 020216106 LIFE RIDE H 46
- 020216111 LIFE RIDE H 51
- 020216116 LIFE RIDE H 56
- 020216120 LIFE RIDE H 60



black matt (orange glossy)

- 020216206 LIFE RIDE D 46
- 020216211 LIFE RIDE D 51



black matt (orange glossy)

- 020216503 LIFE RIDE E 43
- 020216506 LIFE RIDE E 46
- 020216511 LIFE RIDE E 51

# LIFE RIDE

ONROAD

# LIFE TIME

ONROAD

3x8 SHIMANO DEORE



FRAME	28" AL6061 Trekking-ONT8010
FORK	28" Suntour SF20-NEX P 63
HEADSET	Head set VP MH-309A, anod black, AL, D:1-1/8", conical cover
STEM	KTM Line adjust. AL-KT3
HANDLEBAR	KTM Line backs.20 640mm
GRIP	KTM COMP ER60 Lock 131.6mm
ROTOR	V Shimano Alivio T4000
BRAKE	Shimano TY501 48-38-28
CHAINWHEEL	Shimano HG40
CHAIN	Shimano HG31-8 11-32

SPROCKET	Shimano TY710 TS
F. DERAILL.	Shimano deore M591-8 SGSL
R. DERAILL.	Shimano Altus ST-EF500 8
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano FH-TX500 36H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 622x19
TIRES	700x40C
SADDLE	SELLER ROYAL Rio
SEATPOST	KTM Line 27.2/300

PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 28 46 black
CARRIER	KTM TOUR 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	B&M LUMOTEC Upp N LED 30Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	SKS CHAINBLADE
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	16,4 kg (without pedals)



- **epicgrey (black)**
- ✓ 020217106 LIFETIME H 46
- ✓ 020217111 LIFETIME H 51
- ✓ 020217116 LIFETIME H 56
- ✓ 020217120 LIFETIME H 60

- **epicgrey (black)**
- ✓ 020217206 LIFETIME D 46
- ✓ 020217211 LIFETIME D 51

- **epicgrey (black)**
- ✓ 020217306 LIFETIME C 46
- ✓ 020217311 LIFETIME C 51

- **epicgrey (black)**
- ✓ 020217503 LIFETIME E 43
- ✓ 020217506 LIFETIME E 46
- ✓ 020217511 LIFETIME E 51



- **moon (grey + indianred)**
- ✓ 020217236 LIFETIME D 46
- ✓ 020217241 LIFETIME D 51



- **moon (grey + indianred)**
- ✓ 020217336 LIFETIME C 46
- ✓ 020217341 LIFETIME C 51



- **moon (grey + indianred)**
- ✓ 020217533 LIFETIME E 43
- ✓ 020217536 LIFETIME E 46
- ✓ 020217541 LIFETIME E 51

3x8 SHIMANO ALTUS



FRAME	28" AL6061 Trekking-ONT8010
FORK	28" Suntour SF14-M3010 P 50
HEADSET	Head set VP MH-309A, anod black, AL, D:1-1/8", conical cover
STEM	KTM Line AL-231
HANDLEBAR	KTM Line backs.20 640mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	V TEKTRO 837AL
BRAKE	Shimano TY301 48-38-28
CHAINWHEEL	Shimano HG40
CHAIN	Shimano HG200-8 12-32

SPROCKET	Shimano TY710 TS
F. DERAILL.	Shimano Altus M310DL-8
R. DERAILL.	Shimano Altus ST-EF500 8
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano FH-TX500 36H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 622x19
TIRES	700x40C
SADDLE	SELLER ROYAL Rio
SEATPOST	KTM Line 27.2/300

PEDAL	Onroad Pedal VPE-891 EPB
MUDGUARD	RPZ 28 46 black matt
CARRIER	KTM TOUR 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	AXA COMPACTLINE LED 20Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERMANS KS
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	15,9 kg (without pedals)



- **silver matt (black)**
- ✓ 020218106 LIFEJOY H 46
- ✓ 020218111 LIFEJOY H 51
- ✓ 020218116 LIFEJOY H 56
- ✓ 020218120 LIFEJOY H 60

- **silver matt (black)**
- ✓ 020218206 LIFEJOY D 46
- ✓ 020218211 LIFEJOY D 51
- ✓ 020218216 LIFEJOY D 56

- **silver matt (black)**
- ✓ 020218306 LIFEJOY C 46
- ✓ 020218311 LIFEJOY C 51

- **silver matt (black)**
- ✓ 020218503 LIFEJOY E 43
- ✓ 020218506 LIFEJOY E 46
- ✓ 020218511 LIFEJOY E 51
- ✓ 020218516 LIFEJOY E 56



- **steelgrey matt (black + orange)**
- ✓ 020218136 LIFEJOY H 46
- ✓ 020218141 LIFEJOY H 51
- ✓ 020218146 LIFEJOY H 56
- ✓ 020218150 LIFEJOY H 60

- **aqua (eveblue + white)**
- ✓ 020218266 LIFEJOY D 46
- ✓ 020218271 LIFEJOY D 51
- ✓ 020218276 LIFEJOY D 56

- **aqua (eveblue + white)**
- ✓ 020218366 LIFEJOY C 46
- ✓ 020218371 LIFEJOY C 51

- **aqua (eveblue + white)**
- ✓ 020218563 LIFEJOY E 43
- ✓ 020218566 LIFEJOY E 46
- ✓ 020218571 LIFEJOY E 51
- ✓ 020218576 LIFEJOY E 56

## KENT / CHESTER OXFORD



**KENT**  
NEXUS 1×8



**CHESTER**  
NEXUS 1×7



**OXFORD**  
ALTUS 1×9

## CITY



**CITY LINE 28.7**  
NEXUS 1×7



**CITY LINE 26.7**  
NEXUS 1×7



**CITY FUN 28.3**  
NEXUS 1×3



**CITY FUN 26.3**  
NEXUS 1×3



# KENT



## Bereit für das urbane Abenteuer.

Mehr als die Hälfte der Weltbevölkerung hat sich in Städten angesiedelt. Schon seit der Antike gilt die Stadt als Platz der Begegnung und Auseinandersetzung. Die zunehmende Landflucht bringt auch einiges an Konfliktpotential mit sich, vor allem

in der Mobilität. Die Gründe dafür, dass viele Städter aufs Rad und in die Pedale steigen und urbane Mobilität inzwischen oftmals mit Fahrradmobilität gleichgesetzt wird, sind vielfältig. Die auf urbane Mobilität ausgerichteten Urban-Bikes

beweisen nicht nur absolute Tauglichkeit bei allen Tageszeiten, Witterungsverhältnissen und Bodenbeschaffenheiten. Sie krönen ihre Funktionalität auch mit puristisch-elegantem Design, das den Nerv der Pendler trifft. Das KENT 28.8 BELT ist KTM's Vorzeigemodell der Urban-Cityräder. Wartungsfreier Riemenantrieb, stabile Ausstattung und edles Design samt Vollausstattung. Neben dem KENT warten noch viele weitere Modelle. Im Sortiment der KTM Urban-Citybikes wird jeder seinen Liebling finden.

## Ready for urban adventure.

More than half of the world's population has settled down in cities, but as the cities population grows, so does the chaos on the city roads. To battle this more cyclists are taking to the road to skip the traffic jams and make the cities theirs! The bicycle

has become a status symbol for the urban citizen. Urban Bikes are not only well known for their suitability and reliability in all conditions, they also crown their functionality with a sleek and elegant design that catches

the eye of commuters. The KENT 28.8 BELT is KTM's flagship model of urban city bikes. Maintenance-free belt drive, stable equipment and a cool design make it very special. In addition to the KENT many more models are available such as the Chester and Oxford. Everyone will find their favorite in the range of KTM Urban City Bikes.

YOUR CITY.  
YOUR BIKE.



1x8 SHIMANO  
NEXUS

KENT

CITY



FRAME	28" AL6061 Urban-ON T9630	SPROCKET	CARBON DRIVE 22	PEDAL	Onroad Pedal VPE-857 EPB
FORK	28" RIGID alloy	SHIFTER	Shimano NEXUS-8	MUDGUARD	SKS PET 28 A 46 R black matt
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm	F HUB	Shimano 36H DH3D37 36H CL QR	CARRIER	KTM LIGHT 28" RACKTIME
STEM	KTM Line 7°	R HUB	Shimano 36H NEXUS-8 DISC	KICKSTAND	KTM CENTER 24-28" adjust
HANDLEBAR	BLACK NOIRETTE rizer17 backs.15 630mm	SPOKE	RM 2.0 INOX, silver	FLIGHTING	TRELOCK BIKE-i VEO LS 233 LED
GRIP	VELO VLG-649-1/AD2S GEL 134,5mm, 92mm	RIM	REMERX TOP DISC 32H 622x19	R LIGHTING	TRELOCK DUO FLAT
ROTOR	Shimano RT10 CL 160	TIRES	SCHWALBE CITIZEN K-Guard 42-622	CATEGORY	● 2
BRAKE	Shimano MT200 2-Piston	SADDLE	700x40C	SYSTEM WEIGHT	130 kg (permissible total weight)
CHAINWHEEL	CARBON DRIVE 46	SEATPOST	KTM Line Urban	WEIGHT	14,6 kg (without pedals)
CHAIN	Belt CARBON DRIVE CONB118				



epicgrey matt (grey glossy)

- ↗ 020220111 KENT H50
- ↗ 020220116 KENT H56
- ↗ 020220120 KENT H60

- ↗ 020220206 KENT D46
- ↗ 020220211 KENT D51

# CHESTER

CITY

1x7 SHIMANO NEXUS



FRAME	28" AL6061 Urban-ON T8640
FORK	28" RIGID alloy
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 7"
HANDLEBAR	BLACK NOIRETTE rizer17 backs.15 630mm
GRIP	VELO VLG-649-1/AD2S GEL 134,5mm, 92mm
ROTOR	Shimano RT10 CL 160
BRAKE	Shimano MT200 2-Piston
CHAINWHEEL	SUNTOUR CW16 42
CHAIN	KMC Z1 1/2"x3/32"

SPROCKET	Shimano 19
SHIFTER	Shimano NEXUS-7
F HUB	Shimano 36H DH3D37 36H CL QR
R HUB	Shimano 36H NEXUS-7 DISC
SPOKE	RM 2.0 INOX, silver
RIM	REMEX TOP DISC 32H 622x19
TIRES	SCHWALBE CITIZEN K-Guard 42-622
SADDLE	KTM Line Urban
SEATPOST	Black Line 27.2/300

PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	SKS PET 28 A 46 R black matt
CARRIER	KTM LIGHT 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BIKE-i VEO LS 233 LED
R LIGHTING	TRELOCK DUO FLAT
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14.5 kg (without pedals)

1x9 SHIMANO ALTUS



FRAME	28" AL6061 Urban-ON T8620
FORK	28" RIGID alloy
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 7"
HANDLEBAR	BLACK NOIRETTE rizer17 backs.15 630mm
GRIP	KTM Lock, Gel 133mm
ROTOR	Shimano RT10 CL 160
BRAKE	Shimano MT200 2-Piston
CHAINWHEEL	LASCO FR650 38

CHAIN	Shimano HG53
SPROCKET	Shimano HG201-9 11-32
R. DERAILL.	Shimano Altus M2000-9 SGS shadow
SHIFTER	Shimano Altus SL-M201 9
F HUB	Shimano 36H DH3D37 36H CL QR
R HUB	Shimano FH-TX505 36H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMEX TOP DISC 32H 622x19
TIRES	SCHWALBE CITIZEN K-Guard 42-622
SADDLE	KTM Line Urban

SEATPOST	Black Line 27.2/300
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	SKS PET 28 A 46 R black matt
CARRIER	KTM LIGHT 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BIKE-i VEO LS 233 LED
R LIGHTING	TRELOCK DUO FLAT
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	13.8 kg (without pedals)



black matt (black metallic glossy)  
 020221111 CHESTER H 51  
 020221116 CHESTER H 56  
 020221120 CHESTER H 60



black matt (black metallic glossy)  
 020221206 CHESTER D 46  
 020221211 CHESTER D 51



silver matt (white glossy)  
 020222111 KENT H 51  
 020222116 KENT H 56  
 020222120 KENT H 60



silver matt (white glossy)  
 020222206 KENT D 46  
 020222211 KENT D 51

# OXFORD

CITY

★★★★



## Weißbach am Attersee



Sommerfrische am Attersee

Radurlaub im Salzkammergut


[www.hotelpost-attersee.at](http://www.hotelpost-attersee.at)

Sport, Kultur und Erholung



### Seenrunde Salzkammergut

Das Hotel Post liegt in einer der idyllischsten Regionen Österreichs. Herrliche Landschaften lassen sich auf dem Rad erkunden. Ein wunderschöner Tagesausflug rund um den Schafberg beginnt direkt am Hotel in Richtung Bad Ischl. Von der Kaiserstadt geht es in Richtung Wolfgangsee, wo Sie einen wunderbaren Blick auf den Schafberg genießen. Von St. Gilgen aus überwinden Sie den Scharfling, gelangen direkt an den Mondsee und fahren auf sanftem Gelände zurück zum Hotel.



### E-Bike, MTB & Rennrad Touren

Rund um den Attersee finden sich für alle sportbegeisterten E-Bike, Mountainbike- & Rennrad Fans zahlreiche Touren. Das umliegende Höllengebirge bietet für Mountainbiker die idealen Voraussetzungen. Von knackigen Trails bis hin zu gemütlichen Forststraßen - im Salzkammergut ist für jeden etwas dabei. Im Umkreis von 20 - 45 km erreichen Sie Bad Ischl und die schönsten Seen des Salzkammerguts. Wolfgangsee, Mondsee, Fuschlsee und Hallstättersee befinden sich praktisch vor Ihrer Haustüre.



### KTM Fahrräder und eBikes für Hotelgäste

Für seine Gäste bietet das Hotel Post ein ganz aussergewöhnliches Zuckerl. Sie können kostenlos KTM eBikes und normale Fahrräder benutzen und damit die Gegend erkunden. Die herrlichen Salzkammergut Radwege warten nur auf Sie.

Hotel Post am Attersee GmbH  
Ischler Straße 1  
A-4854 Weißenbach / Attersee  
Tel.: +43 (0) 7663 / 8141  
Fax.: +43 (0) 7663 / 8141-45  
[office@hotelpost-attersee.at](mailto:office@hotelpost-attersee.at)

# CITY LINE 28.7

1x7 SHIMANO NEXUS  
COASTERBRAKE

black matt (grey+silver)

-  020230503 CITY LINE 28 D-W 43
-  020230506 CITY LINE 28 D-W 46
-  020230511 CITY LINE 28 D-W 51
-  020230516 CITY LINE 28 D-W 56



FRAME	28" AL6061 CITY LINE C7690-L
FORK	28" Suntour SF13-CR8-V
HEADSET	Head set VP MH-305C, ST D:1-1/8", H:20mm
STEM	KTM Line adjust. AL-KT3
HANDLEBAR	KTM Line rizer70 backs.50 600mm
GRIP	VELO VLG-649-1/AD2S GEL 134,5mm, 92mm
DRAKE	V TEKTRO CL330 / 855AL
CHAINWHEEL	SUNTOUR CW17 38
CHAIN	KMC Z1 1/2"x3/32"
SPROCKET	Shimano 19
SHIFTER	Shimano NEXUS-7
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-7
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 622x19
TIRES	SCHWALBE CITIZEN K-Guard 42-622
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 28 46 black matt
CARRIER	KTM 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	17 kg (without pedals)

SHIFTER	Shimano NEXUS-7
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-7
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 622x19
TIRES	SCHWALBE CITIZEN K-Guard 42-622
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 28 46 black matt
CARRIER	KTM 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	17 kg (without pedals)

FRAME	28" AL6061 CITY LINE C7690-L
FORK	28" Suntour SF13-CR8-V
HEADSET	Head set VP MH-305C, ST D:1-1/8", H:20mm
STEM	KTM Line adjust. AL-KT3
HANDLEBAR	KTM Line rizer70 backs.50 600mm
GRIP	VELO VLG-649-1/AD2S GEL 134,5mm, 92mm
DRAKE	V TEKTRO CL330 / 855AL
CHAINWHEEL	SUNTOUR CW17 38
CHAIN	KMC Z1 1/2"x3/32"
SPROCKET	Shimano 19
SHIFTER	Shimano NEXUS-7
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-7
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 559x19
TIRES	SCHWALBE CITIZEN K-Guard 47-559
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 26 55 black matt
CARRIER	KTM 26" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	16.7 kg (without pedals)

1x7 SHIMANO NEXUS  
COASTERBRAKE

# CITY LINE 26.7



FRAME	26" AL6061 CITY LINE C7010
FORK	26" Suntour SF13-CR8-V
HEADSET	Head set VP MH-305C, ST D:1-1/8", H:20mm
STEM	KTM Line adjust. AL-KT3
HANDLEBAR	KTM Line rizer70 backs.50 600mm
GRIP	VELO VLG-649-1/AD2S GEL 134,5mm, 92mm
DRAKE	V TEKTRO CL330 / 855AL
CHAINWHEEL	SUNTOUR CW17 38
CHAIN	KMC Z1 1/2"x3/32"
SPROCKET	Shimano 19
SHIFTER	Shimano NEXUS-7
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-7
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 559x19
TIRES	SCHWALBE CITIZEN K-Guard 47-559
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 26 55 black matt
CARRIER	KTM 26" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	16.7 kg (without pedals)

SHIFTER	Shimano NEXUS-7
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-7
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 559x19
TIRES	SCHWALBE CITIZEN K-Guard 47-559
PEDAL	Onroad Pedal VPE-857 EPB
MUDGUARD	RPZ 26 55 black matt
CARRIER	KTM 26" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	2
SYSTEM WEIGHT	117 kg (permissible total weight)
WEIGHT	16.7 kg (without pedals)



black matt (grey+silver)

-  020231503 CITY LINE 26 D-W 43
-  020231506 CITY LINE 26 D-W 46
-  020231511 CITY LINE 26 D-W 51
-  020231516 CITY LINE 26 D-W 56



bordeaux matt (grey+black)

-  020230533 CITY LINE 28 D-W 43
-  020230536 CITY LINE 28 D-W 46
-  020230541 CITY LINE 28 D-W 51
-  020230546 CITY LINE 28 D-W 56



black matt (grey+silver)

-  020231503 CITY LINE 26 D-W 43

# CITY

## FUN 28.3

CITY

 1x3 SHIMANO NEXUS  
COASTERBRAKE


FRAME	28" AL6061 CITY FUN C7070
FORK	28" RIGID
HEADSET	Head set VP MH-305C, ST D:1-1/8", H:20mm
STEM	KTM Line adjust. AL-828
HANDLEBAR	KTM Line rizer70 backs.50 580mm
GRIP	VELO VLG-709-1/AD3 130mm, 92mm
DRAKE	V TEKTRO CL330 / 855AL
CHAINWHEEL	SUNTOUR CW17 38
CHAIN	KMC Z1 1/2"x3/32"
SPROCKET	Shimano 19

SHIFTER	Shimano NEXUS-3
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-3
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 622x19
TIRES	IMPAC STREETPAC TwinSkin
	42-622 700x40C
SADDLE	SELLER ROYAL Rio City
SEATPOST	KTM Line 27.2/300
PEDAL	Onroad Pedal VPE-857 EPB

MUDGUARD	RPZ 28 46 black matt
CARRIER	KTM 28" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	● 2
SYSTEM WEIGHT	115 kg (permissible total weight)
WEIGHT	15 kg (without pedals)

 1x3 SHIMANO NEXUS  
COASTERBRAKE


FRAME	26" AL6061 CITY FUN C7020
FORK	26" RIGID steel
HEADSET	Head set VP MH-305C, ST D:1-1/8", H:20mm
STEM	KTM Line adjust. AL-828
HANDLEBAR	KTM Line rizer70 backs.50 580mm
GRIP	VELO VLG-709-1/AD3 130mm, 92mm
DRAKE	V TEKTRO CL330 / 855AL
CHAINWHEEL	SUNTOUR CW17 38
CHAIN	KMC Z1 1/2"x3/32"
SPROCKET	Shimano 19

SHIFTER	Shimano NEXUS-3
F HUB	Shimano DHC30003 36H Nut
R HUB	Shimano 36H NEXUS-3
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 559x19
TIRES	IMPAC STREETPAC TwinSkin
	47-559 26x1.75
SADDLE	SELLER ROYAL Rio City
SEATPOST	KTM Line 27.2/300
PEDAL	Onroad Pedal VPE-857 EPB

MUDGUARD	RPZ 26 55 black matt
CARRIER	KTM 26" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	TRELOCK BASIC LS 102 LED
R LIGHTING	TRELOCK DUO FLAT
GUARD	HERRMANS SLYDE
CATEGORY	● 2
SYSTEM WEIGHT	115 kg (permissible total weight)
WEIGHT	15 kg (without pedals)



 black matt (grey+silver)  
 ↗ 020232533 CITY FUN 28 D-W 43  
 ↗ 020232536 CITY FUN 28 D-W 46  
 ↗ 020232541 CITY FUN 28 D-W 51



 bordeaux matt (grey+black)  
 ↗ 020232503 CITY FUN 28 D-W 43  
 ↗ 020232506 CITY FUN 28 D-W 46  
 ↗ 020232511 CITY FUN 28 D-W 51




 bordeaux matt (grey+black)  
 ↗ 020233503 CITY FUN 26 D-W 43

# CITY

## FUN 26.3

CITY

DIK

**WILD****COUNTRY STAR/WILDCAT****KID**

# WILD

## SPEED 26.24 DISC

KIDS

3x8 SHIMANO  
ALTUS



FRAME	26" AL6061 KID WILD SPEED DISC K7660, 340mm
FORK	26" Suntour SF18-XCE28 DS 80
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 4bolt E:60mm, R:15
HANDLEBAR	KTM Line rizer20 600mm
GRIP	KTM Dimond Grip 130mm black ring
ROTOR	Shimano RT10 CL 160
BRAKE	Shimano TX805 2-Piston
CHAINWHEEL	Shimano TY301 42-34-24 150

CHAIN	Shimano HG40
SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-8
SHIFTER	Shimano Tourney ST-TX800 8
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19

TIRES	SCHWALBE BLACK JACK K-Guard
	50-559 26x2.10
SADDLE	KTM Line MTB
SEATPOST	KTM Line 27.2/300
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	14,5 kg (without pedals)

3x8 SHIMANO  
ALTUS



FRAME	26" AL6061 KID WILD SPEED K7610, 340mm
FORK	26" Suntour SF18-XCE28 80 P
HEADSET	RITCHEY LOGIC ZERO PRESS FIT,
STEM	1-1/8", H:9.4mm
HANDLEBAR	KTM Line 4bolt E:60mm, R:15
GRIP	KTM Line rizer20 600mm
ROTOR	KTM Dimond Grip 130mm black ring
BRAKE	V TEKTRO 837AL
CHAINWHEEL	Shimano TY301 42-34-24 150

CHAIN	Shimano HG40
SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-8
SHIFTER	Shimano Tourney ST-TX800 8
F HUB	Shimano HB-TX500 32H QR
R HUB	Shimano FH-TX500 32H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 32H 559x19

TIRES	SCHWALBE BLACK JACK K-Guard
	50-559 26x2.00
SADDLE	KTM Line MTB
SEATPOST	KTM Line 27.2/300
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	13,9 kg (without pedals)



black matt (orange)  
020240100 WILD SPEED DISC 26



epicgrey matt (black+orange)  
020241100 WILD SPEED 26

# WILD

## SPEED 26.24

KIDS

# WILD

## SPEED 24.24 DISC

KIDS

3x8 SHIMANO  
ALTUS



FRAME	24" AL6061 KID WILD SPEED DISC K7460, 310mm
FORK	24" Suntour SF16-XCT-JR-L DS 80
HEADSET	RITCHEY LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 4bolt E:60mm, R:15
HANDLEBAR	KTM Line rizer20 560mm
GRIP	VELO VLG-184-7AD2, L:110mm
ROTOR	Shimano RT10 CL 160
BRAKE	Shimano TX805 2-Piston
CHAINWHEEL	SUNTOUR CW16 42-34-24 152

CHAIN	Shimano HG71
SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-8
SHIFTER	Shimano Tourney ST-TX800 8
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19

TIRES	SCHWALBE BLACK JACK K-Guard 47-507 24x1.90
SADDLE	KTM Line MTB JR SPEED
SEATPOST	KTM Line 27.2/250
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	63 kg (permissible total weight)
WEIGHT	12.8 kg (without pedals)

3x8 SHIMANO  
ALTUS



FRAME	24" AL6061 KID WILD SPEED K7410, 310mm
FORK	24" Suntour SF12-XCT-JR P
HEADSET	RITCHEY LOGIC ZERO PRESS FIT,
STEM	1-1/8", H:9.4mm
HANDLEBAR	KTM Line 4bolt E:60mm, R:15
GRIP	VELO VLG-184-5AD2, L:92mm
ROTOR	VTEKTRO 855AL
BRAKE	Shimano TX805 2-Piston
CHAINWHEEL	SUNTOUR CW16 42-34-24 152

CHAIN	Shimano HG71
SPROCKET	Shimano HG31-8 11-34
F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-8
SHIFTER	Shimano Tourney ST-TX800 8
F HUB	Shimano HB-TX500 32H QR
R HUB	Shimano FH-TX500 32H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 32H 507x19

TIRES	SCHWALBE BLACK JACK K-Guard 47-507 24x1.90
SADDLE	KTM Line MTB JR SPEED
SEATPOST	KTM Line 27.2/250
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	62 kg (permissible total weight)
WEIGHT	12.2 kg (without pedals)



black matt (orange)  
020242100 WILD SPEED DISC 24



epicgrey matt (black+orange)  
020243100 WILD SPEED 24

# WILD

## SPEED 24.24

KIDS

# WILD SPEED 24.9 DISC

KIDS

1x9 SHIMANO ALTUS

3x7 SHIMANO ALTUS



FRAME	24" AL6061 KID WILD SPEED LIGHT DISC K7461, 310mm
FORK	24" RIGID alloy
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 4bolt E:60mm, R:15
HANDLEBAR	KTM Line rizer 20 560mm
GRIP	VELO VLG-184-5AD2, L:92mm
ROTOR	Shimano RT10 CL 160
BRAKE	TEKTRO RX1.0 / Shimano TX805 2-Piston

CHAINWHEEL	LASCO FM2536 36 145
CHAIN	Shimano HG53
SPROCKET	Shimano HG201-9 11-32
R. DERAILL.	Shimano Altus M2000-9 SGS shadow
SHIFTER	Shimano Acera SL-M3000 9
F HUB	Shimano HB-TX505 32H CL QR
R HUB	Shimano FH-TX505 32H CL QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX TOP DISC 32H 622x19

TIRES	SCHWALBE BLACK JACK K-Guard 47-507 24x1.90
SADDLE	KTM Line MTB JR SPEED
SEATPOST	KTM Line 27.2/250
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	61 kg (permissible total weight)
WEIGHT	10,7 kg (without pedals)



FRAME	20" AL6061 KID WILD SPEED K7010, 270mm
FORK	20" Suntour SF13 XCT JR P
HEADSET	RITCHIE LOGIC ZERO PRESS FIT,
STEM	1-1/8", H:9.4mm
HANDLEBAR	KTM Line 4bolt E:60mm, R:15
GRIP	VELO VLG-184-6AD2, L:76mm
ROTOR	VTEKTRO TS325A / J310
BRAKE	TEKTRO RX1.0 / Shimano TX805 2-Piston
CHAINWHEEL	LASCO CF0143 42-32-22 127

CHAIN	Shimano HG71
SPROCKET	Shimano HG200-7 12-28
F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-7
SHIFTER	Shimano SL-RS45 7
F HUB	Shimano HB-TX500 32H QR
R HUB	Shimano FH-TX500 32H QR
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 32H 406x19

TIRES	SCHWALBE BLACK JACK K-Guard 47-406 20x1.90
SADDLE	KTM Line MTB JR SPEED
SEATPOST	KTM Line 27.2/250
PEDAL	JR Pedal VPE-229
CATEGORY	● 2
SYSTEM WEIGHT	61 kg (permissible total weight)
WEIGHT	10,8 kg (without pedals)



black matt (orange)  
020244100 WILD SPEED 24.9



epicgrey matt (black+orange)  
020245100 WILD SPEED 20

# WILD SPEED 20.21

KIDS

# WILD

## CROSS 24.18

KIDS

2x9 SHIMANO  
TY21



FRAME	24" AL6061 KID WILD CROSS STREET
K7450, 310mm	
FORK	24" Suntour SF15-M3010 P
HEADSET	Ahead set, semi-integr.,water proof,black
STEM	KTM Line E:60mm, R:15
HANDLEBAR	KTM Line rizer20 560mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325 / 837AL
CHAINWHEEL	LASCO CF5843 42-32-22 140

CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28
F. DERAILL.	Shimano TY500 TS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	QUANDO 36H KT-A16F Nut
R HUB	QUANDO 36H KT-A11R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 507x19

TIRES	RUBENA V75 SCYLLA 50-507 24x1.90
SADDLE	KTM Line MTB JR
SEATPOST	KTM Line 27.2/250
PEDAL	MTB Pedal VP-223 JR
SHIFTER	Shimano SL-RS36 6
KICKSTAND	KTM CENTER 24-28" adjust
CATEGORY	2
SYSTEM WEIGHT	63 kg (permissible total weight)
WEIGHT	13.2 kg (without pedals)

2x9 SHIMANO  
TY21



FRAME	24" AL6061 KID WILD CROSS STREET
K7450, 310mm	
FORK	24" Suntour SF15-M3010 P
HEADSET	Ahead set, semi-integr.,water proof,black
STEM	KTM Line E:60mm, R:15
HANDLEBAR	KTM Line rizer20 560mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325 / 837AL
CHAINWHEEL	LASCO CF5843 42-32-22 140

SPROCKET	Shimano FTZ500-6 14-28
F. DERAILL.	Shimano TY500 TS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	Shimano DHC3000S 36H Nut
R HUB	QUANDO 36H KT-A11R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 507x19
TIRES	RUBENA V75 SCYLLA 50-507 24x1.90
CHAIN	KMC Z7 1/2"x3/32"

SEATPOST	KTM Line 27.2/250
PEDAL	MTB Pedal VP-223 JR
MUDGUARD	SKS VELO 24 55 JUNIOR
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	AXA PIC015 LED 15Lux
R LIGHTING	SPANNINGA PIXEO
CATEGORY	2
SYSTEM WEIGHT	64 kg (permissible total weight)
WEIGHT	14kg (without pedals)



red (white+blue)  
020246100 WILD CROSS 24



croc matt (red+black)  
020246130 WILD CROSS 24



croc matt (red+black)  
020247100 WILD CROSS STREET 24

# WILD

## CROSS STREET 24.18

KIDS

# WILD

## CROSS 20.12

KIDS

2x6 SHIMANO  
TY21



FRAME	20" AL6061 KID WILD CROSS K7020, 290mm
FORK	20" Suntour SF14-M3010-P
HEADSET	Ahead set, semi-integr.,water proof,black
STEM	KTM Line E:60mm, R:15
HANDLEBAR	KTM Line rizer20 520mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325 / 837AL
CHAINWHEEL	LASCO CF0111 42-34 127

CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28
F. DERAILL.	Shimano TZ500 DS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	QUANDO 28H KT-A16F Nut
R HUB	FORMULA 28H FM-31R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 406x19

TIRES	RUBENA V75 SCYLLA 50-406 20x1.90
SADDLE	KTM Line MTB JR
SEATPOST	KTM Line 27.2/250
PEDAL	MTB Pedal VP-210 JR
KICKSTAND	KTM CENTER 16-20" adjust
CATEGORY	2
SYSTEM WEIGHT	62 kg (permissible total weight)
WEIGHT	11,5 kg (without pedals)

2x9 SHIMANO  
TY21



FRAME	24" AL6061 KID WILD BEE/BEE STREET K7411, 310mm
FORK	24" Suntour SF15-M3010 P
HEADSET	Ahead set, semi-integr.,water proof,black
STEM	KTM Line E:60mm, R:15
HANDLEBAR	KTM Line rizer20 560mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325 / 837AL
CHAINWHEEL	LASCO CF5843 42-32-22 140

CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28
F. DERAILL.	Shimano TY500 TS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	QUANDO 36H KT-A16F Nut
R HUB	QUANDO 36H KT-A11R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 36H 507x19

TIRES	RUBENA V75 SCYLLA 50-507 24x1.90
SADDLE	KTM Line MTB JR
SEATPOST	KTM Line 27.2/250
PEDAL	MTB Pedal VP-223 JR
KICKSTAND	KTM CENTER 24-28" adjust
CATEGORY	2
SYSTEM WEIGHT	63 kg (permissible total weight)
WEIGHT	13,2kg (without pedals)



red (white+blue)  
020248100 WILD CROSS 20



darkblue matt (aqua)  
020249100 WILD BEE 24

# WILD

## BEE 24.18

KIDS

# WILD BEE 20.12

KIDS



FRAME	20" AL6061 KID WILD CROSS K7020, 290mm
FORK	20" Suntour SF14-M3010-P
HEADSET	Ahead set, semi-integr., water proof, black
STEM	KTM Line E:60mm, R:15
HANDLEBAR	KTM Line rizer20 520mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325 / 837AL
CHAINWHEEL	LASCO CF0111 42-34 12T

CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28
F. DERAILL.	Shimano TY500 TS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	QUANDO 28H KT-A16F Nut
R HUB	FORMULA 28H FM-31R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 406x19

TIRES	RUBENA V75 SCYLLA 50-406 20x1.90
SADDLE	KTM Line MTB JR
SEATPOST	KTM Line 27.2/250
PEDAL	MTB Pedal VP-210 JR
KICKSTAND	KTM CENTER 16-20" adjust
CATEGORY	2
SYSTEM WEIGHT	62 kg (permissible total weight)
WEIGHT	11.5kg (without pedals)

2x9 SHIMANO  
TY21

2x9 SHIMANO  
TY21

# WILD ONE 24.18

KIDS



FRAME	24" AL6061 KID WILD ONE K7430, 310mm
FORK	24" Suntour SF15-M3010 P
HEADSET	Ahead set, semi-integr., water proof, black
STEM	E60mm, R:15
HANDLEBAR	KTM Line rizer20 560mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325A / 855AL
CHAINWHEEL	LASCO CF5843 42-32-22 140
CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28

F. DERAILL.	Shimano TY500 TS
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	Shimano DHC30003 28H Nut
R HUB	QUANDO 28H KT-A11R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 507x19
TIRES	RUBENA V41 WALRUS 47-507 24x1.75x2
SADDLE	KTM Line CITY JR
SEATPOST	KTM Line 27.2/250

PEDAL	JR Pedal VPE-229
MUDGUARD	RPZ 24 55 black
CARRIER	KTM 24" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	AXA PIC015 LED 15Lux
R LIGHTING	TRELOCK DUO FLAT
CATEGORY	2
SYSTEM WEIGHT	65 kg (permissible total weight)
WEIGHT	14.5 kg (without pedals)



white (rose+purple)

020250100 WILD BEE 20



black matt (orange)

020251100 WILD ONE 24 ATB

# WILD ONE 20.6

KIDS



FRAME	20" AL6061 KID WILD ONE K7030, 290mm
FORK	20" Suntour SF14-M3010-P
HEADSET	Ahead set, semi-integr., water proof, black
STEM	E60mm, R:15
HANDLEBAR	KTM Line rizer20 520mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	VELO VLG-184-7AD2, L:110mm
CHAINWHEEL	V TEKTRO TS325A / 855AL
CHAIN	LASCO CF0136 36 127
SPROCKET	KMC Z7 1/2"x3/32"

F. DERAILL.	Shimano FTZ500-6 14-28
R. DERAILL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	Shimano DHC30003 28H Nut
R HUB	FORMULA 28H FM-31R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 406x19
TIRES	RUBENA V41 WALRUS 47-406 20x1.75x2
SADDLE	KTM Line CITY JR
SEATPOST	KTM Line 27.2/250

PEDAL	JR Pedal VPE-229
MUDGUARD	RPZ 20 55 black
CARRIER	KTM 20" RACKTIME
KICKSTAND	KTM CENTER 16-20" adjust
F LIGHTING	AXA PICO15 LED 15Lux
R LIGHTING	TRELOCK DUO FLAT
CATEGORY	2
SYSTEM WEIGHT	63 kg (permissible total weight)
WEIGHT	12.7 kg (without pedals)

1x6 SHIMANO  
TY21

3x7 SHIMANO  
TY21

# COUNTRY STAR 26.21

KIDS



FRAME	26" AL6061 KID COUNTRY STAR K7680-L, 420mm
FORK	26" Suntour SF15-NEX P 63
HEADSET	RITCHIE LOGIC ZERO PRESS FIT, 1-1/8", H:9.4mm
STEM	KTM Line 17"
HANDLEBAR	KTM Line rizer20 620mm
GRIP	KTM Dimond Grip 130mm black ring
BRAKE	V TEKTRO 855AL
CHAINWHEEL	Shimano TY501 42-34-24 165
CHAIN	Shimano HG40
SPROCKET	Shimano TZ500-7 14-34

F. DERAILL.	Shimano TY700 TS
R. DERAILL.	Shimano Altus M310DL-7
SHIFTER	Shimano Altus ST-EF500 7
F HUB	Shimano DHC30003 32H Nut
R HUB	32H QUANDO KT-A12R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 32H 559x19
TIRES	IMPAC STREETPAC TwinSkin 47-559 26x1.75
SADDLE	SELLE ROYAL Rio
SEATPOST	KTM Line 27.2/300

PEDAL	Onroad Pedal VPE-891 EPB
MUDGUARD	RPZ 26 55 black matt
CARRIER	KTM 26" RACKTIME
KICKSTAND	KTM REAR 26-29" adjust
F LIGHTING	AXA PICO15 LED 15Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	CATENA COMPACT
CATEGORY	2
SYSTEM WEIGHT	130 kg (permissible total weight)
WEIGHT	16.2 kg (without pedals)



black matt (orange)  
020252100 WILD ONE 20 ATB



lightgrey matt (darkblue)  
020253200 COUNTRY STAR 26 D 37  
020253202 COUNTRY STAR 26 D 42  
020253207 COUNTRY STAR 26 D 47



lightgrey matt (darkblue)  
020253500 COUNTRY STAR 26 E 37  
020253503 COUNTRY STAR 26 E 43  
020253511 COUNTRY STAR 26 E 51

# WILDCAT

**24.18**

KIDS

**2x9** SHIMANO TY21

 **1x6** SHIMANO TY21


FRAME	24" AL6061 KID WILD CAT 21 K7440, 350mm
FORK	24" RIGID steel
HEADSET	Head set VP MH-305C, STD:1-1/8", H:20mm
STEM	E40mm, L:150mm
HANDLEBAR	KTM Line rizer 20 560mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	V TEKTRO TS325A / 855AL
CHAINWHEEL	LASCO CF5843 42-32-22 140
CHAIN	KMC Z7 1/2"x3/32"
SPROCKET	Shimano FTZ500-6 14-28

F. DERAIL.	Shimano TY500 TS
R. DERAIL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	Shimano DHC30003 28H Nut
R HUB	QUANDO 28H KT-A11R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 507x19
TIRES	RUBENA V41 WALRUS 47-507 24x1.75x2
SADDLE	KTM Line CITY JR
SEATPOST	KTM Line 27.2/250

PEDAL	JR Pedal VPE-229
MUDGUARD	RPZ 24 55 black
CARRIER	KTM 24" RACKTIME
KICKSTAND	KTM CENTER 24-28" adjust
F LIGHTING	AXA PIC015 LED 15Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	CATENA COMPACT
CATEGORY	● 2
SYSTEM WEIGHT	64 kg (permissible total weight)
WEIGHT	13.9 kg (without pedals)



FRAME	20" AL6061 KID WILD CAT 6 K7040, 305mm
FORK	20" RIGID steel
HEADSET	Head set VP MH-305C, STD:1-1/8", H:20mm
STEM	E40mm, L:150mm
HANDLEBAR	KTM Line rizer 20 520mm
GRIP	VELO VLG-184-6AD2, L:76mm
BRAKE	VELO VLG-184-1AD2, L:102mm
CHAINWHEEL	V TEKTRO TS325A / 855AL
CHAIN	LASCO CF0136 36 127
SPROCKET	KMC Z7 1/2"x3/32"

F. DERAIL.	Shimano FTZ500-6 14-28
R. DERAIL.	Shimano TY21-6
SHIFTER	Shimano SL-RS36 6
F HUB	Shimano DHC30003 28H Nut
R HUB	FORMULA 28H FM-31R Nut
SPOKE	RM 2.0 INOX, silver
RIM	REMERX DRAGON 28H 406x19
TIRES	RUBENA V41 WALRUS 47-406 20x1.75x2
SADDLE	KTM Line CITY JR
SEATPOST	KTM Line 27.2/250

PEDAL	JR Pedal VPE-229
MUDGUARD	RPZ 20 55 black
CARRIER	KTM 20" RACKTIME
KICKSTAND	KTM CENTER 16-20" adjust
F LIGHTING	AXA PIC015 LED 15Lux
R LIGHTING	TRELOCK DUO FLAT
GUARD	BELED
CATEGORY	● 2
SYSTEM WEIGHT	62 kg (permissible total weight)
WEIGHT	12 kg (without pedals)



aqua (iceblue)  
020254200 WILDCAT 24



rose (purple)  
020255200 WILDCAT 20

# WILDCAT

**20.6**

KIDS

# KID 12.1

ORANGE/BLACK



FRAME	12"x205mm ALLOY	BRAKE	ALLOY V-BRAKE	TIRE	KENDA MTB 12x1/2"x2-1/4"
FORK	Rigide STEEL 12"x172mm	BRAKEKLEU.	3 FINGER KID ALLOY	MUDGUARD	Front & Rear Plastic
BAR	KTM ALLOY, 480mm, RISE 60mm x 10DEG	CRANKSET	Single 28T, 102mm, FULL CHAINGUARD	CATEGORY	0
STEM	KTM ALLOY 60mm	WHEELSET	KTM Line ALLOY 12"	SYSTEM WEIGHT	44 kg (permissible total weight)
				WEIGHT	8.5 kg with pedal



orange (black)  
302832112 KID 12.1 orange/black



FRAME	16"x220mm ALLOY	BRAKE	ALLOY V-BRAKE	TIRE	KENDA MTB 16x1.75
FORK	Rigide STEEL 16"x179mm	BRAKEKLEU.	3 FINGER KID ALLOY	MUDGUARD	Front & Rear Plastic
BAR	KTM ALLOY 60mm	CRANKSET	Single 28T, 102mm, FULL CHAINGUARD	CATEGORY	0
STEM	KTM ALLOY, 480mm RISE 60mm x 10DEG,	WHEELSET	KTM Line ALLOY 12"	SYSTEM WEIGHT	45 kg (permissible total weight)
				WEIGHT	9.5 kg with pedal



white (iceblue)  
302820116 KID 16.1 Onetube

# KID 12.1

WHITE/PINK



FRAME	12"x205mm ALLOY	BRAKE	ALLOY V-BRAKE	TIRE	KENDA MTB 12x1/2"x2-1/4"
FORK	Rigide STEEL 12"x172mm	BRAKEKLEU.	3 FINGER KID ALLOY	MUDGUARD	Front & Rear Plastic
BAR	KTM ALLOY, 480mm, RISE 60mm x 10DEG	CRANKSET	Single 28T, 102mm, FULL CHAINGUARD	CATEGORY	0
STEM	KTM ALLOY 60mm	WHEELSET	KTM Line ALLOY 12"	SYSTEM WEIGHT	44 kg (permissible total weight)
				WEIGHT	8.5 kg with pedal



white (pink)  
302830112 KID 12.1 white/pink



FRAME	16"x220mm ALLOY	BRAKE	ALLOY V-BRAKE	TIRE	KENDA MTB 16x1.75
FORK	Rigide STEEL 16"x179mm	BRAKEKLEU.	3 FINGER KID ALLOY	MUDGUARD	Front & Rear Plastic
BAR	KTM ALLOY 60mm	CRANKSET	Single 28T, 102mm, FULL CHAINGUARD	CATEGORY	0
STEM	KTM ALLOY, 480mm RISE 60mm x 10DEG,	WHEELSET	KTM Line ALLOY 12"	SYSTEM WEIGHT	45 kg (permissible total weight)
				WEIGHT	9.5 kg with pedal



black (orange)  
302820216 KID 16.1 MTB

# KID 16.1

ONETUBE

# BESTIMMUNGSGEMÄSSER GEBRAUCH

## INTENDED USE

Fahrradrahmen und die dazu gehörigen Komponenten werden generell für unterschiedliche Einsatzzwecke und Nutzungsarten konzipiert. Jeder Fahrradtyp ist dabei für einen bestimmten Einsatzzweck gedacht. KTM stellt viele Kategorien von Mountainbikes, Straßen-, Renn- und Cyclocrossrädern, Trekking-, Touren-, Lasten- und Reiserädern sowie Kinder- und Jugendräder her.

Wird bei der Nutzung des Fahrrades die Belastungsgrenze überschritten, so können das Fahrrad bzw. die dazu gehörigen Komponenten beschädigt werden. Falls dies der Fall ist, können Komponenten aufgrund von Vorschäden bereits bei einer viel geringeren Belastung versagen. Aus diesem Grund ist es wichtig, das Fahrrad entsprechend dem Einsatzzweck zu nutzen. Für Schäden, die aus der Nichteinhaltung der jeweiligen Belastungsgrenzen resultieren, bzw. welche aus Fehlgebrauch des Fahrrades stammen, haften Hersteller und Fachhändler nicht. Um die langfristige Sicherheit Ihres erworbenen Produkts auf Dauer gewährleisten zu können, ist die Einhaltung der vom Hersteller in der Gebrauchsanweisung vorgeschriebenen Betriebs-, Wartungs- und Instandhaltungsvorgaben zwingend erforderlich.

Machen Sie sich dazu vor allem mit den Kapiteln „Wartungs- und Pflegeintervalle“ sowie „Gewährleistung und Garantie“ vertraut.

Im nachstehenden Abschnitt werden unterschiedliche Kategorien definiert, welche sämtliche Einsatzzwecke und Belastungsgrenzen berücksichtigen. Ergänzend zu diesem Abschnitt empfehlen wir Ihnen, die Anleitungen der Komponentenhersteller bezüglich Informationen über bestimmungsgemäßes Gebrauch heranzuziehen.

## KATEGORISIERUNG

Die KTM Fahrrad GmbH gibt die Kategorien 0-5 bzw. EPAC-Kategorien E0-E5 vor, welche sich vor allem in Ihren Einsatzzwecken deutlich voneinander unterscheiden. Die verschiedenen Kategorien sind auf den nachfolgenden Seiten beschrieben.

Die zutreffende Kategorie ist direkt am Fahrrad/EPAC, im Bereich des Unter- bzw. Sattelrohrs, in Form eines Aufklebers (Fahrrad-Aufkleber – Symbolabbildung 1 / EPAC Aufkleber – Symbolabbildung 2) vermerkt. Zusätzlich informiert dieser Aufkleber über sämtliche relevante Daten Ihres Fahrrades/EPACs.

Bitte beachten Sie die Kategorie Ihres Fahrrades/EPACs und informieren Sie sich genau über die jeweils zutreffenden Einsatzzwecke bzw. Belastungsgrenzen. Auf diesem Sticker befindet sich bei EPACs auch die CE-Kennzeichnung.

Mit der CE-Kennzeichnung erklärt der Hersteller gemäß EU-Verordnung, „dass das Produkt den geltenden Anforderungen entspricht, die in den Harmonisierungsrechtsvorschriften der Gemeinschaft über ihre Anbringung festgelegt sind.“

Bicycle frames and the pertinent components are designed for various functions and types of use. Each type of bicycle is designed with a specific use in mind. KTM manufactures a whole host of categories of mountain bikes, road bicycles, racing bikes and cyclo-cross bikes, trekking bikes, touring bikes, cargo bicycles and expedition bikes as well as bicycles for children and youngsters.

If the maximum load is exceeded while using the bike, the bicycle and its components may be damaged. If your bicycle is damaged, it may fail even when placed under a lesser degree of further stress due to preliminary damage. Therefore, please make sure to use the bicycle only for its intended purpose. The manufacturer and specialist dealer do not accept liability for damage resulting from non-observance of the respective maximum load or from improper use of the bicycle. In order to ensure the long-term safety of your purchased product, observing the operating, maintenance and servicing instructions contained in the manufacturer's operating manual is obligatory.

In particular, please familiarize yourself with the chapters "Maintenance and Service Intervals" and "Warranty" of the user manual.

The following section defines various categories which specify all types of intended use and maximum load levels. In addition, we recommend consulting the component manufacturers' instructions relating to proper use.

## CATEGORIZATION

KTM Fahrrad GmbH specifies Categories 0-5 or E0-E5, which are clearly distinguished from one another primarily by their intended purpose. The different categories are described on the following pages.

A label is positioned on the bicycle's down- or seat tube (bicycle-sticker – illustration 1 / EPAC sticker – illustration 2). In addition, this label informs about all relevant data of your bicycle/EPAC.

Please note the category of your bike / EPAC and inform yourself exactly about the respectively applicable purposes or load limits. This sticker also contains the CE mark on EPACs.

With the CE mark, the manufacturer declares in accordance to the EU regulation "that the product complies with the applicable requirements set out in the Community harmonization legislation for its installation."



Symbolabbildung 3 "Short Fender"  
Illustration 3 "Short Fender"

**Achtung:** Werden bei Offroad Modellen zusätzlich Gepäckträger, Schutzbleche oder ein Kettenenschutz montiert, ändert sich die Kategorie automatisch auf 2 bzw. E2. Ausgenommen sind sogenannte „Short Fenders“ (Symbolabbildung 3), die ohne Streben an der Gabel oder am Rahmen bzw. Sattel montiert werden können.



Symbolabbildung 1 "Fahrrad-Aufkleber"  
Illustration 1 "bicycle-label"



Symbolabbildung 2 "EPAC-Aufkleber"  
Illustration 2 "EPAC-label"

Fahrrad-Aufkleber	EPAC-Aufkleber	Bicycle-Label	EPAC-Label
<b>Zeile 1 - 2:</b> Name und Anschrift des Herstellers des Fahrrades	Name und Anschrift des Herstellers des EPACs	<b>Row 1 - 2:</b> Name and address of the bike manufacturer	Name and address of the EPAC manufacturer
<b>Zeile 3 - 4:</b> Modellbezeichnung inkl. spezifischer Baugruppennummer	Modellbezeichnung inkl. spezifischer Baugruppennummer	<b>Row 3 - 4:</b> Model designation including specific assembly number	Model designation including specific assembly number
<b>Zeile 5:</b> Höchstzulässiges Gesamtgewicht des Fahrrades*	Herstellungsjahr des EPACs	<b>Row 5:</b> Maximum permissible total weight of the bikes*	Year of manufacture of the EPAC
<b>Zeile 6:</b>	Art der Maschine (EPAC), Nenndauerleistung des Motors (250 Watt), maximale Unterstützungs geschwindigkeit des Motors (25 km/h).	<b>Row 6:</b>	Type of machine (EPAC). Continuous rated power of the motor (250 watts). Maximum support speed of the motor (25 km/h).
<b>Zeile 7:</b>	Höchstzulässiges Gesamtgewicht des EPACs*	<b>Row 7:</b>	Maximum permissible total weight of the EPAC*
<b>Zeile 8:</b> ISO 4210-2: Fahrräder – Sicherheitstechnische Anforderungen an Fahrräder	2006/42/EC = Maschinenrichtlinie 2014/30/EC = EMV-Richtlinie EN 15194 = Fahrräder – Elektromotorisch unterstützte Räder – EPAC Fahrräder	<b>Row 8:</b> ISO 4210-2 = Bicycles – Safety requirements for bicycles	2006/42/EC = Machinery Directive 2014/30/EC = EMC Directive EN 15194 = Bicycles – Electromotive Assisted Wheels – EPAC Bicycles
<b>Zeile 11-12:</b>		<b>Row 11-12:</b>	

\*Das höchstzulässige Gesamtgewicht des jeweiligen Fahrradmodells stellt die Summe aus Fahrradgewicht + Fahrer + Zuladung dar und darf keinesfalls überschritten werden

\*The maximum permissible total weight of the respective bicycle model represents the sum of bicycle weight + rider + luggage and must not be exceeded under any circumstances.

# KATEGORIE 0/E0



## FAHRRAD-TYPEN

Kinderfahrräder

## TYPE OF BICYCLE

Children's bikes

## CHARAKTERISTIK DER KATEGORIE 0 / E0

Diese Fahrräder sind ausschließlich für Kinder gedacht. Fahrräder der Kategorie 0/E0 dürfen keinesfalls von Jugendlichen oder Erwachsenen verwendet werden. Kinder dürfen niemals ohne Aufsicht Rad fahren. Außerdem sollten Kinder stets abseits von Straßenverkehr und anderen Gefahren oder Hindernissen und angepasst an ihre Fertigkeiten fahren.

## ERLAUBTER EINSATZ

Die Verwendung von Fahrrädern aus der Kategorie 0 / E0 ist nur unter elterlicher Aufsicht gestattet.

## NICHT ERLAUBTER EINSATZ

Kinder dürfen nicht in der Nähe von Gefällen, Bordsteinen, Treppen, Geländeabbrüchen, Kanaldeckeln sowie auf Wegen, die von Kraftfahrzeugen genutzt werden, Fahrrad fahren.

## WISSENSWERTES

Die maximal einstellbare Sattelhöhe (siehe Kapitel „Anpassungen am Fahrrad“) darf nicht weniger als 435mm betragen sowie 635mm nicht übersteigen. Die Sattelhöhe stellt den senkrechten Abstand zwischen Boden und Oberkante des Sattels dar (Abb. 6).

## FEATURES OF CATEGORY 0 / E0

These bikes are intended exclusively for children. Category 0/E0 bicycles must not be used by youngsters or adults. Children should always be under the supervision of an adult while riding the bike. Furthermore, children should always cycle well away from road traffic and other dangers or obstacles and in accordance with their individual skills.

## PERMITTED USE


The use of Category 0 / E0 bicycles is only allowed under the supervision of an adult.

## NOT PERMITTED FOR USE

Children must not ride their bike in the vicinity of downward slopes, kerbstones, stairs, precipices, manhole covers as well as on paths used by motor vehicles.

## FURTHER INFORMATION

The maximum adjustable saddle height (see chapter “Adjusting Your Bicycle”) must not be less than 435 mm, while not exceeding 635 mm. The saddle height is the vertical distance between floor and top edge of the saddle (fig. 3).



# KATEGORIE 1/E1



## FAHRRAD-TYPEN

Road Race, Time Trial, Triathlon

## TYPE OF BICYCLE

Road Race, Time Trial, Triathlon

## CHARAKTERISTIK DER KATEGORIE 1 / E1

Hierbei handelt es sich um die Kategorie von Fahrrädern, welche für den Einsatz auf gepflasterten Straßen oder glatten Fahrbahnen ausgelegt sind. Der Kontakt zwischen Reifen und Fahrbahn kann dabei unbeabsichtigt verloren gehen.

## ERLAUBTER EINSATZ

Ausschließlich für den Einsatz auf asphaltierten Straßen.

## NICHT ERLAUBTER EINSATZ

Für Offroad und Einsatz mit Gepäckträger oder Fahrradtaschen nicht geeignet.

## WISSENSWERTES

Länderspezifisch kann es möglich sein, dass zum legalen Einsatz auf öffentlichen Straßen eine Nachrüstung mit Scheinwerfer, Reflektoren, Schutzblechen etc. nötig ist, um den nationalen Gesetzen zu entsprechen. Die für Trainingszwecke oder Wettkämpfe erforderliche sicherheitstechnische Ausstattung des Fahrrades aus Kategorie 1 wird mitgeliefert und muss vom Benutzer oder Fachmann regelmäßig überprüft und – falls erforderlich – instandgesetzt werden. Bei Schäden, welche aus der Benutzung des Rennrades im Gelände, aus Überladung und aus nicht ordnungsgemäßer Beseitigung von Mängeln resultieren, haften Hersteller und Fachhändler nicht.

## FEATURES OF CATEGORY 1 / E1

This category refers to bicycles that are designed to be ridden on paved or smooth roads. The tyres may unintentionally lose contact with the road.

## PERMITTED USE

Only for use on paved roads.


## NOT PERMITTED FOR USE

Not suitable for off-road use in combination with luggage rack or panniers.

## FURTHER INFORMATION

In some countries it may be necessary to retrofit the bicycle with head lights, reflectors, mudguards, etc. in order to use the bike on public roads in compliance with the national legislation. The Category 1 bicycle comes with the safety-related equipment required for training purposes or competitions. This equipment must be checked and if necessary repaired by the user or a trained specialist at regular intervals. The manufacturer and specialist dealer do not accept any liability for damage resulting from off-road cycling, overloading or incorrect remedy of defects.

# KATEGORIE 2/E2



## FAHRRAD-TYPEN

City, Trekking Onroad, Trekking Offroad, Cyclocross, Mountainbike Casual

## TYPE OF BICYCLE

City, Trekking On-road, Trekking Off-road, Cyclocross, Mountain bike casual

## CHARAKTERISTIK DER KATEGORIE 2 / E2

Hierbei handelt es sich um die Kategorie von Fahrrädern, welche den Einsatzzweck der Kategorie 1/E1 und zusätzlich ungepflasterte Landstraßen und Schotterwege sowie Strecken mit mäßiger Steigung / Gefälle umfasst. Kontakt mit unebenem Untergrund ist möglich. Die Reifen können dadurch den Bodenkontakt verlieren. Sprünge dürfen eine Höhe von 15 cm nicht überschreiten.

## ERLAUBTER EINSATZ

Für asphaltierte Straßen, gut befestigte Schotterwege sowie Fahrradwege.

## NICHT ERLAUBTER EINSATZ

Für den darüber hinaus gehenden Offroad-Einsatz sowie die Verwendung als Mountainbike bzw. für die Durchführung diverser Freestyle-Tricks nicht geeignet. Manche dieser Räder verfügen zwar über Federungssysteme, diese dienen jedoch lediglich dem Komfort, nicht aber der Geländetauglichkeit.

## WISSENSWERTES

Fahrräder dieser Kategorie entsprechen bis auf Ausnahmen auf Grund ihrer Konzeption und Ausstattung, wie aktive (Rücklicht, Scheinwerfer) und passive (Reflektoren) Beleuchtungseinrichtungen, den gesetzlichen Anforderungen des Straßenverkehrs. Zudem ist die Nutzung auch auf den Fahrradverkehr freigegebenen Feld- und Waldwegen gestattet. Die für diesen Einsatzzweck erforderliche sicherheitstechnische Ausstattung wurde mitgeliefert und muss vom Benutzer oder Fachmann regelmäßig überprüft und – falls erforderlich – instandgesetzt werden.

**Einige Fahrräder dieser Kategorie entsprechen allerdings nicht den gesetzlichen Anforderungen des Straßenverkehrs und sind somit als Sportgeräte anzusehen. Falls Ihr Fahrrad nicht mit aktiven (Rücklicht, Scheinwerfer) und passiven (Reflektoren) Beleuchtungseinrichtungen ausgestattet ist, sind diese vor der Nutzung auf öffentlichen Straßen mit Komponenten, entsprechend der jeweiligen nationalen Gesetze und Vorschriften nachzurüsten.**

## FEATURES OF CATEGORY 2 / E2

This category refers to bicycles that can be used on unpaved roads and gravel paths as well as trails with moderate inclines / slopes in addition to the intended use of Category 1/E1. Contact with uneven ground poses no problems. Tyres may lose contact with the road. Jumps must not exceed a height of 15 cm.

## PERMITTED USE

For paved roads, hard-surface gravel paths as well as cycle paths.

## NOT PERMITTED FOR USE


Not suitable for off-road use that goes beyond the intended purpose. Furthermore, it should not be used as mountain bike or for freestyle tricks. Some of these bikes comprise suspension systems that enhance comfort, but do not increase off-road capability.

## FURTHER INFORMATION

Although there are some exceptions, Category 2 bicycles comply with the legal requirements for participation in road traffic thanks to their design and equipment such as active (rear light, head light) and passive (reflectors) lighting systems. On top of this, these bikes can also be used on unpaved field and forest trails where bicycles are allowed. Category 2 bikes come with the safety-related equipment required for this type of use. This equipment must be checked and if necessary repaired by the user or a trained specialist at regular intervals.

**However, some bicycles of this category do not comply with the legal requirements for road traffic and must therefore be regarded as sports equipment. Bicycles that do not comprise active (rear light, head light) and passive (reflectors) lighting systems need to be retrofitted with components compliant with the respective national legislation and regulations prior to usage on public roads.**

# KATEGORIE 3/E3



## FAHRRAD-TYPEN

Mountainbike: Cross Country, Marathon, Tour

## TYPE OF BICYCLE

Mountain bike: Cross Country, Marathon, Tour

## CHARAKTERISTIK DER KATEGORIE 3 / E3

Hierbei handelt es sich um die Kategorie von Fahrrädern, welche den Einsatzzweck der Kategorien 1/E1 und 2/E2 beinhaltet. Zusätzlich umfasst diese Kategorie unerschlossene Strecken sowie technische Bereiche. Sprünge bis zu 60 cm sind hier inbegriffen.

## ERLAUBTER EINSATZ

Von leichtem bis hin zu anspruchsvollem Gelände (kleine Hindernisse, wie Wurzeln, Steine und Rinnen auf losem sowie festem Untergrund), während Cross-Country- oder Wettkampfeinsätzen. Cross-Country-, Marathon- und Tour-Komponenten (Reifen, Federung, Rahmen, Antrieb) verfügen über geringes Gewicht und sind für Wendigkeit und Geschwindigkeit ausgelegt.

## NICHT ERLAUBTER EINSATZ

Für alle extremen Formen des Fahrens bzw. Springens wie z.B. Freeriding, Enduro, Downhill, Freestyle-Tricks u.dgl. nicht geeignet.

## WISSENSWERTES

Diese Fahrräder sind aufgrund ihrer Konzeption und Ausstattung nicht dazu bestimmt, auf öffentlichen Straßen eingesetzt zu werden. Vor der Nutzung auf öffentlichen Straßen muss das Rad, entsprechend der jeweiligen nationalen Gesetze und Vorschriften, mit Beleuchtung, Schutzblech etc. nachgerüstet werden. Die für den Einsatz im Gelände erforderliche sicherheits-technische Ausstattung wird mitgeliefert und muss vom Benutzer oder Fachmann regelmäßig überprüft und – falls erforderlich – instandgesetzt werden. Cross-Country-, Marathon- und Tour-Mountainbikes sind leichter, bergauf schneller und wendiger als All Mountain-, Trail- und Enduro-Mountainbikes. Antriebseffizienz und Klettereigenschaften werden bei Fahrrädern der Kategorie 3 über Robustheit gesetzt.

## FEATURES OF CATEGORY 3 / E3

This category refers to bicycles encompassing the intended use described in Categories 1/E1 and 2/E2. In addition, this category is suitable for undeveloped terrain as well as technical applications. Jumps up to a height of 60 cm are included in this field of use.

## PERMITTED USE

Ranging from easy to challenging terrain (small obstacles such as roots, stones and trenches on loose as well as solid ground), for cross-country use or competitions. Cross-country, marathon and tour components (tyres, suspension, frame, drive unit) are lightweight and are particularly designed for excellent manoeuvrability and speed.


## NOT PERMITTED FOR USE

Not suitable for extreme forms of riding or jumping such as freeriding, enduro, downhill, freestyle tricks, etc.

## FURTHER INFORMATION

Due to their special design and equipment, these bicycles are not intended for use on public roads. Prior to cycling on public roads, the bicycle must be retrofitted with lighting, mudguard, etc. in compliance with the applicable national legislation and regulations. Category 3 bikes come with the safety-related equipment required for off-road usage. This equipment must be checked and if necessary repaired by the user or a trained specialist at regular intervals. Cross-country, marathon and tour bikes are more lightweight, faster going uphill and boast better manoeuvrability than all-mountain bikes, trail and enduro mountain bikes. With Category 3 bikes, propulsion efficiency and climbing capabilities are given priority over sturdiness.

# KATEGORIE 4/E4



## FAHRRAD-TYPEN

Mountainbike: Trail, All Mountain, Enduro

## TYPE OF BICYCLE

Mountain bike: Trail, All Mountain, Enduro

## CHARAKTERISTIK DER KATEGORIE 4 / E4

Hierbei handelt es sich um die Kategorie von Fahrrädern, welche den Einsatzzweck der Kategorien 1/E1, 2/E2 und 3/E3 beinhaltet. Darüber hinaus umfasst diese Kategorie eingeschränkten Downhill-Einsatz. Downhills dürfen bis zu einer Geschwindigkeit von 40 km/h ausgeübt werden, solange Sprünge eine Höhe von 120 cm nicht überschreiten. Der Einsatz eines Fahrrades unter diesen Bedingungen ist stark von der Erfahrung und den Fähigkeiten des Fahrers abhängig.

## ERLAUBTER EINSATZ

Fahrräder aus dieser Kategorie sind robuster und solider gebaut als Cross-Country-, Marathon- oder Tour-Mountainbikes. Auf Grund des höheren Federweges kann anspruchsvolleres Gelände mit größeren Hindernissen und Sprüngen bewältigt werden. Fahrräder aus dieser Kategorie decken einen großen Einsatzbereich ab.

## NICHT ERLAUBTER EINSATZ

Einsatzgebiete, die den genannten Verwendungszweck überschreiten.

## WISSENSWERTES

Diese Fahrräder sind aufgrund ihrer Konzeption und Ausstattung nicht dazu bestimmt auf öffentlichen Straßen eingesetzt zu werden. Vor der Nutzung auf öffentlichen Straßen muss das Rad, entsprechend der jeweiligen nationalen Gesetze und Vorschriften, mit Beleuchtung, Schutzblech etc. nachgerüstet werden. Die für den Einsatz im Gelände erforderliche sicherheits-technische Ausstattung wird mitgeliefert und muss vom Benutzer oder Fachmann regelmäßig überprüft und – falls erforderlich – instandgesetzt werden.

Da diese Kategorie eine Vielzahl von Einsatzgebieten abdeckt, ist es unerlässlich, die Grenzen des Einsatzzwecks dieser Räder zu kennen.

## FEATURES OF CATEGORY 4 / E4

This category refers to bicycles encompassing the intended use of Categories 1/E1, 2/E2 and 3/E3. In addition, this category is suitable for limited downhill use. Downhill rides are possible up to a speed of 40 km/h as long as the jumps do not exceed a height of 120 cm. Riding a bicycle under these conditions depends heavily on the rider's experience and capabilities.

## PERMITTED USE

Category 4 bicycles have a particularly sturdy and solid construction compared to cross-country, marathon or tour mountain bikes. Due to the longer suspension travel, it is possible to tackle bigger obstacles and jumps. Bicycles of this category cover a broad range of applications.

## NOT PERMITTED FOR USE

Fields of use which go beyond the mentioned intended purpose.

## FURTHER INFORMATION

Due to their special design and equipment, these bicycles are not intended for use on public roads. Prior to cycling on public roads, the bicycle must be retrofitted with lighting, mudguard, etc. in compliance with the applicable national legislation and regulations. Category 4 bikes come with the safety-related equipment required for off-road usage. This equipment must be checked and if necessary repaired by the user or a trained specialist at regular intervals.

As this category covers a wide range of applications, it is vital to know the limits of the intended purpose for these bicycles.

# KATEGORIE 5/E5



## FAHRRAD-TYPEN

Fahrradtypen Mountainbike: Gravity, Freeride, Downhill

## TYPE OF BICYCLE

Mountain bike: Gravity, Freeride, Downhill

## CHARAKTERISTIK DER KATEGORIE 5 / E5

Hierbei handelt es sich um die Kategorie von Fahrrädern, welche den Einsatzzweck der Kategorien 1/E1, 2/E2, 3/E3 und 4/E4 beinhaltet. Die Fahrräder sind zudem für Sprünge jeder Art bei darauffolgender Landung im abschüssigen Geländebereich sowie Geschwindigkeiten über 40 km/h ausgelegt. Die Verwendung in grobem, unwegsamen Gelände ist ebenfalls erlaubt. Der Einsatz eines Fahrrades unter diesen Bedingungen ist stark von der Erfahrung und den Fähigkeiten des Fahrers abhängig.

## ERLAUBTER EINSATZ

Fahrräder für den oben genannten Einsatzzweck ermöglichen das Fahren in selektivem Gelände. Gravity-, Freeride-, und Downhill-Bikes sind äußerst robust gebaut und bieten sehr viel Federweg um Hindernisse bestmöglich bewältigen zu können. Aufgrund der hohen Belastung ist ein besonders pfleglicher und sorgsamer Umgang mit den Komponenten von Nöten.

## NICHT ERLAUBTER EINSATZ

Verwendung über den persönlichen Grenzbereich.  
Lassen Sie daher vernünftige Selbsteinschätzung walten.

## WISSENSWERTES

Diese Fahrräder sind aufgrund ihrer Konzeption und Ausstattung nicht dazu bestimmt auf öffentlichen Straßen eingesetzt zu werden. Vor der Nutzung auf öffentlichen Straßen muss das Rad, entsprechend der jeweiligen nationalen Gesetze und Vorschriften, mit Beleuchtung, Schutzblech etc. nachgerüstet werden. Die für den Einsatz im Gelände erforderliche sicherheits-technische Ausstattung wird mitgeliefert und muss vom Benutzer oder Fachmann regelmäßig überprüft und – falls erforderlich – instandgesetzt werden. Wenn Sie beabsichtigen im Gelände zu fahren, welches dieser Kategorie entspricht, sollten Sie geeignete Sicherheitsmaßnahmen, wie beispielsweise häufigere Wartungsintervalle, ergreifen. Legen Sie großen Wert auf persönliche Sicherheitsausrüstung, wie z.B. einen geeigneten Helm und Protektoren. Bitte beachten Sie, dass Fehleinschätzung oder das Überschätzen der eigenen Fähigkeiten in dieser Kategorie schnell zu einem Unfall mit schweren Verletzungen oder gar Todesfolge führen kann.

## FEATURES OF CATEGORY 5 / E5

This category refers to bicycles encompassing the intended use of Categories 1/E1, 2/E2, 3/E3 and 4/E4. Furthermore, these bicycles are ideally suited for any kind of jumps with subsequent landing on sloping terrain as well as speeds up to 40 km/h. They can also be used in rough and difficult terrain. Riding a bicycle under these conditions depends heavily on the rider's experience and capabilities.

## PERMITTED USE

Bicycles with the aforementioned intended use allow for riding in selective terrain. Gravity, freeride and downhill bikes have an extremely sturdy design and provide long suspension travel in order to successfully tackle obstacles. Due to the high stress, please make sure that you take good care of the components.


## NOT PERMITTED FOR USE

Usage beyond your personal capabilities.  
Therefore, knowing your capabilities and limitations is essential.

## FURTHER INFORMATION

Due to their special design and equipment, these bicycles are not intended for use on public roads. Prior to cycling on public roads, the bicycle must be retrofitted with lighting, mudguard, etc. in compliance with the applicable national legislation and regulations. Category 4 bikes come with the safety-related equipment required for off-road usage. This equipment must be checked and if necessary repaired by the user or a trained specialist at regular intervals. If you intend to go off-road in terrain for which this category is suitable, you should take appropriate safety measures such as adhering to frequent maintenance intervals. Please attach the utmost importance to wearing safety equipment such as a suitable helmet and protectors. Bear in mind that misjudging or overestimating your own riding abilities in this category may easily result in accidents causing serious injuries or, at worst, death.


# MTB



		A	A	A	B	C	D	E	F	G	H	I	J	K	L
<b>PROWLER 29"</b>															
		43	S	17	430	590	76,5*(71*)	66,5*	90	436	1186	606	445	805	30
		48	M	19	430	610	76,5*(71,5*)	66,5*	105	436	1209	620	461	805	30
		53	L	21	430	640	76,5*(72*)	66,5*	120	436	1241	634	488	805	30
<b>SCARP MT 29"</b>															
		38	XS	15	380	583	74*(69*)	67,5*	95	435	1131	593	413	790	38
		43	S	17	430	603	74*(69,5*)	67,5*	105	435	1152	603	431	790	38
		48	M	19	450	623	74*(70*)	67,5*	115	435	1174	612	448	790	38
		53	L	21	480	643	74*(70,5*)	67,5*	125	435	1195	622	466	796	38
<b>SCARP 29"</b>															
		38	XS	15	400	580	75*(70*)	68,5*	95	435	1131	1124	586	423	45
		43	S	17	430	600	75*(70,5*)	68,5*	105	435	1152	1145	596	440	45
		48	M	19	450	620	75*(71*)	68,5*	115	435	1174	1166	605	458	45
		53	L	21	480	640	75*(71,5*)	68,5*	125	435	1195	1187	614	475	45
<b>SCARP 294</b>															
		43	S	17	430	600	74,5/72,7°	70,0°	105	441	1129	603	433	775	45
		48	M	19	480	620	74,5/72,9°	70,0°	115	441	1149	612	450	772	45
		53	L	21	530	640	74,5/73,0°	70,0°	125	441	1170	621	468	771	45
<b>MYROON 29"</b>															
		38	XS	15	380	580	74,5/73,0°	71,0°	95	430	1074	599	414	761	70
		43	S	17	430	600	74,5/73,0°	71,0°	105	430	1095	608	431	772	70
		48	M	19	480	620	74,5/73,0°	71,0°	115	430	1116	618	449	803	70
		53	L	21	530	640	74,5/73,0°	71,0°	125	430	1136	627	466	832	70
<b>ULTRA EVO 29"</b>															
		38	XS	15	360	580	75,0°	66,5*	90	440	1143	584	423	719	60
		43	S	17	410	600	75,0°	66,5*	90	440	1163	584	443	738	60
		48	M	19	460	620	75,0°	66,5*	105	440	1185	598	460	769	60
		53	L	21	510	640	75,0°	66,5*	120	440	1208	612	476	802	60
		57	XL	22,5	550	660	75,0°	66,5*	140	440	1231	630	491	830	60
<b>ULTRA 29"</b>															
		38	XS	15	380	565	75,0°	71,0°	95	445	1080	899	405	733	70
		43	S	17	430	585	75,0°	71,0°	110	445	1101	613	421	759	70
		48	M	19	480	605	75,0°	71,0°	125	445	1122	627	437	789	70
		53	L	21	530	625	75,0°	71,0°	140	445	1143	642	453	820	70
		57	XL	22,5	570	645	75,0°	71,0°	160	445	1165	660	468	849	70
<b>ULTRA 27"</b>															
		38	XS	15	380	565	74,0°	70,0°	110	435	1068	579	399	724	50
		43	S	17	430	585	74,0°	70,0°	125	435	1089	593	415	750	50
		48	M	19	480	605	74,0°	70,0°	140	435	1110	607	431	780	50
<b>ULTRA GLORIETTE 27"</b>															
		35	XS	13,5	350	547	72,0°	70,0°	125	435	1028	593	354	701	50
		42	S	16,5	420	559	72,0°	71,0°	140	435	1030	611	360	737	50
<b>CHICAGO 29"</b>															
		38	XS	15	400	570	73,0°	70,5°	120	455	1070	616	381	782	62
		43	S	17	430	589	73,0°	70,5°	120	455	1090	617	401	791	62
		48	M	19	480	607	73,0°	71,0°	125	455	1102	623	416	818	62
		53	L	21	530	626	73,0°	71,0°	137	455	1122	634	432	847	62
		57	XL	22,5	570	643	73,0°	71,0°	150	455	1139	647	445	872	62
<b>CHICAGO 27"</b>															
		36	XS	14	380	554	73,0°	70,0°	120	435	1046	589	374	751	47
		43	S	17	430	575	73,0°	70,0°	125	435	1067	593	393	776	47
		48	M	19	480	594	73,0°	70,0°	137	435	1087	605	409	805	47
		53	L	21	530	612	73,0°	70,0°	150	435	1105	617	423	835	47
<b>PENNY LANE CLASSIC 27"</b>															
		35	XS												

# TREKKING OFFROAD


- GEO**
- A** Größe in cm  
Size in cm
  - A** Größe  
Size
  - A** Größe in Zoll  
Size in inch
  - B** Sitzrohrlänge  
Seat tube length
  - C** Oberrohrlänge  
Toptube length
  - D** Sitzwinkel  
Seat angle
  - E** Lenkwinkel  
Head angle
  - F** Steuerrohrlänge  
Headtube length
  - G** Kettenstrebenlänge  
Chainstay length
  - H** Radstand  
Wheelbase
  - K** Überstandshöhe Herren  
Standover height
  - K<sup>2</sup>** Überstandshöhe Damen  
Standover height
  - L** Tretlagerabsenkung  
BB drop



	<b>A</b>	<b>A</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>K<sup>1</sup></b>	<b>K<sup>2</sup></b>	<b>L</b>
LIFE RACE / LIFE 1964 CROSS /	43	XS	17	430	564	73,0°	70,5°	120	440	1052	-	678	55
LIFE ACTION / LIFE CROSS /	46	S	18	460	575	73,0°	70,5°	120	440	1063	786	675	55
LIFE ROAD / LIFE TRACK / LIFE	51	M	20	510	588	73,0°	70,5°	137	440	1077	815	677	55
TRACK STREET / LIFE ONE	56	L	22	560	599	73,0°	70,5°	155	440	1089	847	678	55
	60	XL	23,5	600	616	73,0°	70,5°	174	440	1106	874	-	55

# TREKKING ONROAD


- GEO**
- A** Größe in cm  
Size in cm
  - A** Größe  
Size
  - A** Größe in Zoll  
Size in inch
  - B** Sitzrohrlänge  
Seat tube length
  - C** Oberrohrlänge  
Toptube length
  - D** Sitzwinkel  
Seat angle
  - E** Lenkwinkel  
Head angle
  - F** Steuerrohrlänge  
Headtube length
  - G** Kettenstrebenlänge  
Chainstay length
  - H** Radstand  
Wheelbase
  - K** Überstandshöhe  
Standover height
  - L** Tretlagerabsenkung  
BB drop



	<b>A</b>	<b>A</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>K<sup>1</sup></b>	<b>K<sup>2</sup></b>	<b>L</b>
LIFE STYLE / LIFE TOUR / LIFE 8 BELT / LIFE 1964 / LIFE FORCE	46	S	18	460	575	73,0°	71,0°	120	452	1070	788	678	55
LIFE LITE / LIFE SPACE	56	L	22	560	600	73,0°	71,0°	137	452	1084	814	680	55
	60	XL	23,5	600	616	73,0°	71,0°	155	452	1096	846	682	55
<b>LIFE 8 BELT / LIFE 1964 US</b>	43	XS	17	430	579	71,5°	70,0°	150	474	1088	422	60	
	46	S	18	460	590	71,5°	70,0°	160	474	1100	422	60	
	51	M	20	510	600	71,5°	70,0°	174	474	1110	422	60	
	56	L	22	560	618	71,5°	70,0°	190	474	1128	460	60	
<b>LIFE FORCE</b>	43	XS	17	430	579	71,5°	70,0°	150	474	1088	469	60	
<b>LIFE LITE</b>	46	S	18	460	590	71,5°	70,0°	160	474	1100	468	60	
<b>LIFE SPACE E</b>	51	M	20	510	600	71,5°	70,0°	174	474	1110	482	60	
	56	L	22	560	618	71,5°	70,0°	190	474	1128	479	60	
<b>LIFE TIME / LIFE JOY</b>	43	XS	17	430	564	73,0°	70,5°	120	452	1064	-	706	55
	46	S	18	460	575	73,0°	70,5°	120	452	1075	790	706	55
	51	M	20	510	588	73,0°	70,5°	137	452	1089	816	710	55
	56	L	22	560	600	73,0°	70,5°	155	452	1101	848	719	55
	60	XL	23,5	600	616	73,0°	70,5°	174	452	1119	875	-	55
<b>LIFE TIME / LIFE JOY LADY C</b>	43	S	18	460	583	72,0°	70,5°	160	452	1070	667	60	
	51	M	20	510	599	72,0°	71,0°	174	452	1081	674	60	
<b>LIFE TIME / LIFE JOY E</b>	43	XS	17	430	577	71,5°	70,0°	150	474	1088	469	60	
	46	S	18	460	595	71,5°	70,0°	160	474	1100	467	60	
	51	M	20	510	596	71,5°	70,0°	174	474	1110	482	60	
	56	L	22	560	618	71,5°	70,0°	190	474	1128	480	60	
<b>LIFE RIDE</b>	46	S	18	460	575	71,0°	73,0°	120	452	1069	780	55	
	51	M	20	510	588	71,0°	73,0°	137	452	1084	820	55	
	56	L	22	560	600	71,0°	73,0°	155	452	1096	851	55	
	60	XL	23,5	600	616	71,0°	73,0°	174	452	1114	878	55	
<b>LIFE RIDE E</b>	43	XS	17	430	579	71,5°	70,0°	150	474	1088	469	60	
	46	S	18	460	590	71,5°	70,0°	160	474	1100	468	60	
	51	M	20	510	600	71,5°	70,0°	174	474	1110	482	60	

# CITY


- GEO**
- A** Größe in cm  
Size in cm
  - A** Größe  
Size
  - A** Größe in Zoll  
Size in inch
  - B** Sitzrohrlänge  
Seat tube length
  - C** Oberrohrlänge  
Toptube length
  - D** Sitzwinkel  
Seat angle
  - E** Lenkwinkel  
Head angle
  - F** Steuerrohrlänge  
Headtube length
  - G** Kettenstrebenlänge  
Chainstay length
  - H** Radstand  
Wheelbase
  - K** Überstandshöhe Herren  
Standover height
  - L** Tretlagerabsenkung  
BB drop



	<b>A</b>	<b>A</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>K</b>	<b>L</b>
KENT / CHESTER / OXFORD MAN	51	M	20	510	586	73,0°	71,5°	155	445	1073	796	60
	56	L	22	560	597	73,0°	71,5°	174	445	1096	827	60
	60	XL	23,5	600	612	73,0°	71,5°	190	445	1114	852	60
KENT / CHESTER / OXFORD LADY	46	S	18	460	574	73,0°	71,5°	137	445	1069	681	60
	51	M	20	510	586	73,0°	71,5°	155	445	1073	689	60
CITY LINE 28 WAVE	43	XS	17	430	582	71,5°	68,5°	160	482	1106	396	80
	46	S	18	460	594	71,5°	68,5°	174	482	1120	396	80
	51	M	20	510	612	71,5°	68,5°	190	482	1138	400	80
	56	L	22	540	625	71,5°	68,5°	190	482	1151	400	80
CITY LINE 26 WAVE	43	XS	17	430	575	72,6°	70,0°	150	458	1056	383	51
CITY FUN 28 WAVE	43	XS	17	430	600	72,6°	70,0°	160	482	1091	386	69
	46	S	18	460	612	72,6°	70,0°	174	482	1103	388	69
	51	M	20	510	620	72,6°	70,0°	190	482	1113	388	69
CITY FUN 26 WAVE	43	XS	17	430	576	72,6°	70,0°	160	458	1055	372	51

# KIDS

- GEO**
- A** Größe in cm  
Size in cm
  - A** Größe  
Size
  - B** Sitzrohrlänge  
Seat tube length
  - C** Oberrohrlänge  
Toptube length
  - D** Sitzwinkel  
Seat angle
  - E** Lenkwinkel  
Head angle
  - F** Steuerrohrlänge  
Headtube length
  - G** Kettenstrebenlänge  
Chainstay length
  - H** Radstand  
Wheelbase
  - K** Überstandshöhe  
Standover height
  - L** Tretlagerabsenkung  
BB drop



	<b>A</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>	<b>G</b>	<b>H</b>	<b>K</b>	<b>L</b>
COUNTRY STAR E	37	XS	370	555	71,5°	70,0°	137	435	1035	444	35
	43	S	430	574	71,5°	70,0°	160	435	1054	446	35
	51	L	510	587	71,5°	70,0°	160	435	1068	461	35
COUNTRY STAR LADY	37	XS	370	541	72,0°	125	125	430	1009	635	35
	42	S	420	561	72,0°	137	137	430	1029	648	35
	47	M	470	578	72,0°	155	155	430	1046	649	35
WILD SPEED DISC 26 WILD SPEED 26	34	152	340	522	73,0°	71,0°	120	430	1001	698	40
WILD SPEED DISC 24 WILD SPEED 24 WILD SPEED 24,9 WILD CROSS 24 WILD CROSS STREET 24 WILD BEE 24	31	128	310	484	72,5°	70,0°	100	420	954	604	50
WILD SPEED 20 WILD CROSS 20 WILD BEE 20	27	116	270	410	73,0°	71,0°	100	365	829	537	15
WILD ONE 24	31	128	310	484	72,5°	70,0°	100	420	954	633	50
WILD ONE 20	29	116	290	410	73,0°	71,0°	100	365	829	573	15
WILDCAT 24	35	128	350	522	73,0°	71,0°	120	400	979	412	25
WILDCAT 20	30,5	116	305	442	73,0°	71,0°	100	360	860	356	15



MADE IN AUSTRIA. MADE FOR YOU.





KTM-BIKES.AT

## KTM FAHRRAD GMBH

Harlochnerstraße 13  
5230 Mattighofen  
Austria

## KTM FAHRRAD DEUTSCHLAND GMBH

Adolf-Kolping-Straße 34  
D-84359 Simbach am Inn  
Germany