




# GOMETRIES

2018

# FULLY



	Size in cm / inch	Top tube length	Seat angle	Head angle	Head tube length	Chainstay length	Wheelbase	Stack	Reach	BB drop
<b>SCARP 29"</b>	43 17	600	74,5/72,9°	70,0°	105	441	1129	603	433	45
	48 19	620	74,5/72,9°	70,0°	115	441	1149	612	450	45
	53 21	640	74,5/73,0°	70,0°	125	441	1170	621	468	45
<b>PROWLER SONIC 29"</b>	43 17	590	76,5°(71°)	66,5°	90	436	1163	606	445	30
	48 19	610	76,5°(71,5°)	66,5°	105	436	1186	620	461	30
	53 21	630	76,5°(72°)	66,5°	120	436	1208	634	488	30
<b>LYCAN 27"</b>	38 15	580	74,5/72,9°	68,5°	105	433	1120	578	420	18
	43 17	600	74,5/72,9°	68,5°	115	433	1141	587	437	18
	48 19	620	74,5/72,9°	68,5°	125	433	1161	597	454	18
	53 21	640	74,5/72,9°	68,5°	135	433	1183	606	472	18
<b>KAPOHO 27.5+"</b>	40 16	580	74,5/72,3°	68,5°	95	445	1136	606	412	35
	43 17	600	74,5/72,3°	68,5°	105	445	1156	615	429	35
	48 19	620	74,5/72,3°	68,5°	115	445	1178	625	447	35
	53 21	640	74,5/72,3°	68,5°	125	445	1199	634	464	35

# HARDTAIL



	Size in cm / inch	Top tube length	Seat angle	Head angle	Head tube length	Chainstay length	Wheelbase	Stack	Reach	Standover height	BB drop
<b>MYROON 29"</b>	38 15	580	74,5/73,0°**	71,0°	95	430	1074	599	414	761	70
	43 17	600	74,5/73,0°**	71,0°	105	430	1095	608	431	772	70
	48 19	620	74,5/73,0°**	71,0°	115	430	1116	618	449	803	70
	53 21	640	74,5/73,0°**	71,0°	125	430	1136	627	466	832	70
<b>AERA 29"</b>	43 17	583	73,0°	71,5°	120	440	1054	628	391	802	70
	48 19	606	73,0°	71,5°	120	440	1078	628	414	812	70
	53 21	628	73,0°	71,5°	130	440	1097	638	431	844	70
<b>ULTRA</b> TEAM 29.22 / RACE 29.12 / 1964 PRO 29.22 / RIDE 29.22 / 1964 COMP 29.22 / SPORT 29.30	38 15	565	75,0°	71,0°	95	445	1080	899	405	733	70
	43 17	585	75,0°	71,0°	110	445	1101	613	421	759	70
	48 19	605	75,0°	71,0°	125	445	1122	627	437	789	70
	53 21	625	75,0°	71,0°	140	445	1143	642	453	820	70
	57 22,5	645	75,0°	71,0°	160	445	1165	660	468	849	70
<b>ULTRA 1964 COMP 27.22 ULTRA SPORT 27.30</b>	38 15	565	74,0°	70,0°	110	435	1068	579	399	724	50
	43 17	585	74,0°	70,0°	125	435	1089	593	415	750	50
	48 19	605	74,0°	70,0°	140	435	1110	607	431	780	50
	53 21	625	74,0°	70,0°	160	435	1132	626	446	813	50
57 22,5	645	74,0°	70,0°	180	435	1153	645	460	841	50	
<b>ULTRA FLITE 29.20, 29.30 / FUN 29.27</b>	43 17	589	73,0°	70,5°	120	455	1090	616	401	791	62
	48 19	607	73,0°	71,0°	125	455	1102	623	416	818	62
	53 21	626	73,0°	71,0°	137	455	1122	634	432	847	62
<b>ULTRA FLITE 27.20, 27.30 / FUN 27.27</b>	38 15	554	73,0°	70,0°	120	435	1046	591	374	754	47
	43 17	575	73,0°	70,0°	125	435	1067	593	393	776	47
	48 19	594	73,0°	70,0°	137	435	1087	605	409	805	47
	53 21	612	73,0°	70,0°	150	435	1105	617	423	835	47
<b>CHICAGO 29 DISC, CLASSIC, STREET DISC</b>	38 15	569	73,0°	70,5°	120	455	1070	616	381	782	62
	43 17	589	73,0°	70,5°	120	455	1090	617	401	791	62
	48 19	607	73,0°	71,0°	125	455	1102	623	416	818	62
	53 21	626	73,0°	71,0°	137	455	1122	634	432	847	62
	57 22,5	643	73,0°	71,0°	150	455	1139	647	445	872	62
<b>CHICAGO 27 DISC, CLASSIC, STREET DISC</b>	36 14	554	73,0°	70,0°	120	435	1046	589	374	751	47
	43 17	575	73,0°	70,0°	125	435	1067	593	393	776	47
	48 19	594	73,0°	70,0°	137	435	1087	605	409	805	47
	53 21	612	73,0°	70,0°	150	435	1105	617	423	835	47
<b>BAGGY SUE 27 / MARY JANE 27 / PENNY LANE 27 DISC / PENNY LANE 27 CLASSIC / PENNY LANE 27 STREET</b>	35 13,5	547	72,0°	70,0°	125	435	1018	597	353	682	47
	42 16,5	559	72,0°	71,0°	137	435	1030	611	361	723	47
	47 18,5	590	72,0°	71,0°	155	435	1061	625	387	748	47

# ROAD



Size in  
cm / inch

Top tube  
length

Seat angle

Head angle

Headtube  
length

Chainstay  
length

Wheelbase

Stack

Reach

Standover  
height

BB drop

## REVELATOR LISSE

49	19,5	517	76	72	100	410	982	526	386	733	72
52	20,5	537	76	72,5	115	410	999	542	402	755	72
55	21,5	557	75,5	72,5	130	410	1014	556	413	777	72
57	22,5	570	75	73	140	410	1019	565	419	793	70
59	23,0	583	74,5	73	155	410	1028	576	423	810	68

## REVELATOR SKY (INTEGRATED SEAT CLAMP)

52	20,5	530	75,0°	71,5°	145	415	997	558	380	777	72
55	21,5	550	74,5°	71,5°	160	415	1013	572	391	797	72
57	22,5	563	74,0°	72,0°	170	415	1017	582	396	813	70
59	23,0	576	73,5°	72,0°	185	415	1026	594	400	830	68

## REVELATOR ALTO PRESTIGE / MASTER (INTEGRATED SEAT CLAMP)

52	20,5	528	76,0°	72,5°	145	405	985	551	390	774	72
55	21,5	547	75,5°	72,5°	160	405	1000	565	401	795	72
57	22,5	560	75,0°	73,0°	170	405	1004	575	406	811	70
59	23,0	573	74,5°	73,0°	185	405	1013	587	410	828	68

## REVELATOR ALTO 4000 / 3300

52	20,5	529	74,0/75,0°**	72,5°	145	405	976	551	381	747	72
55	21,5	550	73,5/74,5°**	72,5°	160	405	992	565	393	768	72
57	22,5	561	72,5/73,5°**	73,0°	175	405	989	580	389	785	70
59	23,0	572	72,5/73,5°**	73,0°	200	405	1001	601	394	807	68

## STRADA 1000

49	19,5	509	75,0°	72,0°	130	410	965	534	366	734	72
52	20,5	529	75,0°	72,5°	145	410	981	551	381	757	72
55	21,5	550	74,5°	72,5°	160	410	997	565	393	779	72
57	22,5	561	73,5°	73,0°	175	412	996	580	389	796	70
59	23,0	572	73,5°	73,0°	200	412	1008	601	394	819	68

## CANIC CXC

49	19,5	510	75,0°	71,0°	130	425	991	542	365	763	72
52	20,5	530	75,0°	71,5°	145	425	1007	558	380	785	72
55	21,5	550	74,5°	71,5°	160	425	1023	572	391	805	72
57	22,5	563	74,0°	72,0°	170	425	1027	582	396	821	70
59	23,0	576	73,5°	72,0°	185	425	1036	594	400	838	68

## CANIC CXA / STRADA 2000

49*	19,5	509	75,0°	71,0°	115	425	993	564	358	757	72
52	20,5	529	75,0°	71,5°	130	425	1008	580	374	771	72
55	21,5	550	74,5°	71,5°	145	425	1024	594	385	792	72
57	22,5	560	74,0°	72,0°	160	425	1025	608	385	810	70
59	23,0	572	73,5°	72,0°	175	425	1033	621	388	831	68

\* nur bei Strada 2000

# ONROAD



Size in  
cm / inch



Top tube  
length



Seat angle



Head angle



Headtube  
length



Chainstay  
length



Wheelbase



Standover  
height



BB drop

## LIFE / MAN

STYLE, TOUR LITE,  
1964, FORCE, SPACE

46	18	575	73,0°	71,0°	120	452	1070	788	55
51	20	588	73,0°	71,0°	137	452	1084	814	55
56	22	600	73,0°	71,0°	155	452	1096	846	55
60	23,5	616	73,0°	71,0°	174	452	1113	874	55
63	25	634	73,0°	71,0°	190	452	1131	896	55

## LIFE / LADY

STYLE, TOUR LITE,  
1964, FORCE, SPACE

46	18	575	73,0°	71,0°	120	452	1070	678	55
51	20	588	73,0°	71,0°	137	452	1084	680	55
56	22	600	73,0°	71,0°	155	452	1096	682	55

## LIFE / E

FORCE, TOUR LITE,  
SPACE

43	17	579	71,5°	70,0°	150	474	1088	469	60
46	18	590	71,5°	70,0°	160	474	1100	468	60
51	20	600	71,5°	70,0°	174	474	1110	482	60
56	22	618	71,5°	70,0°	190	474	1128	479	60

## LIFE / MAN

FUN 27, TIME 24,  
JOY 24

46	18	575	73,0°	70,5°	120	452	1075	790	55
51	20	588	73,0°	70,5°	137	452	1089	816	55
56	22	600	73,0°	70,5°	155	452	1101	848	55
60	23,5	616	73,0°	70,5°	174	452	1119	875	55
63	25	632	73,0°	70,5°	190	452	1136	896	55

## LIFE / LADY

FUN 27, TIME 24,  
JOY 24

43	17	564	73,0°	70,5°	120	452	1064	706	55
46	18	575	73,0°	70,5°	120	452	1075	706	55
51	20	588	73,0°	70,5°	137	452	1089	710	55
56	22	600	73,0°	70,5°	155	452	1101	719	55

## LIFE / LADY

FUN, TIME 24,  
JOY 24

46	18	583	72,0°	70,5°	160	452	1070	667	60
51	20	599	72,0°	71,0°	174	452	1081	674	60
56	22	619	72,0°	71,0°	190	452	1102	681	60

## LIFE / ONE-T

FUN 27, TIME 24,  
JOY 24

43	17	577	71,5°	70,0°	150	474	1088	469	60
46	18	595	71,5°	70,0°	160	474	1100	467	60
51	20	596	71,5°	70,0°	174	474	1110	482	60
56	22	618	71,5°	70,0°	190	474	1128	480	60

## LIFE / MAN

RIDE 24 DISC

46	18	575	71,0°	73,0°	120	452	1069	780	55
51	20	588	71,0°	73,0°	137	452	1084	820	55
56	22	600	71,0°	73,0°	155	452	1096	851	55
60	23,5	616	71,0°	73,0°	174	452	1114	878	55
63	25	634	71,0°	73,0°	190	452	1131	899	55

## LIFE / LADY

RIDE 24 DISC

46	18	575	71,0°	73,0°	120	452	1069	706	55
51	20	588	71,0°	73,0°	137	452	1084	714	55
56	22	600	71,0°	73,0°	155	452	1096	723	55

## LIFE / ONE-T

RIDE 24 DISC

43	17	579	71,5°	70,0°	150	474	1088	469	60
46	18	590	71,5°	70,0°	160	474	1100	468	60
51	20	600	71,5°	70,0°	174	474	1110	482	60
56	22	618	71,5°	70,0°	190	474	1128	480	60

## OFFROAD



Size in  
cm / inch

Toptube  
length

Seat angle

Head angle

Headtube  
length

Chainstay  
length

Wheelbase

Standover  
height

BB drop

LEGARDA RACE /	46	18	575	73,0°	70,5°	120	440	1063	786	55
LIFE 1964 CROSS / LIFE ACTION /	51	20	588	73,0°	70,5°	137	440	1077	815	55
LIFE CROSS / LIFE ROAD DISC /	56	22	599	73,0°	70,5°	155	440	1089	847	55
LIFE TRACK 24 DISC M /	60	23,5	616	73,0°	70,5°	174	440	1106	874	55
LIFE TRACK 24 STREET /	63	25	633	73,0°	70,5°	190	440	1124	897	55
LIFE ONE 24 MAN										
LEGARDA RACE /	43	17	564	73,0°	70,5°	120	440	1052	678	55
LIFE 1964 CROSS / LIFE ACTION /	46	18	575	73,0°	70,5°	120	440	1063	675	55
LIFE CROSS / LIFE ROAD DISC /	51	20	588	73,0°	70,5°	137	440	1077	677	55
LIFE TRACK 24 DISC M /	56	22	599	73,0°	70,5°	155	440	1089	678	55
LIFE TRACK 24 STREET /										
LIFE ONE 24 LADY										

## CITY



Size in  
cm / inch

Toptube  
length

Seat angle

Head angle

Headtube  
length

Chainstay  
length

Wheelbase

Standover  
height

BB drop

<b>CITY LINE 28.7</b> WAVE	43	17	582	71,5°	68,5°	160	482	1106	396	80
	46	18	594	71,5°	68,5°	174	482	1120	396	80
	51	20	612	71,5°	68,5°	190	482	1138	400	80
	56	22	625	71,5°	68,5°	190	482	1151	400	80
<b>CITY LINE 28.7</b> WAVE	43	17	575	72,6°	70,0°	150	458	1056	383	51
<b>CITY FUN 28.3</b> WAVE	43	17	600	72,6°	70,0°	160	482	1091	386	69
	46	18	612	72,6°	70,0°	174	482	1103	388	69
	51	20	620	72,6°	70,0°	190	482	1113	388	69
<b>CITY FUN 26.3</b> WAVE	43	17	576	72,6°	70,0°	160	458	1055	372	51
<b>TOURELLA 28.7</b>	46	18	603	71,0°	70,0°	180	468	1113	453	65
	51	20	623	71,0°	70,0°	200	468	1133	452	65
<b>EXZELLENT 28.7</b>	46	18	603	71,0°	70,0°	180	468	1133	783	65
	51	20	623	71,0°	70,0°	200	468	1133	817	65
	56	22	640	71,0°	70,0°	220	468	1133	851	65
<b>CHESTER /</b> <b>OXFORD</b> MAN	46	18	574	73,0°	71,5°	137	445	1069	766	60
	51	20	586	73,0°	71,5°	155	445	1073	796	60
	56	22	597	73,0°	71,5°	174	445	1096	827	60
	60	23,5	612	73,0°	71,5°	190	445	1114	852	60
<b>CHESTER /</b> <b>OXFORD</b> LADY	63	25	629	73,0°	71,5°	210	445	1131	876	60
	46	18	574	73,0°	71,5°	137	445	1069	681	60
	51	20	586	73,0°	71,5°	155	445	1073	689	60
	56	22	597	73,0°	71,5°	174	445	1096	698	60

# ATB / KIDS



Size in  
cm / inch



Top tube  
length



Seat angle



Head angle



Headtube  
length



Chainstay  
length



Wheelbase



Standover  
height



BB drop

## COUNTRY SPORT / STAR

37	14,5	541	72,0°	71,0°	125	430	1009	714	35
42	16,5	561	72,0°	71,0°	137	430	1029	744	35
47	18,5	578	72,0°	71,0°	155	430	1046	776	35
52	20,5	590	72,0°	71,0°	166	430	1059	806	35

## COUNTRY STAR (LADY E)

43	17	574	71,5°	70,0°	160	435	1054	446	35
51	20	587	71,5°	70,0°	160	435	1068	461	35

## COUNTRY STAR (LADY)

37	14,5	541	72,0°	71,0°	125	430	1009	635	35
42	16,5	561	72,0°	71,0°	137	430	1029	648	35
47	18,5	578	72,0°	71,0°	155	430	1046	649	35
52	20,5	590	72,0°	71,0°	166	430	1059	654	35

## WILD SPEED DISC 26.24 / 26.24

34	13,5	522	73,0°	71,0°	120	430	1001	698	40
----	------	-----	-------	-------	-----	-----	------	-----	----

## WILD SPEED DISC 24.24 / 24.24 / 24.9 (RIGID)

31	12	482	72,5°	70,0°	100	420	951	604	50
----	----	-----	-------	-------	-----	-----	-----	-----	----

## WILD BEE 24.18

## WILD SPEED 20.21 WILD BEE 20.12

27	10,5	410	73,0°	71,0°	100	365	829	537	15
----	------	-----	-------	-------	-----	-----	-----	-----	----

## WILD CROSS 24.18, 24.18 STREET WILD ONE 24.18

31	12	484	72,5°	70,0°	100	420	954	633	50
----	----	-----	-------	-------	-----	-----	-----	-----	----

## WILD CROSS 20.12 WILD ONE 20.6

29	11,5	410	73,0°	71,0°	100	365	829	573	15
----	------	-----	-------	-------	-----	-----	-----	-----	----

## WILDCAT 24.18

35	13,5	522	73,0°	71,0°	120	400	979	412	25
----	------	-----	-------	-------	-----	-----	-----	-----	----

## WILDCAT 24.18

30,5	12	442	73,0°	71,0°	100	360	860	356	15
------	----	-----	-------	-------	-----	-----	-----	-----	----

# E-FULLY



Size in  
cm / inch

Toptube  
length

Seat angle

Head angle

Headtube  
length

Chainstay  
length

Wheelbase

Stack

Reach

Standover  
height

BB drop

## MACINA EGNITION 11 PS 45

43	17	575	74,0/72,5°	66,0°	130	494	1201	626	388	830	15
48	19	589	74,0/72,5°	66,0°	130	494	1224	626	411	827	15
53	21	600	74,0/72,5°	66,0°	145	494	1246	640	427	854	15

## MACINA KAPOHO 271, 272, 273

41	16	565	74,5°	66,0°	120	498	1201	629	388	818	12
43	17	585	74,5°	66,0°	120	498	1221	643	402	813	12
48	19	605	74,5°	66,0°	125	498	1242	634	425	841	12
53	21	625	74,5°	66,0°	137	498	1263	645	442	869	12

## MACINA KAPOHO 274

41	16	565	74,5°	66,5°	120	498	1201	639	388	814	12
43	17	585	74,5°	66,5°	120	498	1221	639	408	808	12
48	19	605	74,5°	66,5°	125	498	1242	644	426	836	12
53	21	625	74,5°	66,5°	137	498	1263	655	443	864	12

## MACINA KAPOHO 275

41	16	565	74,5°	66,5°	120	498	1201	639	388	805	25
43	17	585	74,5°	66,5°	120	498	1221	639	408	805	25
48	19	605	74,5°	66,5°	125	498	1242	644	426	826	25
53	21	625	74,5°	66,5°	137	498	1263	655	443	855	25

## MACINA LYCAN 271, 272, 273, 274, 275

41	16	557	74,5°	68,0°	120	486	1163	625	392	791	35
43	17	567	74,5°	68,0°	120	486	1183	625	412	790	35
48	19	583	74,5°	68,0°	125	486	1203	629	431	811	35
53	21	603	74,5°	68,0°	137	486	1225	640	447	840	35

# E-HARDTAIL



Size in  
cm / inch

Toptube  
length

Seat angle

Head angle

Headtube  
length

Chainstay  
length

Wheelbase

Stack

Reach

Standover  
height

BB drop

## MACINA FOGO 271

43	17	588	73,0°	69,0°	120	472	1114	637	380	774	52
48	19	605	73,0°	69,5°	125	472	1127	644	396	789	52
53	21	626	73,0°	69,5°	137	472	1147	647	423	812	52

## MACINA FOGO 272 & 273

38*	15	567	73,0°	69,5°	120	472	1093	634	363	773	52
43	17	588	73,0°	69,5°	120	472	1114	635	384	771	52
48	19	605	73,0°	70,0°	125	472	1127	642	400	786	52
53	21	626	73,0°	70,0°	137	472	1147	653	416	818	52

\* nur Macina Fogo 273

## MACINA FREEZE 261

43	17	574	73,0°	69,0°	125	500	1148	597	392	776	55
48	19	594	73,0°	69,0°	137	500	1168	608	408	795	55
53	21	612	73,0°	69,0°	150	500	1187	620	422	825	55

## MACINA MIGHTY 291

43	17	575	73,0°	70,5°	120	497	1132	618	400	791	62
48	19	589	73,0°	71,0°	125	497	1145	625	416	818	62
53	21	600	73,0°	71,0°	137	497	1164	636	431	847	62
57	22,5	643	73,0°	71,0°	150	497	1182	648	445	872	62

## MACINA RACE 291, 292, 293

38	15	569	73,0°	70,5°	120	477	1092	594	388	752	62
43	17	589	73,0°	70,5°	120	477	1112	602	406	744	62

## MACINA ACTION 291, 292

48	19	605	73,0°	71,0°	125	477	1125	607	422	761	62
53	21	625	73,0°	71,0°	137	477	1144	618	437	791	62
57	22,5	643	73,0°	71,0°	150	477	1162	630	451	817	62

## MACINA FORCE 291, 292

43	17	589	73,0°	71,5°	120	497	1105	622	382	791	62
48	19	607	73,0°	71,5°	125	497	1127	627	402	818	62
53	21	625	73,0°	71,5°	137	497	1146	638	418	847	62

## MACINA RACE 273

38	15	557	73,0°	70,0°	120	460	1091	575	382	734	47
43	17	575	73,0°	70,0°	125	460	1109	577	399	734	47

## MACINA ACTION 271, 272

48	19	594	73,0°	70,0°	137	460	1129	587	415	753	47
53	21	611	73,0°	70,0°	150	460	1148	597	430	784	47

## MACINA FORCE 272

38	15	556	73,0°	70,0°	120	480	1094	591	376	765	47
43	17	575	73,0°	70,0°	125	480	1112	595	393	778	47
48	19	594	73,0°	70,0°	137	480	1132	607	408	807	47

## MACINA MINI ME 241

34	13,5	529	72,5°	70,0°	120	432	1016	518	366	677	40
----	------	-----	-------	-------	-----	-----	------	-----	-----	-----	----

# E-TREKKING



Size in  
cm / inch



Toptube  
length



Seat angle



Head angle



Headtube  
length



Chainstay  
length



Wheelbase



Stack



Reach



Standover  
height



BB drop

<b>MACINA CROSS MAN</b>	46 18	575	73,0°	70,5°	120	463	1088	582	397	776	55
XT 11 CX5+, XT 11 CX5, 11 CX5, 10 CX5, 9 CX4	51 20	588	73,0°	70,5°	137	463	1101	599	405	808	55
	56 22	599	73,0°	70,5°	155	463	1113	615	411	839	55
	60 23,5	615	73,0°	70,5°	174	463	1130	633	422	867	55
<b>MACINA CROSS LADY</b>	46 18	575	73,0°	70,5°	120	463	1088	582	397	706	55
XT 11 CX5+, XT 11 CX5, 11 CX5, 10 CX5, 9 CX4	51 20	588	73,0°	70,5°	137	463	1101	599	405	709	55
	56 22	599	73,0°	70,5°	155	463	1113	615	411	740	55
<b>MACINA CROSS MAN 9A4</b>	46 18	575	73,0°	70,5°	120	482	1100	588	395	792	55
	51 20	588	73,0°	70,5°	137	482	1114	604	404	821	55
	56 22	600	73,0°	70,5°	155	482	1126	621	410	853	55
	60 23,5	616	73,0°	70,5°	174	482	1144	638	421	881	55
<b>MACINA CROSS LADY 9A4</b>	46 18	575	73,0°	70,5°	120	482	1100	588	395	734	55
	51 20	588	73,0°	70,5°	137	482	1114	604	404	739	55
	56 22	600	73,0°	70,5°	155	482	1126	621	410	742	55
<b>MACINA SPORT XT 11 CX5+, XT 11 CX5, 11 CX5, 10 CX5, 9 CX5 / STYLE XT11 CX5, 10 CX5 / TOUR 10 PS / FUN 9 PS / GRAN 8 PS MAN MACINA FLITE 11 CX5, STREET 11 CX5</b>	46 18	575	73,0°	71,0°	120	463	1082	584	396	777	55
	51 20	588	73,0°	71,0°	137	463	1096	601	405	808	55
	56 22	599	73,0°	71,0°	155	463	1108	618	411	840	55
	60 23,5	615	73,0°	71,0°	174	463	1125	636	422	869	55
<b>MACINA SPORT XT 11 CX5+, XT 11 CX5, 11 CX5, 10 CX5, 9 CX5 / STYLE XT11 CX5, 10 CX5 / TOUR 10 PS / FUN 9 PS / GRAN 8 PS LADY</b>	46 18	575	73,0°	71,0°	120	463	1082	584	396	708	55
	51 20	588	73,0°	71,0°	137	463	1096	601	405	710	55
	56 22	599	73,0°	71,0°	155	463	1108	618	411	741	55
<b>MACINA SPORT XT 11 CX5+, XT 11 CX5, 10 CX5 / STYLE XT11 CX5, 10 CX5 / EIGHT DISC PS US</b>	46 18	596	71,0°	70,0°	160	492	1104	625	382	419	60
	51 20	605	71,0°	70,0°	174	492	1114	638	387	419	60
	56 22	620	71,0°	70,0°	190	492	1131	659	400	419	60
<b>MACINA SPORT 10 CX5, 9 CX5 / 10 PS / FUN 9 PS / EIGHT XL PS, RT A5 / CITY 8 PS, RT A5, A4, RT A4 US</b>	46 18	595	71,0°	70,0°	160	492	1104	625	382	435	60
	51 20	605	71,0°	70,0°	174	492	1123	639	387	435	60
	56 22	621	71,0°	70,0°	190	492	1132	653	400	435	60
<b>MACINA SPORT MAN 9 CX4</b>	46 18	575	73,0°	71,0°	120	482	1095	589	395	788	55
	51 20	589	73,0°	71,0°	137	482	1109	606	403	817	55
	56 22	600	73,0°	71,0°	155	482	1121	622	410	849	55
	60 23,5	617	73,0°	71,0°	174	482	1138	640	421	877	55
<b>MACINA SPORT LADY 9 CX4</b>	46 18	575	73,0°	71,0°	120	482	1095	589	395	730	55
	51 20	589	73,0°	71,0°	137	482	1109	606	403	734	55
	56 22	600	73,0°	71,0°	155	482	1121	622	410	737	55
<b>MACINA SPORT 9 CX4 / JOY 9 A3 / CLASSIC 8 Di2 A+5, RT Di2 A+5, A+5 / RT A+5, A4, 8 RT A4 / CLASSIC 7 A3 US</b>	46 18	590	71,5°	70,0°	160	482	1116	624	382	452	60
	51 20	600	71,5°	70,0°	174	482	1129	637	387	452	60
	56 22	620	71,5°	70,0°	190	482	1147	652	402	452	60
<b>MACINA CLASSIC US 8 A+5 26", 8 RT A+5 26"</b>	46 18	590	72,0°	70,0°	160	464	1102			439	51



**KTM Fahrrad GmbH**  
Harlochnerstraße 13  
5230 Mattighofen, Austria



**KTM-BIKES.AT**